



nrsc

# WASTELANDS ATLAS OF INDIA 2010



**Ministry of Rural Development**  
Department of Land Resources  
Government of India  
New Delhi – 110011



**National Remote Sensing Centre**  
Indian Space Research Organisation  
Department of Space, Government of India  
Hyderabad – 500625

# WASTELANDS

## ATLAS of INDIA



Govt. of India  
Ministry of Rural Development  
Department of Land Resources  
New Delhi



*nrsc*

Land Use Division, Land Resources Group  
RS & GIS Applications Area  
National Remote Sensing Centre  
Indian Space Research Organisation  
Hyderabad

2010





**रीता सिंहा**

**RITA SINHA**

सचिव

भारत सरकार

भूमि संसाधन विभाग

ग्रामीण विकास मंत्रालय

SECRETARY

Government of India

Department of Land Resources

Ministry of Rural Development

## FOREWORD

Land resources are under tremendous pressure with growing needs of development and exploding population with attendant increase in the demand for food, fuel, fodder and fiber. The advent of modern age and newer forces, exacerbated by short-term gain driven motives often lead to over-exploitation of natural resources, including depletion of soil fertility and degradation of land resources. Government of India has created the Department of Land Resources (DoLR) in the Ministry of Rural Development (MRD) for development of rainfed areas including wastelands in drought prone and desert prone areas. Having the mandate of developing the valuable land resources of India, the Department endeavors to prevent further degradation of these resources through appropriate management strategies. At the instance of Govt. of India, the Indian Space Research Organisation (ISRO), took the first step in the direction of creating reliable database on the wastelands of the country on 1:50,000 scale. National Remote Sensing Centre (erstwhile National Remote Sensing Agency) has executed the project using satellite data of different periods (1986 – 2000). An atlas showing the spatial distribution and district-wise area under wastelands was released by the Prime Minister of India in 2000. Apart from Department of Land Resources this

Atlas is being consulted by various user government departments and non-governmental organizations extensively for implementing various development programmes.

In order to update the information on severity of degradation which helps in wasteland reclamation programmes, DoLR has again initiated a project titled “National Wasteland Updation Mission (NWUM)” in collaboration with NRSC, during 2003. Using Rabi season IRS LISS III of 2003, the status of wastelands with 28 categories was mapped. According to these estimates, wastelands accounted for 55.64 million ha. The collateral data and ancillary information like watershed boundaries, village boundaries and base details such as settlement locations, transport network, drainage, notified forest boundaries are organized in different layers using standard codification system. The results are published as a National Atlas titled ‘Wasteland Atlas of India – 2005’, providing district level information.

In order to monitor the changes in wastelands in the country, DoLR had initiated a project titled ‘National Wastelands Monitoring Project

(NWMP)', in collaboration with NRSC, Department of Space. The emphasis in this project was on the study of the dynamics of wastelands through comparison of spatial statistics of different categories between 2006 and 2003, enabling better understanding of changes in some of the wastelands areas. The results of findings of the project have been brought out as ' Wasteland Atlas of India – 2006 ' which provide category-wise and district-wise information on wastelands in various states in the country along with change over the previous study (2003).

I hope this publication will be very useful for all those involved in the implementation of various wastelands reclamation programme in the country.

I congratulate all those associated with this national endeavor, which is of great relevance in rural development.

**New Delhi**

**Date:11-03-2010**

  
**Rita Sinha**

भारत सरकार  
अन्तरिक्ष विभाग

अन्तरिक्ष भवन, न्यू बी ई एल रोड  
बैंगलूर - 560 231, भारत  
तार : स्पेस फैक्स : +91-80-23415328  
दूरभाष : +91-80-23415241, 22172333

**Dr. K. Radhakrishnan**  
Secretary



GOVERNMENT OF INDIA  
**DEPARTMENT OF SPACE**

Antariksh Bhavan, New BEL Road  
Bangalore - 560 231, India  
Grams : Space Fax : +91-80-23415328  
Telephone : +91-80-23415241, 22172333  
e-mail : chairman@isro.org

## PREFACE

Optimal management of natural resources in the wake of the ever-increasing demand for food, fuel and fodder pose complex problems for the country's growth and development. Strategies for solving such complex issues lie in understanding the potential of land and water resources, designing appropriate plans to circumvent them, while meeting the basic needs of the nation.

India occupies 2.4% of the global geographical area, shares 16% of human population and 15% of livestock population. This scenario has necessitated proper demarcation of productive and non-productive lands, particularly the wastelands that could be treated and reclaimed for productive use.

Applications of Satellite Remote Sensing have proved to be successful in mapping and characterising the wastelands and prioritising them for reclamation. Wasteland mapping at national level has been done at regular time intervals by ISRO/DOS, during past 2 decades, using data from Indian Remote Sensing Satellites. The area occupied by wastelands, at national level, was assessed as 63.85 mha during 1986-2000; while a similar exercise carried out during 2003 depicted a reduction by 8.21 mha.

The present exercise of mapping wastelands was carried out during 2005-2006, by using three-season satellite data for the first time. This effort resulted in estimating the current extent of wastelands as 47.22 mha, showing further reduction to the tune of 8.41 mha. These figures, along with maps, are being utilised by the Ministry of Rural Development. (MoRD), regularly, towards planning and implementing the reclamation of wastelands.

I compliment the efforts of all the individuals and institutions, who have contributed in successful completion of this project at national level. I am sure; the database generated will continue to contribute towards better management of wastelands in the country.

Bangalore  
Date: 01-04-2010

K. Radhakrishnan



भारत सरकार  
अन्तरिक्ष विभाग

## राष्ट्रीय सुदूर संवेदन केन्द्र

बालानगर, हैदराबाद-500 625, आं प्र, भारत  
टेलिफोन : +040-23878360  
+040-23884000-04  
फैक्स : +040-23877210



Government of India  
Department of Space

## National Remote Sensing Centre

Balanagar, Hyderabad-500 625, A P, India  
Telephone : +040-23878360  
+040-23884000-04  
Fax : +040-23877210

**Dr. V. Jayaraman**  
Director

## PREAMBLE

The rapid industrialization and economic development in many countries have resulted in achievement of improved standards of living as evident from improved GDP per capita. However, one of the prices to be paid for such a rapid development is environmental degradation by way of soil erosion by water and wind, soil salinization / alkalization / acidification, water logging etc. In order to increase the biomass production and to restore the environmental health, preventive and curative measures need to be employed for rehabilitation of wastelands / degraded lands. Information on the nature, extent, severity and dynamics of degradation is vital in this endeavour. The available estimates of degraded lands in India range from 30 to 175 M ha. These variations are mainly due to the lack of mutually agreed definitions on various classes of wastelands, variations in database used, and the methodologies adopted for deriving information on wastelands.

Realizing the potential of satellite remote sensing and GIS, National Wasteland Development Board, Government of India initiated a collaborative project with NRSC (erstwhile NRSA) to identify wastelands and their location up to village and micro-watershed level on 1:50,000

scale using Landsat – TM, IRS LISS-I, LISS-II and LISS-III images for the periods 1986-1999. Wastelands were grouped into thirteen categories and the maps were prepared for entire country. This database has been extensively used in various wasteland and watershed development schemes by various user departments, including Non-Governmental Organisations (NGOs). Based on the above, an Atlas was also brought out in 2000.

The Ministry of Rural Development, once again requested NRSC in 2003 for a follow-up study to update the wasteland database. Accordingly, a national level project titled “National Wastelands Updation Project” was taken up to generate database for entire country using one time *rabi* season IRS LISS-III data of 2003. Several partner institutions like State Remote Sensing Applications Centres, Regional Remote Sensing Centres (erstwhile RRSSCs), and academia were involved. An atlas on wastelands titled “Wasteland Atlas of India – 2005” was brought out. This publication, again, proved to be very useful in the implementation of various wasteland reclamation schemes.

To understand the spatial and temporal changes in wastelands, the current project on “National Wastelands Monitoring” was initiated in 2006 with the objective of assessing the status of wastelands and to monitor its changes in their vegetation conditions. The unique features of this project are usage of three season (*kharif, rabi and zaid*) satellite data for deriving information on wastelands, and development of digital database as per NNRMS standards. This exercise is envisaged to improve the delineation of various wastelands categories, and help refining the delineation of wastelands made during the earlier exercise. The development of digital database as per NNRMS standards is yet another improvement. The

current Wasteland Atlas provides the status of wastelands of our country during the period 2005-06. The classification scheme adopted, methodology followed for creation of database have been explained in a lucid manner to facilitate the usage of the data for rehabilitation of wastelands. I am sure, as in the past, this Atlas will also be used by many stakeholders involved in wasteland reclamation activities.



V. Jayaraman  
Director, NRSC

**Hyderabad**

**Date: 05-03-2010**

## ACKNOWLEDGEMENTS

The National Remote Sensing Centre (NRSC) acknowledges with great appreciation, the initiative taken by the Department of Land Resources, MoRD, Govt of India for entrusting the study on “National Wasteland Monitoring Project”. The mapping efforts have generated valuable datasets on unutilized / vacant lands and their use in watershed management and amelioration purpose.

In this context, National Wastelands Monitoring Project team acknowledges the keen interest and support provided by Mrs. Rita Sinha, Secretary and Shri. Chinmay Basu, Additional Secretary, Ministry of Rural Development, Government of India for using satellite remote sensing technology for wastelands updation in scientific manner during the execution of the project.

Our deep sense of gratitude is due to Dr. K Radhakrishnan, Chairman, Indian Space Research Organisation (ISRO) and Secretary, Department of Space, Government of India for his constant guidance and support. The project team is grateful to Dr. V Jayaraman, Director, National Remote Sensing Centre (NRSC), Hyderabad, Government of India for guidance and providing necessary facilities during execution of the mission.

A national level project of this magnitude could not be successfully completed without active support from a large number of partner institutions namely State Remote Sensing Application Centers, Regional Remote Sensing Centers, BITS-Ranchi, NATMO-Kolkata and IRS-Chennai. The project team also acknowledges the support extended by the Heads/ Directors and Scientists of all the partner institutes for taking up and whole heartedly supporting a national mission project and successful completion of the project.

We also place on record our sincere thanks to external quality teams without whose active support, an output of this fine quality would not have been possible.

Special thanks are due to Dr. D. Ramakrishnaiah, Dr. C.P. Reddy and Dr. R. M. Misra, Department of Land Resources, Ministry of Rural Development, Government of India, Dr. V. S. Hegde, Director, Earth Observation System and Scientific Secretary, ISRO Headquarters, Bangalore for their continued support in this endeavor.

The support provided by Dr. R Nagaraja, Group Head, NDC and their colleagues during satellite data planning & procurement in time is duly acknowledged. The job taken up by Map Records & Archival facility and Map Printing Section from time to time during project execution and publishing of Atlas is acknowledged

Dr S. Sudhakar, Head, Land Use Division and Dr G. Ravi Shankar, Scientist ‘SF’ has coordinated the project at NRSC. Their contribution is duly acknowledged.

Finally, we sincerely place on record the co-operation extended by various areas / divisions /sections of NRSC for their valuable support in completing the project.



**Hyderabad**

**Date: 29-03-2010**

**P S Roy**  
**Deputy Director (RS & GIS-AA)**  
**NRSC**



## PROJECT TEAM

### **Andhra Pradesh**

#### **APSRAC, Hyderabad**

Dr. K. Mruthyunjaya Reddy  
 Mr. G. Mehar Baba, Mr. D V J Sastry  
 Mr.S. V. Raghava Reddy  
 Mr. Ch. Tata Babu, Mr. G. Kumaraswamy

### **Bihar**

#### **BIT, Mesra, Ranchi**

Dr. M. S. Nathawat  
 Dr. A. C. Pandey, Dr.V.S.Rathore  
 Mr. Nitish Kumar Sinha, Mr.Suraj Kumar Singh

### **Chattisgarh**

#### **NATMO, Kolkata**

Dr.P.Nag  
 Mr.A.Mukherji, Dr.Rajendra Prasad  
 Ms.Madhuri Mukherji, Ms.Sudeshna Bhar

### **NRSC, Hyderabad**

Dr. Manoj Raj Saxena, Dr. G.Padma Rani  
 Mr. Girish S Pujar, Dr.Arijit Roy  
 Ms. Shivam Trivedi, Dr.T.R.Kiran Chand

### **Goa**

#### **EOS , ISRO HQ**

Dr.J.Krishnamurthy,  
 Dr. Rajeev Kumar Jaiswal  
 Dr.M. Sameena, Mr.T.R.S.V.S. Sastry

### **Gujarat**

#### **BISAG, Gandhinagar**

Mr.T. P. Singh  
 Mr.Ajay Patel, Mr. Vijay Singh  
 Mr. Khalid Mahmood, Mr. Navnit Patel

### **Haryana**

#### **HARSAC, Hissar**

Dr. R. S. Hooda  
 Dr.V. S. Arya  
 Dr. Sandeep Arya, Mr S S Khatri  
 Ms. Heena Sharma, Mr. Vijay Singh  
 Mr. Prem Prakash Sharma

### **Himachal Pradesh**

#### **RRSC, Dehradun**

Dr. K P Sharma  
 Dr. M. Kudrat  
 Dr. Hitendra Padalia

#### **HPRSC, Shimla**

Dr. R. K. Sood  
 Dr. R. S. Thapa

### **Jammu & Kashmir**

#### **RSAC, J & K**

Dr. Ravi Kumar Kesar  
 Dr. S. A. Naqash  
 Dr.Tasneem Keng, Mr.Tanveer Shaikh  
 Ms. Muzammil Amin

### **Jharkhand**

#### **JSAC, Ranchi**

Dr. A.T. Jeyaseelan  
 Dr. Neeraj Kumar Sharma, Mr. Najmul Hoda

Mr. Rahul Kumar Singh, Ms. Swetta Singh

Mr. Mukesh Kumar, Mr Ritesh Kumar Sinha

Mr. Pradip Kumar Swain, Mr. Lakan Lal Mahto

Mr. Amit Kumar, Mr. Mukesh Boori

Mrs. Jyoti Bala Lamay, Mr. N K Mishra

Mr. Ajay Kumar, Mr. V H Vinod Kumar

Ms. Shashi Poonam Indwar

Dr. Vivek Kumar Singh, Ms. Nishi Jaya Kullu

### **Karnataka**

#### **KSRSAC, Bangalore**

Dr. M.H. Balakrishnaiah  
 Dr. V. Shreedhara  
 Mr. Mohd. Saleem I. Shaikh, Mr. T. Praveen  
 Dr. M. C. Jayaprakash, Mr. D.Ramesh Nayak  
 Mr. B.C. Santhosh Kumar, Mr. D.C.Lingadevaru

### **Kerala**

#### **KSREC, Thiruvananthapuram**

Mr. R. P.Sharma  
 Mr. A.Nizamudeen, Mr. N.Thrideep Kumar  
 Mr. B. R. Hareesh

### **Madhya Pradesh**

#### **RSAC, Bhopal**

Dr.P.K.Varma  
 Dr. Vivek Katare, Dr. Narendra Shivhare  
 Mr. S. N. Rajak, Mr. Sanjay Samuel  
 Ms. Seema Khan, Mr. Kiran Kanungo  
 Mr. Shailendra Pandey

**Maharashtra****MRSAC, Nagpur**

Dr. A.K.Sinha

Mr. Vivek Kale, Mr.Sanjeev Verma

Ms. Tutu Sengupta, Mr. Prashant Rajankar

Dr. Ajay Deshpande, Ms. Sapna Deotale

Ms. Neelima Srivastava, Ms. Archana Kolhe

Mr. Bhau Gavit, Mr.Sanjay Patil, Mr.Arun Atkare

Ms. Smita Dhirde, Mr.Sanjay Balamwar, Mr.

S.Khandare

**Orissa****ORSAC, Bhubaneswar**

Mr. A. K. Mohapatra

Mr. P. Mishra, Ms.B.Tripathy

Mrs. S. Devi, Mr.A.Das

**Punjab****PRSC, Ludhiana**

Dr. P. K. Sharma

Dr. D. C. Loshali, Dr.V.K.Verma

Dr. Anil Sood, Dr.Minakshi

Mr. Narinder Singh, Dr.Ajay mathur

**Rajasthan****RRSC, Jodhpur**

Dr. J. R. Sharma

Mr. Suparn Pathak, Dr.Rakesh Paliwal

**Tamil Nadu****IRS, Anna University, Chennai**

Dr. M. Ramalingam

Mr. A. Ravindran, Ms.C.Sivakami

Ms. R. J. Manonmani

**Uttar Pradesh****RSAC, Lucknow**

Dr. Alok Mathur

Ms.Manisha Mishra, Dr.Manoj Kumar

Mr.Ranjit Singh Rawat, Mr.A.R.Siddiqui

Dr.P.P.S. Yadav, Mr. Sajan A. Punnoose

Mr. Sushil Chandra, Mr.K.K.Mishra,

Mr. Sandeep Singh

**Uttarakhand****USAC, Dehradun**

Dr. M. M.Kimothi

Mr. Sunil Chandra Dhanwal

**West Bengal****RS Cell, WBCST, Kolkata**

Dr. P. Chakrabarti

Ms. Subrata B. Dutta

Ms. Komalika Paul, Ms.Maitreyee Banerjee

**Union Territories****NRSC, Hyderabad**

Mr. Rajiv Kumar

**North Eastern States****NESAC, Shillong**

Dr.P.P.Nageswara Rao, Dr. K.K.Sarma

**Arunachal Pradesh****ARSAC, Itanagar**

Dr. G.Ch. Chennaiah

Mr.H. K. Datta, Mr. Chauken Manlong

Ms.Binuta Barua

**Assam****Assam RSAC, Guwahati**

Mr. Niraj Verma

Mr. Utpal Sarma, Mr. Abhijit Bora

Mr.Jagdish Bhattacharya

**Manipur****Manipur RSAC, Imphal**

Mr. N. Shamungou Singh

Mr. O.Nodiachand Singh, Mr.Y.Nilakanta

Mr.N.Gaganchand

**Meghalaya****NESAC, Shillong**

Ms.H.Suchitra Devi, Mr.Victor Saikhom

Mr.Pebam Rocky

**Mizoram****MIRSAC, Aizawl**

Dr. R. K. Lallianthanga

Mr. Hmingthanpuii, Mr.Robert L Sailo

Mr.H.Lalhamachuana

**Nagaland**

**NS & TC, Kohima**

Dr. Zavei Hiese, Dr.Nesatalu Hiese  
Mr. Ditho Katiry

**Sikkim**

**RRSC, Kharagpur**

Dr. A. Jeyaram  
Dr. V. M. Chowdary  
Ms. Swati Singh  
Ms. Anju Bajpai

**Tripura**

**TSAC, Agartala**

Dr. N. Datta  
Mr. Abhisek Dasgupta, Mr.Subrata Paul  
Mr.Subrajyothi Choudhury, Mr.Sujit Das  
Ms.Banani Bhattacharjee,  
Mr. Parthasarathi Goswami

**Project Management**

**Project Director**

Dr.P.S.Roy

**Technical Guidance**

Dr.R.S.Dwivedi

**Project Coordinators**

Dr. S. Sudhakar, Dr.G.Ravi Shankar

**Technical Lead Team**

Dr. G. Ravi Shankar –  
Rajasthan, North-Eastern States  
(Meghalaya, Mizoram, Nagaland, Sikkim,  
Arunachal Pradesh)

Dr. S. V. C. Kameswara Rao –  
Bihar, Uttar Pradesh, Maharashtra

Dr. Manoj Raj Saxena –  
Orissa, West Bengal, Madhya Pradesh,  
Jharkhand

Dr. G. Padma Rani -  
Andhra Pradesh, Kerala, Tamil Nadu

Mr. Rajiv Kumar –  
Union Territories, Tripura, Goa,  
Jammu & Kashmir

Mr. B. Shyam Sunder –  
Gujarat, Haryana, Uttarakhand, Punjab,  
Karnataka, Himachal Pradesh

Mr. Girish S. Pujar -  
Chhattisgarh

**Quality Assurance Team**

**NRSC, Hyderabad**

Dr. S. Sudhakar  
Dr.G. Ravi Shankar  
Dr. S. V. C. Kameswara Rao  
Dr. Manoj Raj Saxena, Dr. G. Padma Rani  
Mr. Rajiv Kumar, Mr. B. Shyam Sunder  
Mr.A.Lesslie, Mr.Arul Raj, Ms.R.Binutha

**IIRS, Dehradun**

Dr.Jitendra Prasad, Dr.A.P.Subudhi

**SAC, Ahmedabad**

Dr. R Ghosh, Dr.T.S.Singh

**Atlas Compilation Team**

**Content layout, text and design**

Dr. S. Sudhakar, Dr. G. Ravi Shankar

**Geodatabase compilation & analysis**

Mr. B.Shyam Sunder, Ms. R.Binutha

**Technical support**

Dr. S.V.C.Kameswara Rao, Dr. Manoj Raj  
Saxena, Dr.G.Padma Rani, Mr.Rajiv Kumar

**Printing Support**

Mr.K.Shankar Rao  
Mr.E.Vijayasekhar Reddy

**Operations Support**

Mr.S. Thirunavukkarasu  
Mr.D.Janardhan Rao, Mr.P.G.Vijaya Kumar  
Mr.P.Venugopal, Mr.Sanjay Kumar Rathod  
Mr.O.S.N.Murthy, Mr. A.V.Raju, Mr.K.Sanathanan  
Mr.Solomon John, Mr.K.S.Vijaya Kumar  
Mr.D.N.Rao, Mr.N.Raghunandan, P.Revathi  
Mr.R.N.Bera, Mr.Rajam Raju, Mr.BSS Prasad

**Secretarial Support**

Ms. Malini Raj Kumar, Mr. K. Narasing Rao



# Contents

FOREWORD	iii
PREFACE	v
PREAMBLE	vii
ACKNOWLEDGEMENTS	ix
PROJECT TEAMS	xi
LIST OF FIGURES	xvi
LIST OF TABLES	xviii
EXECUTIVE SUMMARY	xxi
1.0 INTRODUCTION	01
2.0 HISTORICAL PERSPECTIVE	01
3.0 OBJECTIVES	03
4.0 DATABASE	03
5.0 CLASSIFICATION SYSTEM	04
6.0 METHODOLOGY	07
7.0 SPATIAL DISTRIBUTION OF WASTELANDS	08
8.0 CATEGORY-WISE DISTRIBUTION OF WASTELANDS	09
9.0 STATE-WISE DISTRIBUTION OF WASTELANDS	11
10.0 CHANGE ANALYSIS	20
11.0 CONCLUSIONS	21
REFERENCES	22
BIBLIOGRAPHY	23
WASTELANDS MAP OF INDIA	25
WASTELANDS IN INDIA - AREA-WISE	27
WASTELANDS IN INDIA - PERCENTAGE-WISE	27
STATE-WISE MAPS & TABLES	35
ANNEXURE	136

## List of Figures

1. Wastelands map of India – 2005-06	25
2. India - State-wise wastelands distribution	26
3. India - Area-wise wastelands distribution – 2005-06	27
4. India - Percentage wise wastelands distribution – 2005-06	27
5. India - Wastelands category-wise changes with respect to area and percentage and percent to total geographic area	28
6. Spatial distribution of gullied / ravinous lands (medium and deep)	29
7. Spatial distribution of scrub land (land with dense scrub and open scrub)	29
8. Spatial distribution of waterlogged and marshy lands (seasonal and permanent)	30
9. Spatial distribution of lands affected by salinity and alkalinity (moderate and high)	30
10. Spatial distribution of shifting cultivation areas (current and abandoned)	31
11. Spatial distribution of degraded notified forest land	31
12. Spatial distribution of degraded pastures and grazing land	32
13. Spatial distribution of wastelands - Degraded land under plantation crops	32
14. Spatial distribution of sands – desertic, coastal and riverine	33
15. Spatial distribution of mining and industrial wastelands	33
16. Spatial distribution of barren rocky/stony waste	34
17. Spatial distribution of snow covered and glacial area	34
18. Andhra Pradesh - Spatial distribution of wastelands	41
19. Arunachal Pradesh - Spatial distribution of wastelands	44
20. Assam - Spatial distribution of wastelands	47
21. Bihar - Spatial distribution of wastelands	51
22. Chattisgarh - Spatial distribution of wastelands	55
23. Delhi - Spatial distribution of wastelands	57
24. Goa - Spatial distribution of wastelands	59
25. Gujarat - Spatial distribution of wastelands	61
26. Haryana - Spatial distribution of wastelands	64
27. Himachal Pradesh - Spatial distribution of wastelands	67

28. Jammu & Kashmir - Spatial distribution of wastelands	70
29. Jharkhand - Spatial distribution of wastelands	73
30. Karnataka - Spatial distribution of wastelands	77
31. Kerala - Spatial distribution of wastelands	80
32. Madhya Pradesh - Spatial distribution of wastelands	84
33. Maharashtra - Spatial distribution of wastelands	88
34. Manipur - Spatial distribution of wastelands	91
35. Meghalaya - Spatial distribution of wastelands	93
36. Mizoram - Spatial distribution of wastelands	95
37. Nagaland - Spatial distribution of wastelands	97
38. Orissa - Spatial distribution of wastelands	100
39. Punjab - Spatial distribution of wastelands	103
40. Rajasthan - Spatial distribution of wastelands	107
41. Sikkim - Spatial distribution of wastelands	110
42. Tripura - Spatial distribution of wastelands	111
43. Tamilnadu - Spatial distribution of wastelands	115
44. Uttarakhand - Spatial distribution of wastelands	118
45. Uttar Pradesh - Spatial distribution of wastelands	123
46. West Bengal - Spatial distribution of wastelands	126
47. Union Territories - Spatial distribution of wastelands	129
48. Union Territories - Spatial distribution of wastelands	130
49. Satellite image showing wastelands change	136
50. Wastelands - Interpretation Variation using single season and multi-season satellite data	137
51. Ground Photograph - Land with Open Scrub	138
52. Ground Photograph - Salt Affected land	139
53. Ground Photograph - Mining Wastelands	140

## List of Tables

1. Comparison of wastelands categories mapped during 2003 and 2006	02
2. Wastelands classification	04
3. India - State-wise distribution of wastelands	35
4. India - Category-wise distribution of wastelands	36
5. India - State-wise and category-wise distribution of wastelands	37
6. India - State-wise changes in wastelands	38
7. India - Category-wise changes in wastelands	39
8. Andhra Pradesh - District-wise distribution of wastelands	40
9. Andhra Pradesh - Category-wise distribution and changes in wastelands	42
10. Arunachal Pradesh - District-wise distribution of wastelands	43
11. Arunachal Pradesh - Category-wise distribution and changes in wastelands	45
12. Assam - District-wise distribution of wastelands	46
13. Assam - Category-wise distribution and changes in wastelands	48
14. Bihar - District-wise distribution of wastelands	49
15. Bihar - Category-wise distribution and changes in wastelands	52
16. Chattisgarh - District-wise distribution of wastelands	53
17. Chattisgarh - Category-wise distribution and changes in wastelands	54
18. Delhi - Distribution of wastelands	53
19. Delhi - Category-wise distribution and changes in wastelands	56
20. Goa - District-wise distribution of wastelands	53
21. Goa - Category-wise distribution and changes in wastelands	58
22. Gujarat - District-wise distribution of wastelands	60
23. Gujarat - Category-wise distribution and changes in wastelands	62
24. Haryana - District-wise distribution of wastelands	63
25. Haryana - Category-wise distribution and changes in wastelands	65
26. Himachal Pradesh - District-wise distribution of wastelands	66
27. Himachal Pradesh - Category-wise distribution and changes in wastelands	68

28. Jammu & Kashmir - District-wise distribution of wastelands	69
29. Jammu & Kashmir - Category-wise distribution and changes in wastelands	71
30. Jharkhand - District-wise distribution of wastelands	72
31. Jharkhand - Category-wise distribution and changes in wastelands	74
32. Karnataka - District-wise distribution of wastelands	75
33. Karnataka - Category-wise distribution and changes in wastelands	78
34. Kerala - District-wise distribution of wastelands	79
35. Kerala - Category-wise distribution and changes in wastelands	81
36. Madhya Pradesh - District-wise distribution of wastelands	82
37. Madhya Pradesh - Category-wise distribution and changes in wastelands	85
38. Maharashtra - District-wise distribution of wastelands	86
39. Maharashtra - Category-wise distribution and changes in wastelands	89
40. Manipur - District-wise distribution of wastelands	90
41. Manipur - Category-wise distribution and changes in wastelands	92
42. Meghalaya - District-wise distribution of wastelands	90
43. Meghalaya - Category-wise distribution and changes in wastelands	92
44. Mizoram - District-wise distribution of wastelands	94
45. Mizoram - Category-wise distribution and changes in wastelands	96
46. Nagaland - District-wise distribution of wastelands	94
47. Nagaland - Category-wise distribution and changes in wastelands	96
48. Orissa - District-wise distribution of wastelands	98
49. Orissa - Category-wise distribution and changes in wastelands	101
50. Punjab - District-wise distribution of wastelands	102
51. Punjab - Category-wise distribution and changes in wastelands	104
52. Rajasthan - District-wise distribution of wastelands	105
53. Rajasthan - Category-wise distribution and changes in wastelands	108
54. Sikkim - District-wise distribution of wastelands	109
55. Sikkim - Category-wise distribution and changes in wastelands	112
56. Tripura - District-wise distribution of wastelands	109
57. Tripura - Category-wise distribution and changes in wastelands	112

58. Tamilnadu - District-wise distribution of wastelands	113
59. Tamilnadu - Category-wise distribution and changes in wastelands	116
60. Uttarakhand - District-wise distribution of wastelands	117
61. Uttarakhand - Category-wise distribution and changes in wastelands	119
62. Uttar Pradesh - District-wise distribution of wastelands	120
63. Uttar Pradesh - Category-wise distribution and changes in wastelands	124
64. West Bengal - District-wise distribution of wastelands	125
65. West Bengal - Category-wise distribution and changes in wastelands	127
66. Union Territories - Distribution of wastelands	128
67. Union Territories - Category-wise distribution and changes in wastelands	131
68. Andaman & Nicobar Islands - Category-wise distribution and changes in wastelands	132
69. Chandigarh - Category-wise distribution and changes in wastelands	132
70. Dadra & Nagar Haveli - Category-wise distribution and changes in wastelands	133
71. Daman - Category-wise distribution and changes in wastelands	133
72. Diu - Category-wise distribution and changes in wastelands	134
73. Karaikal - Category-wise distribution and changes in wastelands	134
74. Pondicherry - Category-wise distribution and changes in wastelands	135

## National Wastelands Monitoring using Multi-temporal Satellite data

### Executive Summary

A project titled “National Wastelands Updation Project (NWUP)” was taken up by NRSC at the behest of the Ministry of Rural Development, Govt. of India during 2002-03 to update the earlier wastelands maps (2000) by using one-time dataset of 2003 following a systematic visual interpretation approach. The vector data on wastelands was generated in Polyconic projection and Everest 1956 as a reference datum which was later modified to LCC projection and Modified Everest datum.

To monitor the changes in the status of wastelands during the period 2003 and 2005-2006, a project titled ‘National Wasteland Monitoring’ using Resourcesat-1 LISS III data was initiated in 2006. To improve the accuracy of wastelands delineation, Resourcesat-1 LISS III data of three season, namely *kharif* (monsoon), *rabi* (winter) and *zaid* (summer) for the period 2005-06 were interpreted following on-screen visual interpretation approach. The database on wastelands was generated in UTM projection and WGS 84 datum to comply with the existing national map policy. In order to facilitate the objective comparison of database on wastelands for the period 2003 and 2005-2006, and to enable change detection, the databases of 2003 and 2005-2006 were brought to a common projection and datum i.e. UTM projection and WGS 84 datum.

The wastelands vector layer of 2003 along with the reprojected three seasons satellite data of 2005-06 were used to update the wastelands database of 2003. However, due to inconsistency in georeferencing of these two satellite datasets, the monitoring exercise could not be carried out. Hence wastelands mapping was carried out using Resourcesat 1 LISS III data of three seasons for the period 2005-06 using wastelands vector layer of 2003 as a reference along with limited ground truth.

The utilization of three seasons’ satellite data of 2005-06 has led to substantial improvements in the delineation of wastelands categories. This database on wastelands could be used as a reference for monitoring changes in the spatial extent of wastelands in future. Due to the change in the datum coupled with problems related to georeferencing, registration of two datasets, i.e., 2003 and 2005-06, patch-to-patch comparison of wastelands distribution could not be brought out. However, State-and district-wise comparison in the area statistics of various categories of wastelands during the period 2003 and 2006 has been made.

An estimated 47.22 M ha accounting for 14.91 % of the total geographical area of the country has been mapped as wastelands during the period 2005-06. The changes in the extent of wastelands during 2003-06 have been of the order 8.41 M ha Indicating thereby a reduction in the wastelands to the tune of 2.66 %. These changes in spatial extent of wastelands could be attributed to (i) non-uniform usage of satellite datasets (single season vs. three season); (ii) Differences in the datum and projection of satellite data of the two periods (2003 & 2005-06); (iii) inconsistencies in definition and number of categories of wastelands; and (iv) implementation of reclamation programs on wastelands by the Ministry of Rural Development and other Central and State Government agencies. The spatial changes in wastelands between 2006 and 2009 will be studied and reported in the forthcoming project titled “National Wastelands Change Analysis” sponsored by Ministry of Rural Development.



## 1.0 Introduction

Land being a non-renewable resource, is the central to all primary production systems. In India, the excessive demand of land for both agricultural and non-agricultural uses has resulted in the development of vast stretches of different kinds of wastelands such as salt-affected land, waterlogged areas, gullied/ravinous lands etc. Planned efforts are needed for their rehabilitation. Over the years, the country's landmass has suffered from different types of degradation caused by biotic and abiotic pressures. An ever increasing population places enormous demand on land resources which are indispensable for a country like India with 2.4 % of the worlds' geographical area supporting over 16 % of the world's population. Further, the country has 0.5 % of the worlds grazing lands but has over 18 % of world's cattle population. The tremendous pressure on land has led to conversion of forest lands into urban and industrial areas.

Spatial information on wastelands with respect to their nature, magnitude of degradation, extent, spatial distribution and temporal behavior is a prerequisite for development and implementation of plans for their rehabilitation. The spaceborne spectral measurements, GIS and Global Positioning Systems (GPS) offer immense potential in deriving information on wastelands in a timely and cost-effective manner. The demonstration of the potential of coarse spatial resolution Landsat MSS data for generating information on wastelands at 1 : 1 million scale showing 8 categories of wastelands for entire country by NRSC (erstwhile NRSA) in 1984-85 has revealed the fact that 53.30 M ha corresponding to 16.40 per cent of the geographical area of the country are lying waste. Realizing the need to rehabilitate these lands, the National Wastelands Development Board was established in 1986 with the objective of bringing five M ha of land every year under fuel wood and fodder plantations.

At the instance of Ministry of Rural Development, spatial assessment of wastelands across the country was taken up on a larger scale i.e. 1:50,000

scale by Department of Space (DoS) to serve as a useful database for implementing various wastelands developmental schemes.

## 2.0 Historical Perspective

### 2.1 National Wastelands Inventory Project (NWIP-2000)

Wastelands mapping was carried out in different phases considering the critically-affected districts on priority. A 13-fold wastelands classification system was adopted for mapping wastelands at 1 : 50,000 scale for entire country in five phases using Landsat Thematic Mapper (TM) IRS LISS II and IRS 1C LISS III data. An estimated 63.85 M ha of land covering 20.17% of total geographical area of the country were mapped as wastelands.

### 2.2 National Wastelands Updation Project (NWUP-2003)

Since mapping of wastelands was carried out using satellite datasets corresponding to different years (1986 – 2000), the updation of wastelands was taken up by NRSC using one season data set of 2003. A modified classification system, with the inclusion of more classes to indicate the severity of degradation totalling 28 classes, was adopted for deriving information on wastelands. As different categories of wastelands require different treatment to reclaim, the new wastelands classification would help prioritizing them for reclamation. Similar to earlier wastelands mapping exercise, datasets were organized into four geospatial layers, namely base, village, wasteland and watershed. An estimated 55.64 M ha or 17.57% of the country's geographical area was mapped as wastelands.

A wastelands atlas was prepared to present the results emanating from this wastelands mapping exercise using satellite data for year 2003. The Wastelands Atlas describes the project background, wastelands

classification system, definitions of wastelands class and results of the analysis of wastelands. Wastelands area statistics district-, state- and category-wise were presented in the form of tables. A brief description on the spatial variation in the distribution of wastelands in the country and the change between 1986-2000 and 2003 were also discussed.

### 2.3 National Wastelands Monitoring Project (NWMP-2006)

Ministry of Rural Development (MRD) has been funding many wastelands reclamation programmes to bring them under green cover. MRD had requested NRSC to take up another task to map wastelands using IRS LISS-III data of 2005-2006 to monitor the wastelands over a period of three years i.e., between 2003 and 2006.

To maintain the consistency and integrity of database, the vector layer of wastelands for all the States and Union Territories of 2003 with Polyconic projection and Everest 1956 as reference datum were reprojected to LCC projection and Modified Everest datum to WGS 84 datum. During the course of re-projection, a mismatch was observed in state mosaics in terms of the wastelands polygons and the features in the 2003 satellite

images. Several attempts were made using various models to come up with a viable and practical solution to overlay the polygons precisely onto satellite image features. However, the exercise did not yield satisfactory results.

It was finally decided to physically move the wastelands polygons along with the corresponding labels interactively so as to match the features on the digital satellite data to the desired level of accuracy. In view of utilization of three season satellite data during 2005-2006, the precision in delineating wastelands categories has improved but it also increased the incompatibility in wastelands categories between the two datasets, i.e., 2003 and 2006 which was further aggravated by the projection problems. Hence incompatibility in the wastelands categories and the season of satellite data used precluded bringing out the changes in the wastelands patches/ polygons. The spatial changes in the wastelands distribution could not be presented in the current exercise. However, changes in the areal extent of wastelands categories district and state-wise between 2003 and 2006 have been brought out in tabular form.

**Table : 1 Comparison of wastelands categories mapped during 2003 and 2005-2006**

S. No.	Classes of 2003 Database	Classes of 2005-2006 Database
01.	Gullied and Ravinous Land – Shallow	Merged with Gullied and Ravinous Land – Moderate
02	Land Affected by Salinity / Alkalinity – Slight	Merged with Land affected by Salinity / Alkalinity – Moderate
03.	Sands – a. Flood Plains b. Levees	Merged with Sandy Area – Riverine
04.	Sands Desertic a. Sands – Semi-stabilized to stabilized – low b. Closely spaced Inter-dunal area	Merged with Sandy Area – Desertic
05.	Steep sloping Area	Merged with Barren Rocky / Stony Waste Area

The spatial changes in wastelands between 2005-2006 and 2009 will be studied and reported in the forthcoming project titled “National Wastelands Change Analysis” sponsored by Ministry of Rural Development.

In the wastelands classification scheme followed during 2003, 28 categories of wastelands were identified which have been now brought down to 23 categories in the current exercise. *Table-1* depicts the major changes in the wastelands classification scheme followed in 2006 over that followed in wastelands 2003 database. A technical manual for wastelands mapping and database creation has been prepared.

Nomenclature for two wastelands categories viz., land with scrub and land without scrub has been modified to land with dense scrub and land with open scrub, respectively.

#### **2.4 Harmonisation of Wastelands**

The estimates on wastelands/ degraded lands/soil degradation are available from various national organisations like National Bureau of Soil Survey and Land Use Planning (NBSS&LUP) of Indian Council of Agricultural Research (ICAR), NRSC(erstwhile NRSA) of Department Of Space etc. The area statistics of degraded lands/ wastelands reported by these organisations vary from 187.7 M ha (Sehgal and Abrol, 1994) to 63.85 M ha (Ministry of Rural Development & NRSA, 2000). These variations are essentially because of the differences in objectives, class definitions, approach/methodology, scale of mapping, etc. However, in view of the need for harmonized databases in macro and micro-level planning for various watershed development activities, objective allocation of financial resources and to ensure uniformity of databases across various Govt. departments, it was felt that some level of harmonization is necessary amongst various databases. In 2008, a harmonization exercise was taken up jointly by ICAR and NRSC. After several rounds of discussions, a practical and management-responsive estimate of wastelands/degraded

lands has been arrived at. NRSC has been generating spatial statistics on wastelands at different scales under major projects like National Wastelands Mapping, National Land Degradation Mapping, National Land Use/ Land Cover Mapping, etc. It has been observed that there are many wastelands categories common to LULC and land degradation maps. Since a common satellite dataset i.e. Resourcesat-1 LISS III has been used for generating these maps, harmonization of these databases is a pre-requisite, in order to maintain uniformity of information across the databases. Hence, the wasteland categories mapped under this project have been harmonized with those available in Land Use Land Cover Mapping (1:50,000 scale) and National Land Degradation Mapping Project.

#### **3.0 Objectives**

The project aims at -

1. Updating the spatial extent and distribution of wastelands of year 2003 using three seasons satellite data of 2005 - 2006; documentation, and
2. Creation of digital database and information system

#### **4.0 Database**

A key strategy of the current project is the usage of multi-temporal data sets for delineation of wastelands in a pursuit to achieve improved classification accuracies. The geometrically - corrected Resourcesat-1 LISS III data within the framework of NNRMS specified standards form the primary input for updating the wastelands. Multi-temporal data acquired during September to November, December to March and April to May corresponding to *kharif*, *rabi* and *zaid* cropping season was used for deriving information on wastelands. Base details on major settlement locations, transport network and drainage were overlaid. The wastelands layer of 2003 formed the primary legacy layer to compare the changes of wastelands categories with reference to 2006 data.

**Table 2. Wastelands classification scheme**

	S.No.	Wastelands Category		S.No.	Wastelands Category
<b>A</b>		<b>Gullied/Ravinous land</b>		<b>F</b>	<b>Scrub Forest (Under utilized notified forest land)</b>
	1	Medium ravine		11	Scrub dominated
	2	Deep/very deep ravine		12	Agricultural land inside notified forest land
<b>B</b>		<b>Scrubland (Land with or without scrub)</b>		13	<b>Degraded pastures/grazing land</b>
	3	Land with dense scrub		14	<b>Degraded land under plantation crops</b>
	4	Land with open scrub	<b>G</b>		<b>Sands (coastal/desert /riverine)</b>
<b>C</b>		<b>Waterlogged and marshy land</b>		15	Sands – Coastal sand
	5	Permanent		16	Sands – Desert sand
	6	Seasonal		17	Semi-stabilized to stabilized (> 40m) dune
<b>D</b>		<b>Land affected by salinity/alkalinity</b>		18	Semi-stabilized to stabilized moderately high ( 15- 40m) dune
	7	Moderate		19	Sands – Riverine
	8	Strong	<b>H</b>		<b>Mining/Industrial wastelands</b>
<b>E</b>		<b>Shifting cultivation</b>		20	Mining wasteland
	9	Current Jhum		21	Industrial wasteland
	10	Abandoned Jhum		22	<b>Barren rocky area</b>
				23	<b>Snow cover and/or glacial area</b>

## 5.0 Classification system

The classification scheme adopted for monitoring of wasteland on 1: 50,000 scale is given in *Table- 2*. Wastelands refer to degraded lands that are currently underutilized, and are deteriorating for lack of appropriate soil & water management or on account of natural causes. Wastelands develop naturally or due to influence of environment, chemical and physical properties of the soil or management constraints. The different categories of wastelands delineated in this study are described hereunder:

### 1) Gullied and/or Ravinous Land

Gully is a narrow channel when surface water flow increases in response to clearing and excessive use of land. Other factors that play a role in gully initiation are the type of landscape, geology, rainfall, soil texture, hill-slope length and seasonal climatic extremes. The intricate network of gullies is referred to as ravines. Two categories of ravines viz., medium ravines and deep ravines could be delineated based on their depth.

**Medium Ravines:** These are the ravines with a depth of gullies ranging between 2.5 and 5 meters. Generally, these are seen confined to the head region of the stream close to agricultural land.

**Deep Ravines:** The depth of ravines is more than 5 meters. Deep ravines, generally, occur along the higher order stream areas that are close to the main river.

## 2) Scrubland

This is the land, which is generally prone to deterioration due to erosion. Such lands generally occupy topographically high locations, excluding hilly/mountainous terrain. Based on the presence of vegetation cover, two sub-classes could be delineated i.e., land with dense scrub and land with open scrub.

### Land with dense scrub

These areas have shallow and skeletal soils, at times chemically degraded, extremes of slopes, severely eroded and are subjected to excessive aridity with scrubs dominating the landscape. They have a tendency for intermixing with croplands.

### Land with open scrub

This category is same as mentioned in the earlier category except that it has sparse vegetative cover or is devoid of scrub and has a thin soil covers.

## 3) Waterlogged / Marshy Land

Waterlogged land is that low lying land where the water is at/or near the surface and the water stands for most part of the year. Depending on

duration of waterlogging, two sub-classes viz., permanently waterlogged and seasonally waterlogged areas could be delineated.

**Permanent:** Permanently waterlogged areas are those where the waterlogging conditions prevail during most part of the year. These areas are mostly located in low-lying areas, with impervious substratum along the canals/ river banks, coastal inlands, etc.

**Seasonal:** Seasonally waterlogged areas are those where the waterlogging condition prevails usually during the monsoon period. These lands are mostly located in plain areas associated with the drainage congestion. Use of multi-season satellite data enables delineation of this category.

## 4) Land affected by salinity/alkalinity

Land affected by salinity/alkalinity have excess soluble salts (saline) or high exchangeable sodium. Salinity is caused due to capillary movement of water, during extreme weather conditions leaving salt encrustation on the surface. Alkali soils have exchangeable sodium percentage (ESP) values of 15 or more, which is generally considered as the limit between normal and alkali soils. The predominant salts in alkali soils are carbonates and bicarbonates of sodium.

Considering the degree of salinity and or alkalinity, the following two sub-classes viz., moderately saline / alkali and strongly saline / alkali areas could be delineated.

**Moderately Saline/Alkali land :** These are the areas located in the fluvial plains with the degree of salinity (ECe) ranging from 8 to 30 (dS/m), pH between 9.0 – 9.8 and the Exchangeable Sodium Percentage (ESP) values ranging between 15 – 40.

**Strongly Saline/Aalkali land :** These are the salt-affected lands with ECe values greater than 30 dS/m, pH values more than 9.8 and ESP values of >40.

## 5) Shifting Cultivation Areas

Shifting cultivation is a traditional practice of growing crops on forested/vegetated hill-slope by the slash and burn method.

**Current :** The areas that are used for cultivation by the slash and burn practices and are clearly perceptible on the satellite image in pre-burnt /post-burnt conditions.

**Abandoned:** Are those areas that were earlier under shifting cultivation but subsequently left idle for more than one year but less than 5 years, thereby giving a scope for the regeneration of secondary vegetation such as bamboo or grasses. This category has a tendency to get mixed with forests.

## 6) Scrub Forest

Two sub-classes viz., scrub dominated degraded forest land and agriculture land inside notified forest area have been delineated

**Scrub dominated:** Land, as notified under the Forest Act and those lands with various types of forest cover with less than 20 % of vegetative cover, are classified as degraded forest. These lands are generally confined to the fringe areas of notified forest.

**Agricultural land inside notified forest land:** This category refers to land that have been notified under the Forest Act, in which agriculture is being practiced, (except for the de-notified forest areas)

## 7) Degraded pastures/grazing land

These are the lands in non-forest areas that are either under permanent pastures or meadows, which have degraded due to lack of proper soil and water conservation and drainage development measures.

## 8) Degraded land under plantation crop

These are the degraded lands that have been brought under plantation crops after reclamation, and are located outside the notified forest areas.

## 9) Sand (coastal / desert / riverine)

This category refers to land with accumulation of sand, in coastal, riverine or inland areas. Generally, these lands vary in size, occur in various shapes with contiguous to linear pattern. These lands are mostly found in deserts, riverbeds and along the shores.

## 10) Coastal sand

Coastal sands are the sands that are accumulated as a strip along the seacoast due to action of seawater. These are not being used for any purpose like recreation.

## 11) Desertic sand

Desertic sands are those confined to arid environment where the rainfall is scanty. These lands are characterized by accumulation of sand in the form of varying size of sand dunes and height that have developed as a result of transportation of soil through aeolian processes. The following two categories of desert sands could be mapped based on their vertical approximate heights.

Semi-stabilized to stabilized dunes with >40 m height  
 Semi-stabilized to stabilized moderately high dunes with heights ranging between 15 and 40 m

## 12) Riverine sand

Riverine sands are those that are accumulated in the flood plain of the river as sheets, or sand bars. It also includes inland sand which was accumulated along the abandoned river courses or by reworking of sand deposits by wind action leading to long stretches of sand dunes or sand cover areas noticed in Indo-Gangetic alluvial plains

## 13) Mining /Industrial wastelands

**Mine dumps:** are those lands where waste debris is accumulated after extraction of minerals. Included in this category is the mine / quarry areas subject to removal of different earth material (both surface and sub-surface) by manual and mechanized operations. Large scale quarrying and mechanical operations result in creation of mine dumps. It includes surface rocks and stone quarries, sand and gravel pits, soil excavation for brick kilns, etc

**Industrial:** These are areas of stockpile of storage dump of industrial raw material or slag/effluents or waste material or quarried/mixed debris from earth's surface.

## 14) Barren Rocky Area

These are rock exposures of varying lithology often barren and devoid of soil and vegetative cover. They occur amidst hill-forests as openings or as isolated exposures on plateau and plains. Barren rocky areas occur

on steep isolated hillocks/hill slopes, crests, plateau and eroded plains associated with barren and exposed rocky/stony wastes, lateritic out-crops, mining and quarrying sites. The category also includes steep sloping areas devoid of vegetation cover that were classified separately in the earlier exercise.

## 15) Snow Covered and / or Glacial Area

These lands are under perpetual snow cover and are confined to the Himalayan region. The mountain peaks and slopes and high relief areas are the places where snow/glacial areas occurs

## 6.0 Methodology

The methodology essentially involves geo-referencing of satellite data, delineation of wastelands categories through on-screen visual interpretation technique based on legacy data and limited ground truth, quality check, harmonization with land degradation, land use/ land cover datasets and seamless database creation.

### 6.1 Satellite Data

Three season Resourcesat-1 LISS III satellite data viz. *kharif, rabi and zaid* for 2005-2006 were used for delineation of wastelands. Eight hundred and fifty Resourcesat-1 LISS-III images were used in this exercise.

### 6.2 Data preparation

The Resourcesat 1 (LISS – III) data were geocoded and rectified using orthorectified Landsat ETM+ images.

### 6.3 Delineation of Wastelands

The three-season images (normally as FCC) were displayed and the wastelands categories were delineated based on ground truth and legacy data. Resultant output was in vector format, which supports complex GIS analysis. Initially, classification of *rabi* season data was carried out. Resultant vector was overlaid onto *kharif* and *zaid* season's satellite image to incorporate the features which were better delineable in *kharif* as well as *zaid* season's image.

### 6.4 Quality Assurance Standards and Mechanism

The Quality Assurance and Standardization (QAS) mechanism includes checking parameters such as interpretation, classification, area estimation and data base, etc. A two tier i.e. internal and external quality assessment approach was followed to ensure the quality of wastelands delineation. In order to maintain the quality of the outputs, two levels of QAS team i.e. Internal QAS team consisting of experts from participating organization, and external QAS team with experts drawn from NRSC, SAC and other ISRO / DOS centers had evaluated the mapping accuracies. A sample size of approximately 10 per cent of the polygons in a state have been evaluated. An over all mapping accuracy of about 90 per cent has been achieved.

## 7.0 Spatial Distribution of Wastelands

A seamless mosaic showing the spatial distribution of wastelands in the country is given in *Figure-1*. An area of 18620 sq km covering Rann in Gujarat, and 211.26 sq km in Rajasthan has not been included under wastelands, as it has been considered a separate land cover (seasonally waterlogged category).

State-wise distribution of wastelands is given in *Figure-2* and *Table- 3*. As evident from the figure and table, Jammu and Kashmir has more than 50 per cent of its area under wastelands. There are two States viz., Himachal Pradesh and Sikkim that have wastelands ranging between 40 - 50 per cent. Five States viz., Uttarakhand, Rajasthan, Nagaland, Manipur and Mizoram have wastelands ranging between 20 to 40 per cent while in Meghalaya wastelands occupy only 15 to 20%. There are 9 States that accounted for the extent of wastelands ranging between 10 to 15 per cent. Eight other States have wastelands ranging between 5 to 10 per cent. Only 3 States and Union Territories have less than 5 per cent area under wastelands.

District-wise distribution of wastelands is given in *Figure-3*. In all, there are 9 districts in the country with more than 5,00,000 ha. of geographical area under wastelands. Of these, 4 districts are located in Rajasthan, 3 districts in Jammu and Kashmir, and one district each in Himachal Pradesh and Gujarat. There are 33 districts with an areal extent of wastelands ranging between 2,00,000 ha to 5,00,000 ha. These districts are mostly confined to the southern part of Andhra Pradesh, Western Maharashtra, eastern Rajasthan and northern parts of Uttarakhand and Himachal Pradesh. There are 83 districts with areal extent of wastelands ranging from 1,00,000 ha to 2,00,000 ha. These are located in Andhra Pradesh, Himachal Pradesh, Uttarakhand, and 4 districts in the North Eastern Region. There are 106 districts with area of wastelands ranging between 50,000 to 1,00,000 and 109 districts with areal extent of wastelands ranging between 25,000 to 50,000 ha that are predominantly confined to the Deccan Plateau and the central highlands of the country. 254 districts of the country have an areal extent of less than 25,000 ha of area under wastelands. These are mainly confined to the districts in the Indo-Gangetic Plains of Punjab, Haryana, Uttar Pradesh, Bihar and West Bengal; coastal districts of Kerala and Tamilnadu and eastern part of Arunachal Pradesh.

The distribution of wastelands with respect to the percentage to total geographical area of each district is given in *Figure-4*. There are 10 districts in the country which accounted for more than 50 per cent of the geographical area of the district under wastelands. Of these, 4 districts are located in Jammu and Kashmir, three districts in the north eastern region, two districts in Himachal Pradesh and one district in Rajasthan. 81 districts of the country have accounted for wastelands ranging between 20 to 50 per cent. These are confined to the States of Rajasthan, districts located in the western Himalayan foothills in the States of Jammu and Kashmir, Himachal Pradesh, Uttarakhand and the north eastern states of Mizoram, Manipur, Nagaland and eastern Meghalaya. There are 312 districts that have an areal extent ranging between 5 to 20 per cent of the geographical area under wastelands. The districts are predominantly confined to the Deccan Plateau, the Central high lands and to some extent the Gangetic Plains of the country. There are 191 districts that have less than 5 per cent of the geographical area under wastelands. These are located in the Indo-gangetic plains, eastern Arunachal Pradesh, eastern Tamilnadu and Kerala.

Category-wise distribution of wastelands with respect to area and percentage to the total geographical area are given in *Table- 4*. Of the 23 categories of wastelands delineated in the country, 5 categories of wastelands viz., land with dense scrub (2.95 %), land with open scrub (2.89 %), under-utilized degraded notified forest – scrub dominated ( 2.71 %), barren rocky (2.19 %) and snow covered/glacial area (1.29 %) are the dominant categories prevalent in the country. The other categories of wastelands are having an areal extent of less than 1 % of the geographical area under wastelands. State-wise and category-wise distribution of wastelands is given in *Table- 5*.

State-wise distribution of wastelands along with changes in wastelands during the period 2003 and 2006 is portrayed in *Table- 6* and category-

wise changes in wastelands in *Table- 7*. The sub-categories of wastelands have been collapsed to level 1 to facilitate analysis which is detailed below. Wastelands category-wise changes with respect to area and percentage to total Wastelands area for entire country are given in *Figure-5*.

## 8.0 Category-wise distribution of wastelands

### 8.1 Gullied and ravinous land (Medium and deep)

There are 228 districts that have a spatial extent of less than 5 per cent of this category spread across the country barring the north eastern region (*Figure-6*). This category is predominantly distributed along the Chambal and Yamuna river courses. The State of Rajasthan has the maximum area under this category accounting to 1884.92 sq km of the area. This is followed by Madhya Pradesh (1502.06 sq km), and Uttar Pradesh (1481.11 sq km). There are seven districts in Rajasthan viz., Alwar, Baran, Bundi, Dhaulpur, Karauli, Kota and Sawai Madhopur; three districts in Madhya Pradesh viz. Bhind, Morena and Sheopuri - Kalan; 7 districts in Uttar Pradesh, viz., Agra, Banda, Firozabad, Hamirpur, Jalaun, Jhansi and Kanpur in which the areal extent of this category is more than 100 sq km in each of the district.

### 8.2 Scrub land (Land with dense Scrub and open scrub)

This category has the tendency to be associated with all the physiographic regions in the country. There are 338 districts with less than 5 per cent of this category spread across the country. While in 184 districts that have a spatial extent ranging between 5 to 20 per cent of the geographical area under this category. There are 16 districts with 20 to 50 per cent of the area scattered across the country. This category, is confined mostly to the States of Rajasthan, Maharashtra, Madhya Pradesh, Gujarat and

Andhra Pradesh wherein more than 15,000 sq km of the area has been estimated under this category in each of the State (*Figure-7*).

### **8.3 Waterlogged / marshy land (seasonal and permanent)**

This category has been found to be with in the districts located in Gangetic Plains, the Brahmaputra Valley, Eastern Coastal plain and the districts located in western Rajasthan (Indira Gandhi canal command area). It is clear from *Figure-8* that 202 districts that are affected by waterlogging. Of these, there is one district in Bihar that account for an area ranging between 10-15 per cent under this category; 6 districts have an area ranging between 5 – 10 per cent of the area under this category distributed in Bihar, Orissa and Assam. Remaining have less than 5 per cent of the area under this category.

### **8.4 Land affected by salinity and alkalinity (Moderate and strong)**

This category is mainly found inthe districts located in Gangetic Plains. It was estimated that 142 districts are affected by soil salinity/ or alkalinity, and are distributed in the States of Gujarat, Rajasthan, Punjab, Haryana, Uttar Pradesh, Karnataka, Andhra Pradesh and Tamilnadu (*Figure-9*). Of these, 3 districts that account for an area ranging between 5 to 10 per cent are located in the State of Uttar Pradesh.

### **8.5 Shifting cultivation – current and abandoned**

It is a land use practice prevalent in the Eastern Himalayan States and to some extent in the State of Orissa. There are 20 districts located in the north eastern states with 5 to 50 per cent (7 districts with 15 to 50 per cent and the remaining 13 districts with 5 to 15 per cent) of the geographical area. Contrastingly there are 44 districts accounting for less than 5 per

cent of the geographical area that are distributed in Orissa and NE States (*Figure-10*).

### **8.6 Under Utilized Degraded Notified Forest Land – Scrub Dominated**

This category is confined to notified forest areas. There are 15 districts with percentage of this category ranging between 15 to 50 per cent, 102 districts with percentage varying between 5 to 15, and 329 districts that have an areal extent of less than 5 per cent. (*Figure-11*).

### **8.7 Degraded pastures / grazing lands**

Degraded pastures / grazing lands occur in the districts of west, north-west and northern States of the country viz., Gujarat, Rajasthan, Jammu and Kashmir and Uttarakhand. There are 111 districts having Degraded pastures / grazing lands. The spatial distribution of which is shown in *Figure-12*.

### **8.8 Degraded land under plantation crops**

These are the areas mostly under agricultural plantations that are distributed in the peninsular states of Tamilnadu, Andhra Pradesh, Karnataka, Maharashtra and Gujarat and to some extent in Haryana and Jammu and Kashmir. There are 61 districts that accounted for less than 5 per cent of the geographical area under this category (*Figure-13*).

### **8.9 Sands (desertic, coastal and riverine)**

This category is seen distributed in 167 districts located in western Rajasthan, Punjab, Gujarat, east coast and few districts in the Gangetic plains (*Figure-14*). Of these, there are 4 districts in Rajasthan with an area ranging between 10 – 50 per cent under desert sand.

## 8.10 Mining and Industrial wastelands

This category has an areal extent of less than 5 per cent of the geographical area of the state and are distributed in 128 districts. However, it is predominant in southern Rajasthan, eastern Himachal Pradesh, northern Orissa, eastern Maharashtra, Karnataka and western Tamilnadu (*Figure-15*).

## 8.11 Barren rocky/stony waste

This category is distributed in almost all the districts in the country except the Indo-Gangetic Plains and the Brahmaputra valley. There are 319 districts with less than 5 per cent of the geographical area under this category. However, there are only 7 districts with 5 - 10 per cent of the area accounted for this category and there are 5 districts with an areal extent admeasuring more than 10 per cent under this category (*Figure-16*).

## 8.12 Snow covered / glacial area

There are 39 districts spread in the States of Jammu and Kashmir, Himachal Pradesh, Uttarakhand, Sikkim and Arunachal Pradesh that have snow covered / glacial areas (*Figure-17*). Of these, 1 district in Sikkim has an areal spread of more than 50 per cent of the area under this category; 9 districts of Jammu & Kashmir, 4 districts each in Uttarakhand and Himachal Pradesh with areal extent ranging between 10 to 50 per cent of the area. There are 3 districts wherein area under this category occupies 5 - 10 per cent of the area.

## 9.0 State-wise distribution of wastelands

State-wise distribution of wastelands along with their temporal changes during 2003 and 2005-2006 are given as figures and tables.

### 9.1 Andhra Pradesh

An area of 38,788 sq km corresponding to 14.10 % of the geographical area of the State has been estimated to be under wastelands (*Figure-18, Table- 8*). There has been a reduction in the spatial extent of wastelands to the tune of 2.36 % with reference to the year 2003. In terms of predominance of wastelands category, degraded land under notified forest has a maximum areal extent - 13123 sq. km (20097 sq. km in 2003 period). Kadapa district ranks first in the area under wastelands with 27.15 % while West Godavari district, located in the East Coast deltaic region has the least (1.59 %). Changes in wastelands with respect to 2003 are given in Table- 9.

### 9.2 Arunachal Pradesh

The State shares international boundary with Bhutan, Tibet, China and Myanmar to the west, north-east, north and east respectively, and has boundaries with Assam and Nagaland. The terrain consists of sub-montane and mountainous ranges, sloping down to the plains of Assam, divided into valleys by the rivers Kameng, Subansiri, Siang, Lohit and Tirap.

The spatial database on wastelands generated for the State reveals an area of 5743.84 sq km accounting for 6.86 % of total geographical area of the State (*Figure-19, Table- 10*) under wastelands. There has been a decrease in the area under wastelands to the tune of 14.85 % as compared to 2003. *Table- 11* depicts the changes in spatial extent of wastelands in

the state with respect to 2003. The district of Tawang accounts for 48.44 % of area under wastelands while Upper Subansiri district has 1.15 %.

### 9.3 Assam

Assam is the sentinel of north-east India and gateway to the North-Eastern States. The State is close to India's international borders with Bangladesh and Bhutan. Assam is surrounded by Bhutan and Arunachal Pradesh on the north, Manipur, Nagaland and Arunachal Pradesh on the east and Meghalaya, Tripura and Mizoram on the south.

An area of 8778.02 sq km corresponding to 11.19 % of the total geographical area of the State has been delineated as wastelands (*Figure-20, Table- 12*). This estimate is less by 6.7 % as compared to that of 2003. Details of changes in the spatial extent of wastelands are given in *Table- 13*. North Cachar Hills district recorded the maximum area of 30.47 % under wastelands while Darrang district recorded the minimum.

### 9.4 Bihar

Bihar is bound on the north by Nepal, on the east by West Bengal, on the west by Uttar Pradesh and on the south by Jharkhand. An estimated area of 6841.09 sq km equivalent to 7.26 % of the area of the state is under wastelands (*Figure-21, Table- 14*). There has been a marginal increase (1.48 %) in the areal extent of wastelands (*Table- 15*). Jamul district with 25.57 % area of the state under wastelands while Nalanda district has the least (0.15 %).

### 9.5 Chattisgarh

Chattisgarh is a state in central India, it takes its name from 36 (Chattis is thirty-six in Hindi and Garh is Fort) princely states in this region.

Chhattisgarh is bordered by Bihar, Jharkhand and Uttar Pradesh in the north, Andhra Pradesh in the south, Orissa in the east and Madhya Pradesh in the west

The total geographic area of Chattisgarh is 135194 sq. km, out of which 11817.82 sq km is under wastelands (*Figure-22, Table- 16*). Degraded forest-scrub dominated is the major wasteland category that covers an area of 3616.45 sq. km. In terms of the change in the wastelands as compared to 2003, there has been an increase of 0.38 % in the area under wastelands (*Table- 17*). The district with maximum area under wastelands is Surguja with 17.80% of its area and the district with least area is Bastar with 3.55% of its total geographic area.

### 9.6 Delhi

Delhi became the centre of all activities after the capital was shifted from Kolkata (Calcutta). It was made a Union Territory in 1956. Lying in the northern part of the country, Delhi is surrounded by Haryana on all sides except the east where it borders with Uttar Pradesh. The 69th Constitutional amendment is a milestone in Delhi's history as it got a Legislative Assembly with the enactment of the National Capital Territory Act, 1991.

The total geographic area of Delhi is 1483 sq. km out of which 83.34 sq. km is under wastelands which accounts for 5.62 % of its area (*Figure-23, Table- 18*). Land with open scrub is the major wasteland category which covers an area of 58.09 sq. km. In terms of the change in the area under wastelands as compared to 2003, there has been a marginal increase of the order of 15.18 sq. km (*Table- 19*)

## 9.7 Goa

Goa is situated on the western coast of the Indian Peninsula. On its north runs the Terekhol river which separates Goa from Maharashtra and on the south lies North Canara district of Karnataka. On the east lie the Western Ghats and in the west the Arabian Sea. Panaji, Margao, Vasco, Mapusa and Ponda are the main towns of Goa.

The total geographic area of Goa is 3702.00 sq km, out of which 496.27 sq. km is under wastelands which accounts for 13.41% of its geographical area (*Figure-24, Table- 20*). Spreading over an area of 216.38 sq. km, land with open scrub is the major wasteland category. In terms of the change in the wastelands as compared to 2003, there has been a decrease to the tune of 35.02 sq. km which is 0.95% of the geographical area of the State (*Table- 21*). North Goa district has maximum area: 15.76 % of its total geographic area, under wastelands.

## 9.8 Gujarat

Gujarat is situated on the west coast of India. The state is bound by the Arabian Sea on the west, Pakistan and Rajasthan in the north and north-east respectively, Madhya Pradesh in the south-east and Maharashtra in the south.

The total geographic area of Gujarat is 196024.sq. km out of which 21350.38 sq. km is under wastelands which accounts for 10.89% of its geographical area (*Figure-25, Table- 22*). Land with dense scrub is the major wasteland category which covers an area of 11,614.83 sq. km. In terms of the change in the wastelands as compared to 2003, there has been an increase in the wastelands to the tune of 972.64 sq. km (*Table- 23*). The district with the maximum area of wastelands is Valsad with 38.36 % and Kheda, the least 6.07 % of its total geographic area under

wastelands. The Rann area in Kutch district admeasuring an area of 18,620 sq km has not been considered in estimating the wastelands of the State.

## 9.9 Haryana

Haryana is bound by Uttar Pradesh in the east, Punjab on the west, Himachal Pradesh on the north and Rajasthan on the south. National Capital Territory of Delhi juts into Haryana.

The total geographic area of Haryana is 44212.00 sq. km, out of which 2347.05 sq. km is under wastelands which accounts for 5.31 % of its geographical area (*Figure-26, Table- 24*). Degraded pasture/grazing land is the major wasteland category that cover an area of 914.58 sq. km. There has been shrinkage to the tune of 919.40 sq. km as compared to 2003 in wastelands (*Table- 25*). The district with the highest percentage of wastelands is Mewat with 15.81 % of its area and Kurukshetra with 1.41 % of its total geographic area, the least.

## 9.10 Himachal Pradesh

Himachal situated in the heart of the Western Himalaya, identified as “Dev Bhumi” is believed to be the abode of God and Goddesses. The shadowy valleys, rugged crags, glaciers and gigantic pines and roaring rivers and exquisite flora and fauna are the hallmark of Himachal Pradesh.

Out of the total geographic area of 55,673 sq. km, 22,470.05 sq. km is under wastelands which accounts for 40.36 % of the geographical area (*Figure-27, Table- 26*). Apart from snow and glacier cover which accounts for 21% of the total wastelands, barren and rocky area is the major wasteland category covering an area of 5314.17 sq.km in the State. The areal extent of this category generally depends upon the presence and

absence of snow cover at higher reaches and, in turn depends on the use of season of satellite data used (Jan-Feb peak snow period and March onwards snow melts and barren rocks exposes), and availability of cloud-free satellite data. Since the satellite data was of March, 06 most of the areas are exposed and depicted as barren. In terms of the change in the wastelands as compared to 2003, there has been a decrease to the tune of 5866.75 sq. km which is 10.54% of its geographic area (*Table- 27*).

### **9.11 Jammu and Kashmir**

Geographically, the State can be divided into four zones. First, the mountainous and semi-mountainous plain commonly known as Kandi belt, the second, hills including Shivalik ranges, the third mountains of Kashmir Valley and Pir Panjal range and the fourth is Tibetan tract of Ladakh and Kargil. Geographically and culturally the state has three distinct regions - Jammu, Kashmir and Ladakh.

Out of the total geographic area of 1, 01,387 sq. km, 73,754.38 sq.km is under wastelands which accounts for 72.75 % of its total geographical area (*Figure-28, Table- 28*). Barren Rocky area covering an area of 46,379.45 sq.km constitutes the major wasteland category. In terms of the change in the wastelands as compared to 2003, there has been a increase in the extent of wastelands by 3,552.39 sq. km corresponding to 3.5 %. (*Table- 29*).

### **9.12 Jharkhand**

Jharkhand largely comprises of the forest tracks of Chhotanagpur plateau and Santhal Parganas. The State is characterized by thickly wooded areas and succession of hills.

The total geographic area of Jharkhand is 79,706 sq. km, out of which 11670.14 sq.km is under wastelands which accounts for 14.64% of its total geographical area (*Figure-29, Table- 30*). Under utilised / degraded notified forest land-scrub dominated is the major wasteland category, which covers an area of 4400.59 sq. km. In terms of the change in the wastelands as compared to 2003, there has been an increase of 504.88 sq. km (*Table- 31*). The district with the highest percentage of wastelands is Simdega with 28.00 % of its area under wastelands and Godda district with 4.84% of its total geographic area, the least.

### **9.13 Karnataka**

Karnataka is one of the southern states' and the topography is varied with the low lying coastal plains the rugged Western Ghats. The total geographic area of Karnataka is 1,91,791 sq. km, out of which 14438.12 sq. km is under wastelands which accounts for 7.53% of its geographical area (*Figure-30, Table- 32*). Under-utilised /degraded notified forest land-scrub dominated is the major wasteland category, that covers an area of 5245.32 sq.km. In terms of the change in the wastelands as compared to 2003, there has been an increase to the tune of 901.54 sq.km (*Table- 33*). The district with the highest percentage of wastelands is Bellary with 17.37% of its area under wastelands, while Dakshin Kannada with 2.13% of its total geographic area, has the least, wastelands.

### **9.14 Kerala**

Kerala is in the extreme south-west of the Indian subcontinent. In between the high Western Ghats on the east and the Arabian Sea on the west, the width of the state varies from 35 km to 120 km. According to the geographical features, the state can be divided into hills, valleys, midland plains and costal belt.

The total geographic area of Kerala is 38863 sq. km, out of which 2458.69 sq.km is under wastelands which accounts for 6.33% (*Figure-31, Table-34*). Covering an area of 787.78 sq. km, land with open scrub is the major wasteland category. In terms of the change in the wastelands as compared to 2003, there has been an increase of 669.89 sq.km which is 1.72 % of its geographical area (*Table- 35*). The district with highest percentage of wastelands is Kasargod (16.45 % of its area) while Alappuzha district has the minimum area under wastelands.

### **9.15 Madhya Pradesh**

Madhya Pradesh is the second largest Indian State in size in the country. Geographically it occupies pivotal position in the country. Madhya Pradesh came into being on 1 November 1956. It was re-organised on 1 November 2000 to create a new Chhattisgarh state. The successive state is bound in north by Uttar Pradesh, east by Chhattisgarh, south by Maharashtra and west by Gujarat and Rajasthan.

The total geographic area of Madhya Pradesh is 308252 sq. km, out of which 40,042.98 sq. km is under wastelands corresponding to 12.99 per cent of the geographical area of the State (*Figure-32, Table- 36*). Land with open scrub is the major wasteland category, accounting for an area of 16231.47 sq.km. There has been a decrease in area under wastelands to the tune of 17091.05 sq.km (5.54%) as compared to 2003 (*Table- 37*). Shyopur and Kalanl district recorded a maximum of 28.44 % of its area under wastelands while Hoshangabad district with 3.13 %, the least.

### **9.16 Maharashtra**

Maharashtra forms part of the Deccan plateau, its western upturned rims rising to form the Sahayadri Range parallel to the sea-coast and its slopes gently descending towards the east and south-east. Satpura ranges cover

northern part of the State, while Ajanta and Satmala ranges run through central part of State. Arabian Sea guards the western boundary of Maharashtra, while Gujarat and Madhya Pradesh are on the northern side. Chhattisgarh covers the eastern boundary of the State. Karnataka and Andhra Pradesh are on its southern side.

The total geographic area of Maharashtra is 3,07,690 sq. km, out of which 38,262.81 sq.km is under wastelands accounting for 12.44% of the geographical area of the State (*Figure-33, Table- 38*). Land with open scrub is the major wasteland category, accounting for an area of 13,242.14 sq. km. There has been a decrease in the areal extent of wastelands to the tune of 11012.60 sq. km (*Table- 39*). The district with the highest percentage of wastelands is Raygad with 29.92% while Gondia district with 5.28 %, has the least percentage of wastelands.

### **9.17 Manipur**

Manipur is situated on the eastern frontier of India. It is bound on the east by Myanmar (Burma), on the north by the State of Nagaland, on the west by the State of Assam and on the south by the State of Mizoram and Myanmar. Physically Manipur comprises of two parts, the hills and the valley. The valley is at the centre surrounded by hills on all sides. Manipur Valley is about 790 metres above the sea level. The hill ranges are higher on the north and gradually diminish in height as they reach the southern part of the State. The valley itself slopes down towards the south.

The total geographic area of Manipur is 22,327 sq. km, out of which an area of 7,027.47 sq. km corresponding to 31.48 per cent of the geographical area of the State under wastelands (*Figure-34, Table- 40*). Land with dense scrub is the major wasteland category which accounts for an area of 3,718.87 sq. km. There has been a decrease in the area under wastelands to the tune of 6,147.27 sq. km corresponding to 27.53

per cent of its area (*Table- 41*). Senapati district has the maximum area under wastelands (35.10% of its area), while Bishnupur district (2.70 % of its area), has the least.

### **9.18 Meghalaya**

Meghalaya literally means ‘the Abode of Clouds’ is essentially a hilly state. It is bound on the north and east by Assam and in the south and west by Bangladesh. The Khasi Hills and Jaintia Hills which form the central and eastern part of Meghalaya is an imposing plateau with rolling grasslands, hills and river valleys. The southern face of the plateau is marked by deep gorges and abrupt slopes, at the foot of which, a narrow strip of plain land runs along the international border with Bangladesh.

Meghalaya has an areal extent of 22,429 sq. km out of which an area of 3,865.76 sq.km accounting for 17.24 per cent of the geographical area of the State is estimated under wastelands (*Figure-35, Table- 42*). Land with open scrub is the predominant wasteland category with an estimated areal extent of 2640.10 sq. km. There has been an increase in the areal extent of wastelands to the tune of 454.35 sq. km as compared to 2003 (*Table- 43*). Jaintia Hills districts with 25.36% of its area under wastelands, ranks first in the areal extent of wastelands with 25.36 %, while the South Garo Hills district has the least (10.11 % of its area).

### **9.19 Mizoram**

In between Myanmar in the east and the south and Bangladesh in the west, Mizoram occupies an area of great strategic importance in the northeastern corner of India. Mizoram has great natural beauty and an endless variety of landscape.

The total geographic area of Mizoram is 21,081 sq. km, out of which 6,021.14 sq. km accounting for 28.56 per cent of the geographical area of the State is under wastelands (*Figure-36, Table- 44*). With an area of 3,367.26 sq.km, Under utilised/degraded notified forest land-scrub dominated is the predominant wasteland category. There has been an increase in the area under wastelands to a tune of 1,551.26 sq.km as compared to 2003 (*Table- 45*). Champai district recorded a maximum extent of wastelands (43.21% of its area), while Mamit district (22.47 %, of its area) has the least.

### **9.20 Nagaland**

The State is mostly mountainous except those areas bordering Assam valley. Mount Saramati is the highest peak in Nagaland with a height of 3,840 metres and its range forms a natural barrier between Nagaland and Myanmar.

Nagaland has an areal extent of 16,579 sq. km, out of which an area of 4,815.18 sq. km corresponding to 29.04 per cent of the geographical area of the State is under wastelands (*Figure-37, Table- 46*). Admeasuring an areal extent of 1,588.65 sq. km, Abandoned shifting cultivation is the predominant wasteland category. There has been an increase in the areal extent under wastelands to the tune of 1,105.78 sq. km (*Table- 47*). Mon district with 58.66 % has the maximum area under wastelands, while Wokha district, has the least areal extent with 18.29 %.

### **9.21 Orissa**

Orissa is situated in the north-eastern part of the Indian peninsula. It is bound by the Bay of Bengal on the east, West Bengal on the north-east, Jharkhand on the north, Chhattisgarh on the west and Andhra Pradesh on the south. The state may be broadly divided into four geographical

regions—the northern plateau, central river basin, eastern hills and coastal plains.

Orissa has a geographical extent of 1,55,707 sq. km, out of which 16,648.27 sq. km corresponding to 10.69 per cent to the total geographical area of the State is under wastelands (*Figure-38, Table-48*). The predominant wasteland category comprises land with dense scrub accounting for an area of 5445.08 sq. km. A decrease in the areal extent in wastelands to the tune of 2,304.47 sq. km was observed in comparison to 2003 (*Table-49*). It was observed that Gajapati district has maximum area under wastelands with 25.02 %, while Bhadrak district, accounting for 1.37 % of its geographical area, the least.

## 9.22 Punjab

Situated in the north-western corner of the country, Punjab is bound in the west by Pakistan, in the north by Jammu and Kashmir, in the north-east by Himachal Pradesh and in the south by Haryana and Rajasthan.

The State has an areal extent of 50,362 sq. km, out of which 1,019.50 sq. km corresponding to 2.02 per cent of the total geographical area of the State is under wastelands (*Figure-39, Table-50*). Admeasuring an area of 394.35 sq. km, Sands-Desertic is the predominant wasteland category. There has been a decrease in the areal extent of wastelands in the State to the tune of 153.34 sq. km (*Table- 51*). Rupnagar district with 7.08 % of its area ranks highest in the areal extent of wastelands while Fatehgarh Sahib district with 0.04 % of its area, ranks the least.

## 9.23 Rajasthan

The entire western flank of the state borders with Pakistan, while Punjab, Haryana, Uttar Pradesh and Madhya Pradesh bind Rajasthan in north-east, south-east and Gujarat in south-west.

Out of 3,42,239 sq. km the total geographic area of Rajasthan, 93,689.47 sq. km corresponding to 27.38 per cent of the total geographical area of the State is under wastelands (*Figure-40, Table-52*). With an area of 15,586.44 sq. km, Sands-semi-stabilised- stabilised moderate high (15-40m) is the major wasteland category in the State. There has been a decrease to the tune of 7,764.39 sq. km in the area under wastelands as compared to the year 2003 (*Table- 53*). Jaisalmer district in western Rajasthan recorded the maximum extent under wastelands with 68.34 % while, Churu district the minimum (4.24 % of its area). An area admeasuring 211.26 sq km covering the districts of Jalore (162.86 sq km) and Barmer (48.40 sq km) has not been considered for estimating the wastelands of the State as the area is an extension of Rann of Kachchh from Gujarat State.

## 9.24 Sikkim

Sikkim is a small hilly state, bounded by vast stretches of Tibetan Plateau in the North, the Chumbi Valley of Tibet and the Kingdom of Bhutan in the East, the Kingdom of Nepal in the West and Darjeeling district of West Bengal in the South.

The State has an areal extent of 7,096 sq. km, out of which 3,280.88 sq. km of the area corresponding to 46.24 per cent of the total geographical area of the State is under wastelands (*Figure-41, Table- 54*). Admeasuring an area of 2,633.66 sq. km, snow covered and glacial area is the major wasteland category followed by barren rocky area with an areal extent of 579.90 sq. km. There has been a decrease in the areal extent under wastelands by 527.33 sq. km as compared to 2003 (*Table- 55*). North Sikkim has the maximum area (67.49% of its area) under wastelands while South Sikkim accounted for 6.88%, with the lowest extent.

## 9.25 Tripura

Tripura is strategically situated between the river valleys of Myanmar and Bangladesh. Encircled almost on three sides by Bangladesh, it is linked with Assam and Mizoram in the North-East.

Tripura has an area of 10,486 sq. km, out of which 1315.17 sq. km corresponding to 12.54 per cent of the total geographical area of the State is under wastelands (*Figure-42, Table- 56*). Under utilised/degraded notified forest land-scrub dominated is the predominant wasteland category, which account for an area of 522.52 sq. km. There has been a marginal decrease in the spatial extent of wastelands to the tune of 7.80 sq. km as compared to 2003 (*Table- 57*). West Tripura district recorded the maximum area with 15.56 % of its geographical area under wastelands while South Tripura with 8.72 %, ranks the least.

## 9.26 Tamilnadu

Located in the south-eastern part of the country, Tamil Nadu is bounded in north by Andhra Pradesh and Karnataka in west by Kerala, in east by the Bay of Bengal and in south by the Indian Ocean.

The State has an areal extent of 1,30,058 sq. km, out of which an area admeasuring 9,125.56 sq. km is under wastelands corresponding to 7.02 per cent of the geographical area of the State (*Figure-43, Table- 58*). The predominant wasteland category covering an area of 2600.55 sq.km is underutilized degraded notified forest-scrub dominated category. There has been a decrease in the extent of wastelands to the tune of 8,177.73 sq. km corresponding to 6.29 per cent of its geographical area. (*Table- 59*). Erode district with 18.06 % accounted for the maximum area under wastelands , while Chennai (1.26 % of its area), ranks the least.

## 9.27 Uttarakhand

Located in the foothills of the Himalayas, the State has international boundaries with China (Tibet) in the north and Nepal in the east. On its northwest lies Himachal Pradesh while in the south it is bound by Uttar Pradesh.

The State of Uttarakhand has a geographical extent of 53,483 sq. km, out of which 12790.06 sq. km corresponding to 23.91 per cent of the geographical area is under wastelands (*Figure-44, Table- 60*). Three major categories of wastelands viz., snow cover and glacial area with a spatial extent of 9,216.87 sq km, land with open scrub and barren rocky/stony waste area accounting for a spatial extent of 1,142.16 sq km each are the major categories occurring in the State. There has been a decrease in the areal extent of wastelands to the tune of 3307.40 sq. km as compared to 2003 (*Table- 61*) Pithoragarh district with 48.88 % of its geographical area has the maximum extent of wastelands in the State while Udhampur district with 0.64 % of the area has the least extent of wastelands.

## 9.28 Uttar Pradesh

Uttar Pradesh is bound by Uttarakhand and Himachal Pradesh in the north, Haryana in the west, Madhya Pradesh in the South and Bihar in the east. Uttar Pradesh can be divided into two distinct regions (i) Southern Hills (ii) Gangetic Plain.

The State has a geographical extent of 2,40,922 sq.km, out of which an estimated of 10988.59 sq. km corresponding to 4.56 per cent of the geographical area of the State is mapped as wastelands (*Figure-45, Table- 62*). Land affected by salinity/alkalinity-moderate is the predominant wasteland category that covers an area of 2,193.28 sq. km. There has

been a decrease in the spatial extent of wastelands by 5995.57 sq. km corresponding to 2.49 per cent as compared to 2003 (*Table- 63*). Etawah district has a maximum extent of wastelands (12.50 % of its area), while Bijnor district (0.09 % of its area) has the minimum area under wastelands.

### 9.29 West Bengal

The land frontiers of the State touch Bangladesh in the east and are separated from Nepal in the west, Bhutan lies in the north-east, while Sikkim in the north. On the west are the states of Bihar, Jharkhand, while in the south lies Orissa, and the Bay of Bengal washing its southern frontiers.

The State of West Bengal has a spatial extent of 88,752 sq. km, out of which 1994.41 sq. km corresponding to 2.25 per cent of the geographical area of the State is under wastelands (*Figure-46, Table-64*). With an area of 802.46 sq. km, Land with open scrub is the predominant wasteland category . There has been a decrease in the spatial extent of wastelands to the tune of 2,403.15 sq. km which is mainly due to the usage of three season satellite data (*Table- 65*). Puruliya district has maximum area (9.66 % of its geographical area) under wastelands while Koch Bihar, Murshidabad and Nadia districts (0.01 % of its area), ranks the least.

### 9.30 Union Territories

There are 6 Union Territories, namely, Andaman and Nicobar Islands, Chandigarh, Dadra and Nagar Haveli, Daman and Diu, Lakshadweep and Pondicherry (*Figures-47, 48*).

- i) **Andaman and Nicobar Islands** The group of 572 islands/ Islets lies in the Bay of Bengal, 193 km from Cape Negarlis in Myanmar,

1,255 km from Kolkata and 1,190 km from Chennai. Two principal groups of islets are the Ritchie's Archipelago and Labyrinth Islands. The Nicobar Islands are situated to the south of Andaman Islands, 121 km from Little Andaman Island. There are 38 inhabited islands, including 25 in the Andaman district and 13 in the Nicobar district.

- ii) **Chandigarh** is a fully grown town of most modern architectural splendor. The city nestles in a picturesque setting in the foothills of Shivalik hills and enjoys the popular epithet the "City Beautiful".
- iii) **Dadra** has an area of 491 sq km and it is surrounded by Gujarat and Maharashtra. It consists of two pockets namely, Dadra and Nagar Haveli.
- iv) **Daman and Diu** It is bound on the east by Gujarat, on the west by the Arabian Sea, on the north by the Kolak river and on the south by Kalai river. The neighboring district of Daman is Valsad in Gujarat. Diu is an island connected by two bridges. The neighboring district of Diu is Junagadh (Gujarat).
- v) **Lakshadweep** a group of coral islands consist of 12 atolls, three reefs and submerged sand banks. Of the 27 islands, only 11 are inhabited. These lie scattered in the Arabian Sea about 280 km to 480 km off Kerala coast.
- vi) **Pondicherry** is bound on the east by the Bay of Bengal and on the three sides by Tamil Nadu. About 150 km south of Pondicherry on the East Coast lies Karaikal. Mahe is situated on the Malabar Coast on the Western Ghats surrounded by Kerala. It can be reached from Calicut Airport, which is 70 km from Mahe. Yanam

is situated adjoining the East Godavari district of Andhra Pradesh and is about 200 km from Visakhapatnam airport

The total geographical area of all the Union territories is 9490 sq km, of which 337.30 sq km corresponding to 3.55 per cent of its geographical area is under wastelands (Table- 66) There is an increase to the tune of 22.92 sq km under wastelands in these areas as compared to 2003 (Table- 67). Change in area under wastelands in each of the union territories is given in Tables 68 to 74. It is observed that the percentage of land under wastelands in all the union territories is marginal, with the maximum in Dadra (accounting for 10.85 % of its area), followed by Daman (8.72% of its area).The remaining Union Territories have an average of less than 3% with Lakshadweep Islands having only 1.87% of wastelands.

## 10.0 Change analysis

As mentioned earlier, wastelands mapping was carried out earlier for two time periods i.e. 1986-2000 and 2003. During the first time, analysis carried out in five phases using three period satellite data sets i.e. 1986-88, 1991-92 and 1997-98 in fourteen years. The second cycle of mapping was carried out using satellite data acquired during February-March 2003. The third cycle has now been completed with the satellite data of 2005-06. However, there has not been consistency in satellite data used, definition and number of categories of wastelands and methodology followed for their delineation. In the first cycle spanning from 1986-2000, Landsat – TM data with 30m spatial resolution, IRS-1A LISS-II data with 36.25 m resolution and IRS-1C & ID LISS III data with 23.5m spatial resolution acquired during *rabi* (dry) season at 1:50,000 scale was interpreted visually. Furthermore as mentioned earlier, the mapping exercise was carried out in five phases spanning over a period of 14 years. In the second cycle of 2003, IRS 1C & ID LISS III digital data of

*rabi* (dry) season was used to delineate wastelands through on-screen visual interpretation.

The minimum mappable area in the first cycle works out to be 2.25 ha considering 3x3 mm as a minimum mappable unit whereas on-screen visual interpretation of LISS-III digital data enabled not only enlarging the image to 1:35,000 scale but also provided the scope for various kinds of image enhancements that helped improved delineation of wastelands categories particularly those exhibiting poor spectral contrast.

Another major difference between these two cycles of wastelands mapping was in the classification scheme followed. Whereas 13 categories of wastelands were mapped in the first cycle (1986-2000), further division within each of these categories indicating the magnitude of the problem, very important from rehabilitation of wastelands, were made in the second cycle (2003) in which a total of 28 categories were mapped.

The present cycle involves generation of wastelands maps at 1:50,000 scale for the entire country from three cropping seasons i.e. *kharif*, *rabi* and *zaid* from Resourcesat- 1 LISS-III digital and georectified data for 2005-06. The LISS-III data of 2005-06 was brought to UTM projection and WGS 84 datum to comply with the national map policy. In the first two cycles of mapping i.e. 1986-2000 and 2003, the satellite data used were in polyconic projection and Everest 1956 datum. The vector layer of wastelands for 2003 period was subsequently converted to LCC projection and modified Everest datum.

In order to study the temporal behaviour of wastelands during 2003 and 2005-06, the vector layer of wastelands of 2003 which was in LCC projection and modified Everest datum was re-projected to UTM projection and WGS84 datum. As evident from the preceding, efforts were made to make both the datasets i.e. IRS-1C/1D LISS-III of 2003 and Resourcesat-

1 LISS-III to a common projection and datum, still there is a substantial difference in these two datasets. The differences are as follows:

- **Seasonality of satellite data:** While only dry season (*rabi*) data was used in 2003, three cropping season data formed the database for delineation of wastelands during 2005-06.
- **Definition and categories of wastelands:** Whereas 28 categories of wastelands were delineated in 2003, in 2005-06, based on previous experience, some of the categories with very little spatial extent were merged with corresponding major categories, thus making the total number of wastelands categories as 23. For instance, slightly salt-affected land has been merged with moderately salt-affected land. Similarly, shallow ravines have been merged with medium ravines category. Conversely, the category land with or without scrub was segregated into 'land with dense scrub' and 'land with open scrub' (Table-2).
- **Satellite data projection and datum:** The two datasets i.e. 2003 and 2005-06 differed in map projection and datum. Whereas LCC and Modified Everest datum was maintained in 2003 dataset, in case of 2005-06, the satellite data had UTM projection and WGS84 datum. As mentioned earlier, though the efforts were made to change the projection and datum of the LISS-III data of 2003, in consonance with LISS-III data 2005-06, required precision in terms of positional accuracy could not be achieved. Hence, instead of change detection with the help of 2003 vector layer of wastelands, a fresh mapping of wastelands was carried out using three season i.e. *kharif*, *rabi* and *zaid* season LISS-III data.

In view of the above mentioned differences in two datasets i.e. 2003 and 2005-06, a patch-by-patch comparison of wastelands could not be carried out. Consequently only area statistics in a tabular form has been provided.

A comparative analysis of the areal extent of wastelands shows a reduction of 8.21 M ha (63.85 to 55.64 M ha) area between first and second cycles. Furthermore, in the current cycle, there is further reduction in the area under wastelands to the order of 8.41 M ha (47.22 M ha.) over the 2003 cycle.

## 11.0 Conclusions

The analysis of three cropping season Resourcesat-1 LISS-III images has enabled improved delineation of various categories of wastelands with limited field checks (*Figures-51, 52, 53*). During 2003, only single season (*rabi*) satellite data was used that precluded discrimination of categories like fallow lands, seasonally waterlogged, scrubs or pastures, snow-covered areas displaying intra-annual variations in the spectral response pattern (*Figures-50*).

An estimated 47.22 M ha. has been found to be under wastelands in 2006, which is 14.91 % of the total geographical area of the country.

The temporal analysis of the areal extent of wastelands between 2005-06 and 2003 shows a reduction of 8.41 M ha which is equivalent of 2.66% of the wastelands in 2003. (*Figure-5*). This is in comparison to the change reported during 2000 and 2003, wherein there was a shrinkage in the area under wastelands by 8.21 M ha, which is equivalent to 2.60 per cent of the wastelands area in the year 2000.

The differences observed in the area of various wastelands categories during 2003 and 2005-06 could be attributed to one or a combination of the following:

- Changes in the datum and projection of satellite data.
- Usage of single (dry) season satellite data versus three season satellite data. (*Figure-50*).
- Inconsistencies in the definition and the number of categories of wastelands, and
- Reclamation efforts made by various central, state and non-governmental organisations.

The unique feature of the current project has been on-screen interpretation of three-season satellite images with projection and datum compatible with Open Series Map (OSM) of Survey of India which will facilitate dissemination of the data to a wider user community. Furthermore, the database, thus created, will serve as the sound reference base on wastelands for studying their temporal behaviour.


## REFERENCES


1. Ministry of Rural Development and National Remote Sensing Agency (NRSA), Wastelands Atlas of India 2000, National Remote Sensing Agency, Dept. of Space, Govt. of India, Hyderabad 2000.
2. Sehgal, J. and Abrol, I. P. (1994), Soil degradation in India: Status & Impact, Oxford & IBH Publishing Co. Pvt Ltd, New Delhi.

## BIBLIOGRAPHY

1. India. National Rainfed Area Authority, Min. of Agriculture, Govt. of India, New Delhi.
2. Abrol, I. P. and Dhruva Narayana, V. V. (Technical Eds.) (1990) : Technologies for Wasteland Development; Publication and Information Division, ICAR, New Delhi.
3. Aggarwal J. P. (1988) : Role of remote sensing techniques in site identification for afforestation programme in wasteland areas. Wasteland Development for fuel-wood and fodder production Ed. G. P. Maithana, Forest Research Institute, Dehradun. pp 11 – 13.
4. Anderson, J. (1971) : Land use classification schemes used in selected recent geographic application of remote sensing. PE & RS, 37 : 379 – 387.
5. Aronoff, S. (1982) Classification accuracy: a user approach. Photogrammetric Engineering and Remote Sensing, 48, pp. 1299 – 1307.
6. Belward, Alan S. and Valenzuela, Carlos R. (Ed.) (1991) : Remote Sensing and Geographical Information Systems for Resource Management in Developing Countries ; Kluwer Academic Publishers, Dordrecht.
7. CAZRI (1998) : Inventory of geographical distribution of arid wastelands and testing of existing technologies in participatory mode. Jodhpur.
8. Congalton, R. G. (1991) : A review of assessing the accuracy of classifications of remotely sensed data. Remote Sensing of Environment, 37, pp. 35 – 46.
9. Dass H. C., Harsh L. N., Shankarnarayana K. A. (1988) : Techniques for wasteland afforestation of arid areas in Rajasthan. Wasteland development for fuel-wood and fodder production. Ed. G. P. Maithana, Forest Research Institute, Dehradun, pp 265 – 275.
10. Edwards JR, T. C., Moisen, G. G. and Cutler, D. R. (1998) : Assessing map accuracy in a remotely sensed, eco-region-scale cover map. Remote Sensing of Environment, 63, pp. 73 – 83.
11. Forest Research Institute (1988) : Wasteland Development for Fuel-wood and Fodder Production. FRI Press, New Delhi.
12. Gadgil M., Guha R. (1995) : Ecology and Equity : The Use and Abuse of Nature in Contemporary India (Routledge, London).
13. Government of India Ministry of Environment and Forests (1990) : Developing India's Wastelands (Government of India, New Delhi).
14. Hoeschele, (2000) : Geographic information engineering and social ground truth in Attappadi, Kerala State, India. Annals of the Association of American Geographers 90 293 – 321.
15. Hooja B (1984) : Rajasthan 2000 A. D. and the challenges of land management. Resource Management in Drylands Eds. H. G. Mensching, R. C. Sharma. Rajesh Publications, New Delhi, pp 237 – 254.
16. Karale, R. L., Saini, K. M. & Narula, K. K. (1988) : Mapping and monitoring ravines using remotely sensed data, Journal Soil Water Conservation India 31 (1, 2), 76.
17. Khan, I (1987) : Wasteland Afforestation (Techniques and Systems), Oxford and I. B. H. Pub. Co. Pvt. Ltd., New Delhi.

18. Lillesand T. M., Kiefer R. W. (1994) : Remote sensing and image interpretation. John Wiley, New York.
19. Ma, Z., Hart, M. M. and Redmond, R. L. (2001) : Mapping vegetation across large geographic areas : integration of remote sensing and GIS to classify multi-resource data. PERS 67, pp. 295 – 307.
20. Muthana K. D. (1988) : Afforestation of arid zones wastelands for fuelwood and fodder production. Wasteland development for fuel-wood and fodder production. Ed. G. P. Maithani, Forest Research Institute, Dehradun, pp 40 – 42.
21. NRSA (1987): Manual of procedure for wasteland mapping using remote sensing techniques.
22. NRSA (1989) : Manual of nationwide land use / land cover mapping using satellite imagery.
23. NRSA (1990) : IRS – Utilisation programme ; soil erosion mapping. Project report.
24. NRSA (1991) : Guidelines to use wasteland maps pp 1 – 72.
25. NRSA (1997) : Manual of procedure for preparation of wasteland digital data base using remote sensing & GIS techniques, pp 1 – 90.
26. NRSA (2001) : Management of salt affected soils and rational land use at village level using remote sensing and GIS techniques in part of south coastal region of Andhra Pradesh. Project Report.
27. NRSA (2002) : Integrated Mission for Sustainable Development – Path to Progress.
28. NRSA and Ministry of Rural Development (2005) : Wastelands Atlas of India, 2005. NRSA, Dept. of Space, Govt of India, Hyderabad.
29. NRSA (2006) : Manual of national land use/land cover mapping using multi-temporal satellite data.
30. NRSA (2007) : Manual of national wastelands monitoring using multi-temporal satellite data.
31. NWDB (1991) : Description and classification of wastelands. National Wastelands Development Board, Ministry of Environment & Forests, Government of India, New Delhi.
32. Robbins P. (2001) : Interrogating land cover categories : metaphor and method. Remote Sensing, Cartography and Geographic Information Science.
33. Roy, A. K. and Verma S. K. (2001). Wasteland Management and Environment. Scientific Publishers, Jodhpur, India.








Figure. 3






Figure. 4

Figure. 5. India - Wastelands category-wise changes with respect to area and percentage


**Category-wise wastelands percent to Total geographic area 2003 & 2006**



**Category-wise wastelands percent to Total geographic area 2003**



**Category-wise wastelands percent to Total geographic area 2006**






Figure. 6




Figure. 7




Figure. 8










Figure. 9











Table 3: India - State-wise distribution of Wastelands

Sl. No.	STATE NAME	TGA	Total WL	Area in Sq km
				% to TGA
1	Andhra Pradesh	275068	38788.22	14.10
2	Arunachal Pradesh	83743	5743.84	6.86
3	Assam	78438	8778.02	11.19
4	Bihar	94171	6841.09	7.26
5	Chattisgarh	135194	11817.82	8.74
6	Delhi	1483	83.34	5.62
7	Goa	3702	496.27	13.41
8	Gujarat	196024	21350.38	10.89
9	Haryana	44212	2347.05	5.31
10	Himachal Pradesh	55673	22470.05	40.36
11	Jammu & Kashmir *	101387	73754.38	72.75
12	Jharkhand	79706	11670.14	14.64
13	Karnataka	191791	14438.12	7.53
14	Kerala	38863	2458.69	6.33
15	Madhya Pradesh	308252	40042.98	12.99
16	Maharashtra	307690	38262.81	12.44
17	Manipur	22327	7027.47	31.48
18	Meghalaya	22429	3865.76	17.24
19	Mizoram	21081	6021.14	28.56
20	Nagaland	16579	4815.18	29.04
21	Orissa	155707	16648.27	10.69
22	Punjab	50362	1019.50	2.02
23	Rajasthan	342239	93689.47	27.38
24	Sikkim	7096	3280.88	46.24
25	Tamilnadu	130058	9125.56	7.02
26	Tripura	10486	1315.17	12.54
27	Uttarakhand	53483	12790.06	23.91
28	Uttar Pradesh	240928	10988.59	4.56
29	West Bengal	88752	1994.41	2.25
30	Union Territory	9490	337.30	3.55
<b>Total</b>		<b>3166414</b>	<b>472261.95</b>	<b>14.91</b>

\* Unsurveyed areas (J&K) : 120849.00      Total geographical area : 3287263.00

Source: 1:50,000 Wasteland Maps-2005-06 prepared based on IRS-P6, LISS III Three season data

Table 4: India - Category-wise distribution of Wastelands

Sl.No.	Category	Area in Sq km	
		Total WL	% to TGA
1	Gullied and/or ravinous land-Medium	6999.03	0.22
2	Gullied and/or ravinous land-Deep/very deep ravine	1714.83	0.05
3	Land with dense scrub	93389.55	2.95
4	Land with open scrub	91633.00	2.89
5	Waterlogged and Marshy land-Permanent	2532.46	0.08
6	Waterlogged and Marshy land-Seasonal	2990.84	0.09
7	Land affected by salinity/alkalinity-Moderate	5429.83	0.17
8	Land affected by salinity/alkalinity-Strong	1737.81	0.05
9	Shifting cultivation area-Current Jhum	5625.07	0.18
10	Shifting cultivation area-Abandoned Jhum	4608.45	0.15
11	Under utilised/degraded forest-Scrub dominated	85809.54	2.71
12	Agricultural land inside notified forest land	16386.08	0.52
13	Degraded pastures/grazing land	7196.44	0.23
14	Degraded land under plantation crops	316.22	0.01
15	Sands- Riverine	2439.85	0.08
16	Sands- Coastal sand	719.00	0.02
17	Sands- Desert Sand	5280.07	0.17
18	Sands- Semi-stabilized to stabilized (>40m) dune	11188.21	0.35
19	Sands- Semi-stabilized to stabilized moderately high (15- 40m) dune	15627.63	0.49
20	Mining Wastelands	505.35	0.02
21	Industrial wastelands	63.99	0.00
22	Barren rocky area	69373.92	2.19
23	Snow cover and/or glacial area	40694.80	1.29
	<b>Total</b>	<b>472261.95</b>	<b>14.91</b>

Source: 1:50,000 Wasteland Maps-2005-06 prepared based on IRS-P6, LISS III Three season data

Note: 1,20,849.00sq km in Jammu&Kashmir is not mapped and hence not considered for calculating the percentage

**Table 5: India - State-wise and Category-wise distribution of Wastelands**

Sl. No.	STATE NAME	Area in Sq km																											
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	Total WL	TGA	% to TGA		
1	Andhra Pradesh	405.48	2.89	10323.01	7416.17	109.07	0.00	1215.10	504.83	15.15	1.30	13123.06	1835.48	132.37	37.79	32.12	318.72	3.76	0.00	0.00	14.39	1.77	3295.73	0.00	38788.22	275068	14.10		
2	Arunachal Pradesh	0.00	0.00	957.70	2162.04	0.00	0.00	0.00	1025.07	506.39	20.46	0.00	186.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	150.09	735.98	5743.84	83743	6.86		
3	Assam	0.00	0.00	1956.80	1626.68	494.69	1025.46	0.00	0.00	160.15	79.41	1300.80	2132.50	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	1.51	0.00	0.00	0.00	8778.02	78438	11.19	
4	Bihar	71.83	0.00	954.39	2761.16	694.65	869.40	0.00	3.97	0.00	0.00	1198.63	76.85	60.63	11.54	6.82	0.00	0.00	0.00	0.00	0.00	0.22	6.66	124.35	0.00	6841.09	94171	7.26	
5	Chattisgarh	142.90	0.00	1049.85	3052.58	0.00	0.00	0.28	0.00	0.00	0.00	2943.78	3616.46	0.00	0.00	179.09	0.00	0.00	0.00	0.00	0.00	5.91	0.00	826.98	0.00	11817.82	135194	8.74	
6	Delhi	0.72	6.12	7.51	56.09	5.29	0.00	0.15	0.00	0.00	0.00	7.42	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	83.34	1483	5.62		
7	Goa	0.00	0.00	51.89	216.38	42.79	9.48	0.00	0.00	0.00	0.00	58.78	3.24	0.00	14.69	0.00	3.39	0.00	0.00	0.00	30.95	0.35	64.33	0.00	496.27	3702	13.41		
8	Gujarat	392.02	1.73	11614.83	6658.03	0.00	80.59	696.55	0.00	0.00	0.00	1413.86	155.35	44.19	53.06	0.00	75.38	0.00	0.00	0.00	15.29	0.00	149.49	0.00	21350.38	196024	10.89		
9	Haryana	0.00	0.96	2.98	837.95	20.86	51.22	69.61	23.26	0.00	0.00	171.02	0.00	914.58	75.63	1.79	0.00	0.00	0.00	41.19	35.36	2.51	98.13	0.00	2347.05	44212	5.31		
10	Himachal Pradesh	170.23	4.52	1103.65	2268.19	0.00	10.45	0.00	0.00	0.00	0.00	1290.43	0.00	164.36	0.00	49.38	0.00	0.00	0.00	7.46	0.00	5314.17	12087.20	22470.05	55673	40.36			
11	Jammu & Kashmir	423.14	553.24	1617.25	2280.70	74.67	0.86	16.65	56.68	0.00	0.00	4019.26	238.29	125.55	41.61	1671.02	0.00	226.07	0.00	0.00	3.88	4.98	46379.45	16021.09	73754.38	101387	72.75		
12	Jharkhand	106.14	0.00	2074.06	3600.33	0.36	0.00	0.00	0.00	0.00	0.00	4400.59	518.99	0.00	0.00	0.00	0.00	0.00	0.00	7.82	0.29	961.56	0.00	11670.14	79706	14.64			
13	Karnataka	127.11	0.00	4745.46	1656.52	13.23	4.63	512.97	0.35	0.00	0.00	5245.32	644.85	6.36	9.04	11.62	9.22	0.00	0.00	28.36	0.00	1423.09	0.00	14438.12	191791	7.53			
14	Kerala	0.00	0.00	725.62	787.78	5.06	14.91	0.00	0.00	0.00	0.00	572.25	0.00	0.00	0.00	16.48	28.70	0.00	0.00	0.20	0.00	307.68	0.00	2458.69	38863	6.33			
15	Madhya Pradesh	1493.69	8.37	6361.08	16231.47	0.00	0.00	0.00	0.00	0.00	0.00	12256.23	3136.55	20.19	0.00	0.00	0.00	0.00	0.00	75.72	1.48	458.19	0.00	40042.98	308252	12.99			
16	Maharashtra	547.03	0.00	11251.44	13242.14	59.03	1.76	41.00	26.36	0.00	0.00	10026.96	1189.18	149.72	21.25	3.65	29.48	0.00	0.00	30.45	0.00	1643.37	0.00	38262.81	307690	12.44			
17	Manipur	0.00	0.00	3718.87	900.54	0.00	0.00	0.00	752.10	100.10	1555.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7027.47	22327	31.48			
18	Meghalaya	0.00	0.00	454.43	2640.10	0.00	0.00	0.00	291.87	157.12	67.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	255.13	0.00	3865.76	22429	17.24				
19	Mizoram	0.00	0.00	0.00	36.32	0.00	0.00	0.00	1028.53	1589.03	3367.26	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6021.14	21081	28.56			
20	Nagaland	0.00	0.00	972.55	1011.02	0.00	0.00	0.00	0.00	1239.09	1588.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4815.18	16579	29.04			
21	Orissa	671.19	0.00	5445.08	1383.29	424.04	35.56	8.47	23.09	1023.83	421.61	4781.34	1842.28	0.00	1.88	2.79	34.15	0.00	0.00	7.90	10.67	531.11	0.00	16648.27	155707	10.69			
22	Punjab	82.12	0.00	109.94	95.29	78.01	34.39	30.14	27.87	0.00	0.00	69.47	0.00	0.00	97.92	0.00	394.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1019.50	50362	2.02		
23	Rajasthan	1020.17	864.75	23661.70	14619.38	64.88	54.94	347.12	269.12	0.00	0.00	11365.78	854.34	3918.42	0.00	196.69	0.00	4655.88	11188.21	15586.44	106.86	9.06	4905.72	0.00	93689.47	342239	27.38		
24	Sikkim	0.00	0.00	0.00	6.37	0.00	0.00	0.00	0.00	0.00	0.00	60.96	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	579.90	2633.66	3280.88	7096	46.24
25	Tamilnadu	107.97	0.91	2128.14	2027.41	55.31	68.25	296.00	83.82	0.00	0.00	2600.55	61.13	1041.74	41.88	34.15	200.63	0.00	0.00	90.18	3.94	283.56	0.00	9125.56	130058	7.02			
26	Tripura	0.00	0.00	229.44	298.41	0.68	0.00	0.00	0.00	89.28	164.83	522.52	0.00	0.00	10.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1315.17	10486	12.54		
27	Uttarakhand	0.00	0.00	211.28	1073.12	0.00	0.00	0.00	0.00	0.00	0.00	714.54	15.95	410.76	1.98	0.31	0.00	0.00	0.00	1.61	1.48	1142.16	9216.87	12790.06	53483	23.91			
28	UttarPradesh	1216.48	264.63	1160.19	1835.12	376.54	721.12	2193.28	718.46	0.00	0.00	1857.31	64.61	21.47	3.48	109.92	0.00	0.00	0.00	16.16	18.07	411.75	0.00	10988.59	240928	4.56			
29	West Bengal	20.56	0.58	497.68	802.46	12.55	7.37	0.00	0.00	0.00	0.00	534.85	0.00	0.00	2.40	16.10	7.94	0.00	0.00	25.09	2.72	64.12	0.00	1994.41	88752	2.25			
30	Union Territory	0.26	6.12	2.72	49.97	0.77	0.44	2.50	0.00	0.00	0.00	263.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	337.30	9490	3.55		
<b>Total</b>		<b>6999.03</b>	<b>1714.83</b>	<b>93389.55</b>	<b>91633.00</b>	<b>2532.46</b>	<b>2990.84</b>	<b>5429.83</b>	<b>1737.81</b>	<b>5625.07</b>	<b>4608.45</b>	<b>85809.54</b>	<b>16386.08</b>	<b>7196.44</b>	<b>316.22</b>	<b>2439.85</b>	<b>719.00</b>	<b>5280.07</b>	<b>11188.21</b>	<b>15627.63</b>	<b>505.35</b>	<b>63.99</b>	<b>69373.92</b>	<b>40694.80</b>	<b>472261.95</b>	<b>3166414</b>	<b>14.91</b>		

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Source: 1:50,000 Wasteland Maps-2005-06 prepared based on IRS-P6, LISS III Three season data

NOTE: 1,20,849.00 Sq.km in Jammu & Kashmir is not mapped and hence not considered for calculating the percentage

**Table 6: India - State-wise changes in wastelands**

Sl. No.	STATE	TOTAL GEOGR. AREA	1986-2000		2003		% CHANGE 2000 - 2003	2006		CHANGE IN AREA (2003-2006)	% CHANGE 2003 - 2006
			W.L. AREA	% to TGA	W.L. AREA	% to TGA		W.L. AREA	% to TGA		
1	Andhra Pradesh	275068	51750.19	18.81	45267.15	16.46	-2.35	38788.22	14.10	-6478.93	-2.36
2	Arunachal Pradesh	83743	18326.25	21.88	18175.95	21.70	-0.18	5743.84	6.86	-12432.11	-14.85
3	Assam	78438	20019.17	25.52	14034.08	17.89	-7.63	8778.02	11.19	-5256.06	-6.70
4	Bihar	94171	20997.55*	12.08	5443.68	5.78	-6.30	6841.09	7.26	1397.41	1.48
5	Chattisgarh	135194	-----	-----	**11301.27	8.36	-----	11817.82	8.74	516.55	0.38
6	Delhi	1483	-----	-----	68.16	4.60	-----	83.34	5.62	15.18	1.02
7	Goa	3702	613.27	16.57	531.29	14.35	-2.22	496.27	13.41	-35.02	-0.95
8	Gujarat	196024	43021.28	21.95	20377.74	10.40	-11.55	21350.38	10.89	972.64	0.50
9	Haryana	44212	3733.98	8.45	3266.45	7.39	-1.06	2347.05	5.31	-919.40	-2.08
10	Himachal Pradesh	55673	31659	56.87	28336.80	50.90	-5.97	22470.05	40.36	-5866.75	-10.54
11	Jammu & Kashmir	101387	65444.24	64.55	70201.99	69.24	4.69	73754.38	72.75	3552.39	3.50
12	Jharkhand	79706	-----	-----	11165.26	14.01	-----	11670.14	14.64	504.88	0.63
13	Karnataka	191791	20839.28	10.87	13536.58	7.06	-3.81	14438.12	7.53	901.54	0.47
14	Kerala	38863	1448.18	3.73	1788.80	4.60	0.87	2458.69	6.33	669.89	1.72
15	Madhya Pradesh	308252	69713.75^	15.72	57134.03	18.53	2.81	40042.98	12.99	-17091.05	-5.54
16	Maharashtra	307690	53489.08	17.38	49275.41	16.01	-1.37	38262.81	12.44	-11012.60	-3.58
17	Manipur	22327	12948.62	58	13174.74	59.01	1.01	7027.47	31.48	-6147.27	-27.53
18	Meghalaya	22429	9904.38	44.16	3411.41	15.21	-28.95	3865.76	17.24	454.35	2.03
19	Mizoram	21081	4071.68	19.31	4469.88	21.20	1.89	6021.14	28.56	1551.26	7.36
20	Nagaland	16579	8404.1	50.69	3709.40	22.37	-28.32	4815.18	29.04	1105.78	6.67
21	Orissa	155707	21341.71	13.71	18952.74	12.17	-1.54	16648.27	10.69	-2304.47	-1.48
22	Punjab	50362	2228.4	4.42	1172.84	2.33	-2.09	1019.50	2.02	-153.34	-0.30
23	Rajasthan	342239	105639.11	30.89	101453.86	29.64	-1.25	93689.47	27.38	-7764.39	-2.27
24	Sikkim	7096	3569.58	50.3	3808.21	53.67	3.37	3280.88	46.24	-527.33	-7.43
25	Tamil Nadu	130058	23013.9	17.7	17303.29	13.30	-4.40	9125.56	7.02	-8177.73	-6.29
26	Tripura	10486	1276.03	12.17	1322.97	12.62	0.45	1315.17	12.54	-7.80	-0.07
27	Uttarakhand	53483	-----	-----	16097.46	30.10	-----	12790.06	23.91	-3307.40	-6.18
28	UttarPradesh	240928	38772.8#	13.17	16984.16	7.05	-6.12	10988.59	4.56	-5995.57	-2.49
29	West Bengal	88752	5718.48	6.44	4397.56	4.95	-1.49	1994.41	2.25	-2403.15	-2.71
30	Union Territory	9490	574.3	5.23	246.22	2.59	-2.64	337.30	3.55	91.08	0.96
	<b>Total</b>	<b>3166414.00</b>	<b>638518.31</b>	<b>20.17</b>	<b>556409.38</b>	<b>17.57</b>	<b>-2.60</b>	<b>472261.95</b>	<b>14.91</b>	<b>-84147.43</b>	<b>-2.66</b>

\* Includes Jharkhand

^ Includes Chattisgarh

# includes Uttarakhand

\*\* 7584.15 sq km in 2003 revised to 11301.27 due to inclusion of 3717.12 sq km of Agri land under Notified forest area

NOTE: 1,20,849.00 Sq.km in Jammu & Kashmir is not mapped and hence not considered for calculating the percentage

Table 7: India - Category-wise changes in Wastelands

Sl. No.	Category	Wastelands			Percentage			Change (2000-2003)		Area in Sq km	
		1986-2000	2003	2005-06	1986-2000	2003	2005-06	Area	%	Area	%
1	Gullied and/or Ravinous land	20553.35	19042.08	8713.86	0.65	0.60	0.28	-1511.27	-0.05	-10328.22	-0.33
2	Land with or without scrub	194014.29	188989.58	185022.55	6.13	5.94	5.84	-5024.71	-0.19	-3967.03	-0.09
3	Waterlogged and marshy land	16568.45	9744.97	5523.29	0.52	0.31	0.17	-6823.48	-0.22	-4221.68	-0.13
4	Land affected by salinity/alkalinity- Coastal/inland	20477.38	12024.05	7167.64	0.65	0.38	0.23	-8453.33	-0.27	-4856.41	-0.15
5	Shifting Cultivation Area	35142.20	18780.88	10233.51	1.11	0.60	0.32	-16361.32	-0.51	-8547.36	-0.28
6	Under utilised/degraded notified forest land	140652.31	129215.35	102195.62	4.44	3.99	3.23	-11436.96	-0.45	-27019.73	-0.76
7	Degraded pastures/grazing land	25978.91	19344.30	7196.44	0.82	0.61	0.23	-6634.61	-0.21	-12147.86	-0.38
8	Degraded land under plantation	5828.09	2142.01	316.22	0.18	0.07	0.01	-3686.08	-0.12	-1825.79	-0.06
9	Sands- Inland/Coastal	50021.65	33985.21	35254.75	1.58	1.07	1.11	-16036.44	-0.51	1269.54	0.04
10	Mining/Industrial wastelands	1252.13	1970.15	569.34	0.04	0.06	0.02	718.02	0.02	-1400.81	-0.04
11	Barren rocky/stony waste/sheet rock area	72241.06	66842.65	69373.92	2.28	2.11	2.19	-5398.41	-0.17	2531.27	0.08
12	Snow covered and/or glacial area	55788.49	54328.16	40694.80	1.76	1.72	1.29	-1460.33	-0.05	-13633.36	-0.43
	<b>Total Wasteland Area</b>	<b>638518.31</b>	<b>556409.38</b>	<b>472261.95</b>	<b>20.17</b>	<b>17.57</b>	<b>14.91</b>	<b>-82108.93</b>	<b>-2.60</b>	<b>-84147.43</b>	<b>-2.66</b>

Source: 1:50,000 Wasteland Maps-  
 1986-2000 based on Landsat TM/IRS LISS II & LISS III data  
 2003 based on IRS LISS III single season data  
 2005-06 prepared based on IRS-P6, LISS III Three season data

NOTE: 1,20,849.00 Sq.km in Jammu & Kashmir is not mapped and hence not considered for calculating the percentage

Table 8: District - wise distribution of Wastelands

## ANDHRA PRADESH

Category	Adilabad	Anantpur	Chittoor	Cuddahapah	East Godavari	Guntur	Hyderabad	Karimnagar	Khammam	Krishna	Kurnool	Mahaboobnagar	Medak	Nalgonda	Nellore	Nizamabad	Prakasam	Ranga Reddy	Srikakulam	Visakhapatnam	Vizianagaram	Warangal	West Godavari	Total	
1	61.20	0.56	25.16	10.63	18.39	0.09	0.00	13.57	43.28	0.00	40.44	2.68	1.73	1.19	20.13	12.47	26.35	0.33	9.61	73.38	37.02	3.31	3.94	405.48	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.89	0.00	0.00	0.00	2.89	
3	286.88	781.38	945.21	1115.94	153.75	127.84	0.44	318.28	163.44	97.08	601.51	404.30	494.62	550.26	631.44	289.94	1025.39	316.39	277.48	1091.88	330.77	265.82	52.96	10323.01	
4	202.31	697.94	726.10	1242.08	46.36	209.03	1.07	469.85	14.33	49.54	253.24	312.99	421.86	156.38	444.62	419.07	584.36	128.08	184.11	379.45	78.69	386.81	7.87	7416.17	
5	0.00	0.00	0.00	0.00	36.04	12.06	0.00	0.00	54.21	0.00	0.00	0.00	0.00	0.49	0.00	2.49	0.00	0.00	0.64	0.00	0.00	0.00	3.14	109.07	
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	0.00	270.09	82.41	14.02	0.00	1.13	0.00	0.00	0.00	0.00	219.46	186.63	0.00	57.72	248.24	0.00	135.40	0.00	0.00	0.00	0.00	0.00	0.00	1215.10	
8	0.00	81.98	12.45	5.52	0.00	17.13	0.00	0.00	0.00	0.00	96.70	61.37	0.00	51.02	59.23	0.00	119.42	0.00	0.00	0.00	0.00	0.00	0.00	504.83	
9	0.00	0.00	0.00	0.00	15.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	15.15	
10	0.00	0.00	0.00	0.00	1.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.00	0.00	1.30	
11	1056.08	1202.46	1343.91	1485.53	167.93	335.90	0.00	402.81	99.61	211.17	665.37	850.70	330.22	608.93	792.22	556.47	957.42	242.40	310.20	676.96	344.88	477.20	4.69	13123.06	
12	393.38	2.36	15.31	5.74	18.06	43.05	0.00	31.40	327.22	21.99	31.50	68.79	6.55	33.57	17.61	27.85	19.34	68.49	18.29	184.66	256.86	203.30	40.16	1835.48	
13	0.00	0.00	0.00	0.00	35.38	0.00	0.17	0.00	3.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	33.10	0.00	54.63	0.00	0.00	5.96	132.37	
14	0.00	0.00	0.00	0.00	13.54	0.00	0.00	0.00	9.91	0.00	0.00	0.00	3.25	0.00	0.00	0.00	0.88	0.00	9.46	0.42	0.00	0.32	0.00	37.79	
15	0.06	7.12	0.23	1.22	0.00	0.00	0.00	0.26	0.00	0.23	0.00	0.00	0.00	0.00	0.00	20.31	0.49	0.12	0.00	0.00	0.00	0.00	1.99	0.07	32.12
16	0.00	0.00	0.00	0.00	47.51	8.49	0.00	0.00	16.97	0.00	0.00	0.00	0.00	0.00	0.00	162.18	0.00	35.99	0.00	23.58	18.67	2.21	0.00	3.13	318.72
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.00	3.11	0.00	0.00	0.00	0.00	0.00	0.00	3.76	
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	0.32	0.00	0.00	0.27	0.00	0.00	0.00	0.00	10.95	0.00	0.00	0.81	0.00	0.00	0.00	0.00	0.11	0.00	0.00	1.15	0.00	0.00	0.79	14.39	
21	0.70	0.00	0.00	0.00	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	1.77	
22	33.05	539.42	272.68	288.61	0.56	486.79	0.00	74.26	37.17	3.60	735.43	235.98	65.59	164.35	8.95	44.76	116.57	57.69	8.94	11.91	23.02	86.31	0.10	3295.73	
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total	2033.99	3583.32	3423.47	4169.57	553.66	1242.55	1.68	1310.44	699.13	464.71	2643.65	2124.27	1323.82	1623.43	2406.10	1351.05	3026.95	846.49	841.66	2496.81	1073.45	1425.07	122.96	38788.22	
TGA	16128	19130	15152	15359	10807	11391	217	11823	16029	8727	17658	18432	9699	14240	13076	7956	17626	7493	5837	11161	6539	12846	7742	275068	
% to TGA	12.61	18.73	22.59	27.15	5.12	10.91	0.77	11.08	4.36	5.32	14.97	11.52	13.65	11.40	18.40	16.98	17.17	11.30	14.42	22.37	16.42	11.09	1.59	14.10	

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

**Table 8: District - wise distribution of Wastelands**

**ANDHRA PRADESH**

Category	Adilabad	Anantpur	Chittoor	Cuddahapah	East Godavari	Guntur	Hyderabad	Karimnagar	Khammam	Krishna	Kurnool	Mahaboobnagar	Medak	Nalgonda	Nellore	Nizamabad	Prakasam	Ranga Reddy	Srikakulam	Visakhapatnam	Vizianagaram	Warangal	West Godavari	Total
1	61.20	0.56	25.16	10.63	18.39	0.09	0.00	13.57	43.28	0.00	40.44	2.68	1.73	1.19	20.13	12.47	26.35	0.33	9.61	73.38	37.02	3.31	3.94	405.48
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.89	0.00	0.00	0.00	2.89
3	286.88	781.38	945.21	1115.94	153.75	127.84	0.44	318.28	163.44	97.08	601.51	404.30	494.62	550.26	631.44	289.94	1025.39	316.39	277.48	1091.88	330.77	265.82	52.96	10323.01
4	202.31	697.94	726.10	1242.08	46.36	209.03	1.07	469.85	14.33	49.54	253.24	312.99	421.86	156.38	444.62	419.07	584.36	128.08	184.11	379.45	78.69	386.81	7.87	7416.17
5	0.00	0.00	0.00	0.00	36.04	12.06	0.00	0.00	54.21	0.00	0.00	0.00	0.00	0.49	0.00	2.49	0.00	0.00	0.64	0.00	0.00	3.14	109.07	
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	0.00	270.09	82.41	14.02	0.00	1.13	0.00	0.00	0.00	0.00	219.46	186.63	0.00	57.72	248.24	0.00	135.40	0.00	0.00	0.00	0.00	0.00	0.00	1215.10
8	0.00	81.98	12.45	5.52	0.00	17.13	0.00	0.00	0.00	0.00	96.70	61.37	0.00	51.02	59.23	0.00	119.42	0.00	0.00	0.00	0.00	0.00	0.00	504.83
9	0.00	0.00	0.00	0.00	15.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	15.15
10	0.00	0.00	0.00	0.00	1.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.00	0.00	1.30
11	1056.08	1202.46	1343.91	1485.53	167.93	335.90	0.00	402.81	99.61	211.17	665.37	850.70	330.22	608.93	792.22	556.47	957.42	242.40	310.20	676.96	344.88	477.20	4.69	13123.06
12	393.38	2.36	15.31	5.74	18.06	43.05	0.00	31.40	327.22	21.99	31.50	68.79	6.55	33.57	17.61	27.85	19.34	68.49	18.29	184.66	256.86	203.30	40.16	1835.48
13	0.00	0.00	0.00	0.00	35.38	0.00	0.17	0.00	3.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	33.10	0.00	54.63	0.00	0.00	5.96	132.37
14	0.00	0.00	0.00	0.00	13.54	0.00	0.00	0.00	9.91	0.00	0.00	3.25	0.00	0.00	0.00	0.88	0.00	9.46	0.42	0.00	0.32	0.00	37.79	
15	0.06	7.12	0.23	1.22	0.00	0.00	0.00	0.26	0.00	0.23	0.00	0.00	0.00	0.00	0.00	20.31	0.49	0.12	0.00	0.00	0.00	0.00	1.99	32.12
16	0.00	0.00	0.00	0.00	47.51	8.49	0.00	0.00	16.97	0.00	0.00	0.00	0.00	0.00	162.18	0.00	35.99	0.00	23.58	18.67	2.21	0.00	3.13	318.72
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.65	0.00	3.11	0.00	0.00	0.00	0.00	0.00	0.00	3.76
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	0.32	0.00	0.00	0.27	0.00	0.00	0.00	0.00	10.95	0.00	0.00	0.81	0.00	0.00	0.00	0.00	0.11	0.00	0.00	1.15	0.00	0.00	0.79	14.39
21	0.70	0.00	0.00	0.00	1.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	1.77
22	33.05	539.42	272.68	288.61	0.56	486.79	0.00	74.26	37.17	3.60	735.43	235.98	65.59	164.35	8.95	44.76	116.57	57.69	8.94	11.91	23.02	86.31	0.10	3295.73
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total	2033.99	3583.32	3423.47	4169.57	553.66	1242.55	1.68	1310.44	699.13	464.71	2643.65	2124.27	1323.82	1623.43	2406.10	1351.05	3026.95	846.49	841.66	2496.81	1073.45	1425.07	122.96	38788.22
TGA	16128	19130	15152	15359	10807	11391	217	11823	16029	8727	17658	18432	9699	14240	13076	7956	17626	7493	5837	11161	6539	12846	7742	275068
% to TGA	12.61	18.73	22.59	27.15	5.12	10.91	0.77	11.08	4.36	5.32	14.97	11.52	13.65	11.40	18.40	16.98	17.17	11.30	14.42	22.37	16.42	11.09	1.59	14.10

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area






Figure. 18

## WASTELAND MAP 2005-06 ANDHRA PRADESH

**LEGEND**

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under-utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:  
AP State Remote Sensing Centre  
Directorate of Economics & Statistics Campus  
Kharibabad  
Hyderabad- 500004

Coordinated by:  
Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

Table 9: Andhra Pradesh - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	405.48	0.15	222.29	0.08	183.19	0.07
2	Gullied and/or ravinous land-Deep	2.89	0.00	63.92	0.02	-61.03	-0.02
3	Land with Dense Scrub	10323.01	3.75	15666.32	5.70	-5343.31	-1.94
4	Land with Open Scrub	7416.17	2.70	2241.32	0.81	5174.85	1.88
5	Waterlogged and Marshy land-Permanent	109.07	0.04	290.71	0.11	-181.64	-0.07
6	Waterlogged and Marshy land-Seasonal	0.00	0.00	28.95	0.01	-28.95	-0.01
7	Land affected by salinity/alkalinity-Moderate	1215.10	0.44	272.67	0.10	942.43	0.34
8	Land affected by salinity/alkalinity-Strong	504.83	0.18	161.45	0.06	343.38	0.12
9	Shifting cultivation area-Current Jhum	15.15	0.01	6.24	0.00	8.91	0.00
10	Shifting cultivation area-Abandoned Jhum	1.30	0.00	1.03	0.00	0.27	0.00
11	Under utilised/degraded notified forest land-Scrub dominated	13123.06	4.77	20097.58	7.31	-6974.52	-2.54
12	Under utilised/degraded notified forest land-Agriculture	1835.48	0.67	2519.91	0.92	-684.43	-0.25
13	Degraded pastures/grazing land	132.37	0.05	8.76	0.00	123.61	0.04
14	Degraded land under plantation Crops	37.79	0.01	49.11	0.02	-11.32	0.00
15	Sands-Riverine	32.12	0.01	4.18	0.00	27.94	0.01
16	Sands-Coastal	318.72	0.12	267.63	0.10	51.09	0.02
17	Sands-Desertic	3.76	0.00	0.00	0.00	3.76	0.00
18	Mining Wastelands	14.39	0.01	205.90	0.07	-191.51	-0.07
19	Industrial wastelands	1.77	0.00	3.26	0.00	-1.49	0.00
20	Barren rocky area	3295.73	1.20	3155.92	1.15	139.81	0.05
	Total	38788.22	14.10	45267.15	16.46	-6478.93	-2.36
	TGA			275068.00			

(1). Gullied and/or Ravinous of wastelands (Shallow merged with medium).

(4). Land with Scrub (Defined as Land with Dense Scrub).

(5). Land without scrub (Defined as Land with Open Scrub).

(8). Land affected by Salinity/Akkalinity (slight merged with Moderate).

(17). Sands-Riverine (includes flood plain and levees).

(19). Sands-Desertic (includes semi stab-Low &lt; 15m and closely spaced inter dunes).

(24). Barren area (Includes steep sloping area)

**Table 10: District - wise distribution of Wastelands**

**ARUNACHAL PRADESH**

Category	Anjaw	Changlang	East Kameng	East Siang	Kurung-kumey	Lohit	Lower Dibang	Lower Subansiri	Papum-pare	Tawang	Tirap	Upper Dibang	Upper Siang	Upper Subansiri	West Kemeng	West Siang	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	20.49	72.41	335.69	5.10	0.14	163.73	68.26	101.85	0.00	0.00	21.72	0.00	162.97	5.33	957.70
4	2.16	7.13	22.19	57.36	199.48	28.72	70.14	214.01	2.29	903.29	2.79	41.48	15.43	0.78	568.36	26.45	2162.04
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	72.63	65.34	52.14	12.33	65.50	4.02	11.02	108.79	45.26	17.71	187.79	125.46	11.91	59.96	58.41	126.79	1025.07
10	43.70	39.85	0.22	9.53	11.01	0.50	5.07	46.14	22.57	8.58	186.62	44.86	9.70	18.68	22.40	36.95	506.39
11	0.00	0.00	0.25	0.16	0.23	1.01	1.21	0.00	3.67	12.27	1.10	0.55	0.00	0.00	0.00	0.00	20.46
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	86.22	0.00	92.93	6.94	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.01	186.11
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	21.65	5.39	6.01	7.70	8.18	38.70	26.70	3.38	2.39	6.84	0.07	1.78	6.12	1.13	8.01	6.04	150.09
23	374.46	0.00	108.01	0.00	77.35	10.11	6.60	0.00	0.00	1.65	0.00	30.15	76.02	0.00	3.69	47.94	735.98
<b>Total</b>	<b>514.59</b>	<b>117.71</b>	<b>209.31</b>	<b>245.71</b>	<b>697.44</b>	<b>181.09</b>	<b>127.83</b>	<b>536.05</b>	<b>144.43</b>	<b>1052.19</b>	<b>378.38</b>	<b>244.28</b>	<b>140.91</b>	<b>80.55</b>	<b>823.84</b>	<b>249.52</b>	<b>5743.83</b>
TGA	6982.00	5069.00	4134.00	4687.00	7141.00	4420.00	4070.00	2994.00	2875.00	2172.00	1955.00	8959.00	6188.00	7032.00	7422.00	7643.00	83743.00
% to TGA	7.37	2.32	5.06	5.24	9.77	4.10	3.14	17.90	5.02	48.44	19.35	2.73	2.28	1.15	11.10	3.26	6.86

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

# WASTELAND MAP

2005-06  
ARUNACHAL PRADESH






Figure. 19

Total Geog. Area (TGA) : 83743.00 sq.km.  
Total Wasteland Area : 5743.84 sq. km.  
Wasteland Area : 6.86 %



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:  
Arunachal Pradesh State R S Applican Centre  
Arunachal Pradesh Council for Science & Tech  
Vivek Nagar  
Itanagar- 791113  
Arunachal Pradesh

Coordinated by:  
Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

Table 11: Arunachal Pradesh - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	957.70	1.14	2606.04	3.11	-1648.34	-1.97
2	Land with Open Scrub	2162.04	2.58	2608.91	3.12	-446.87	-0.53
3	Waterlogged and Marshy land-Permanent	0.00	0.00	26.81	0.03	-26.81	-0.03
4	Waterlogged and Marshy land-Seasonal	0.00	0.00	18.00	0.02	-18.00	-0.02
5	Shifting cultivation area-Current Jhum	1025.07	1.22	1116.91	1.33	-91.84	-0.11
6	Shifting cultivation area-Abandoned Jhum	506.39	0.60	496.22	0.59	10.17	0.01
7	Under utilised/degraded notified forest land-Scrub dominated	20.46	0.02	0.18	0.00	20.28	0.02
8	Under utilised/degraded notified forest land-Agriculture	0.00	0.00	11.58	0.01	-11.58	-0.01
9	Degraded pastures/grazing land	186.11	0.22	302.09	0.36	-115.98	-0.14
10	Barren rocky area	150.09	0.18	810.51	0.97	-660.42	-0.79
11	Snow covered and glacial area	735.98	0.88	10178.70	12.15	-9442.72	-11.28
	Total	5743.84	6.86	18175.95	21.70	-12432.11	-14.85
	TGA			83743.00			

**Table 12: District - wise distribution of Wastelands**

**ASSAM**

Category	Barpeta	Bon-gaigaon	Cachar	Darrang	Dhemaji	Dhuburi	Dibrugarh	Goalpara	Goal-laghat	Hailakandi	Jorhat	Kamrup	Karbi-Anglong	Karimganj	Kokrajhar	Lakhimpur	Marigaon	Nagaon	Nalbari	North Cachar Hills	Sibsagar	Sonitpur	Tinsukia	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3	2.31	5.15	0.08	1.91	0.00	7.02	0.00	0.00	0.00	0.00	0.00	0.80	1263.26	0.00	2.34	0.00	0.00	27.56	0.00	646.37	0.00	0.00	0.00	1956.80
4	19.30	18.70	0.00	9.14	0.00	3.27	0.00	0.00	0.00	0.00	0.00	8.35	953.49	0.00	0.00	0.00	1.90	22.74	0.85	588.94	0.00	0.00	0.00	1626.68
5	28.62	24.66	37.17	4.95	16.45	31.79	2.66	23.80	21.02	7.23	50.93	66.09	0.00	20.48	7.07	19.66	39.31	43.08	13.73	0.00	1.46	15.49	19.04	494.69
6	42.88	6.55	133.87	19.02	124.86	9.45	34.77	30.55	41.29	21.09	20.56	83.88	0.04	69.30	6.19	114.01	27.39	65.22	27.49	0.00	62.15	18.32	66.58	1025.46
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9	0.00	0.00	14.02	0.00	0.00	0.00	0.00	0.00	0.00	27.99	0.00	0.00	47.22	27.52	0.00	0.00	0.17	0.00	0.00	43.23	0.00	0.00	0.00	160.15
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.80	33.58	0.00	0.00	0.00	0.00	0.00	0.00	31.03	0.00	0.00	0.00	79.41
11	20.67	22.40	33.20	0.22	8.37	60.03	30.28	79.59	2.71	20.83	12.12	206.63	334.71	12.67	64.28	13.20	4.12	15.53	51.21	179.85	2.57	50.41	75.20	1300.80
12	22.00	36.11	21.00	25.57	0.00	2.31	0.24	4.79	565.34	27.45	0.00	24.94	37.49	24.51	422.28	36.44	4.02	152.15	12.65	0.00	52.47	600.91	59.83	2132.50
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.01	
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.51	
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
<b>Total</b>	<b>135.78</b>	<b>113.57</b>	<b>239.34</b>	<b>60.81</b>	<b>149.68</b>	<b>113.88</b>	<b>67.95</b>	<b>138.73</b>	<b>630.36</b>	<b>104.59</b>	<b>83.61</b>	<b>405.49</b>	<b>2669.79</b>	<b>154.48</b>	<b>502.17</b>	<b>183.31</b>	<b>76.91</b>	<b>326.28</b>	<b>105.94</b>	<b>1489.42</b>	<b>118.65</b>	<b>685.13</b>	<b>222.16</b>	<b>8778.02</b>
TGA	3245.00	2510.00	3786.00	3481.00	3237.00	2838.00	3381.00	1824.00	3502.00	1327.00	2851.00	4345.00	10434.00	1809.00	3129.00	2277.00	1704.00	3831.00	2257.00	4888.00	2668.00	5324.00	3790.00	78438.00
% to TGA	4.18	4.52	6.32	1.75	4.62	4.01	2.01	7.61	18.00	18.00	2.93	9.33	25.59	8.54	16.05	8.05	4.51	8.52	4.69	30.47	4.45	12.87	5.86	11.19

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

# WASTELAND MAP

2005-06  
ASSAM







Figure. 20

Total Geog. Area (TGA) : 78438.00 sq.km.  
Total Wasteland Area : 8778.02 sq. km.  
Wasteland Area : 11.19 %



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:  
Assam Remote Sensing Application Centre  
R. G. Baruah Road, Uday Path  
Guwahati- 781024  
Assam

Coordinated by:  
Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

Table 13: Assam - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	1956.80	2.49	1780.95	2.27	175.85	0.22
2	Land with Open Scrub	1626.68	2.07	314.11	0.40	1312.57	1.67
3	Waterlogged and Marshy land-Permanent	494.69	0.63	1201.81	1.53	-707.12	-0.90
4	Waterlogged and Marshy land-Seasonal	1025.46	1.31	385.08	0.49	640.38	0.82
5	Shifting cultivation area-Current Jhum	160.15	0.20	435.89	0.56	-275.74	-0.35
6	Shifting cultivation area-Abandoned Jhum	79.41	0.10	3495.08	4.46	-3415.67	-4.35
7	Under utilised/degraded notified forest land-Scrub dominated	1300.80	1.66	2489.74	3.17	-1188.94	-1.52
8	Under utilised/degraded notified forest land-Agriculture	2132.50	2.72	3536.33	4.51	-1403.83	-1.79
9	Degraded pastures/grazing land	0.00	0.00	0.00	0.00	0.00	0.00
10	Sands-Riverine	0.01	0.00	392.70	0.50	-392.69	-0.50
11	Mining Wastelands	1.51	0.00	2.39	0.00	-0.88	0.00
12	Industrial wastelands	0.00	0.00	0.00	0.00	0.00	0.00
13	Barren rocky area	0.00	0.00	0.00	0.00	0.00	0.00
	Total	8778.01	11.19	14034.08	17.89	-5256.07	-6.70
	TGA			78438.00			

Table 14: District - wise distribution of Wastelands

## BIHAR

Category	Araria	Aurangabad	Banka	Begusarai	Bhabua	Bhaga-Ipur	Bhojpur	Buxar	Darbhangha	Gaya	Gopalganj	Jamui	Jehanabad	Katihar	Khagaria	Kishanganj	Lakhisarai
1	0.00	0.00	11.97	0.00	3.92	0.00	0.00	0.00	0.00	6.04	0.00	30.69	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	36.06	0.03	9.50	3.89	7.47	7.06	0.43	2.57	15.70	4.36	26.86	10.46	0.04	140.79	5.35	86.00	11.43
4	27.91	58.93	644.63	16.81	55.18	50.11	25.91	20.93	25.09	225.15	28.61	731.89	5.53	26.99	6.26	19.29	24.57
5	4.40	2.77	0.00	31.60	0.17	14.69	0.21	0.43	16.45	0.00	27.24	0.00	0.09	47.51	12.27	5.19	0.32
6	11.86	14.95	0.00	12.08	0.26	29.99	0.33	6.54	21.62	0.00	21.29	0.74	3.67	78.92	13.30	5.26	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	39.22	13.42	0.00	402.19	0.00	0.00	0.00	0.00	216.29	0.00	12.78	0.00	0.00	0.00	0.00	0.00
12	0.00	0.23	0.17	0.00	1.33	0.00	0.00	0.00	0.00	22.28	0.00	7.51	0.00	0.00	0.00	0.00	0.00
13	0.00	31.38	0.00	0.00	0.00	0.00	5.60	1.82	1.76	0.00	1.71	0.00	0.75	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	5.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	1.12	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.56	0.05	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.25	0.00	5.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	5.28	21.30	0.00	11.48	0.96	0.00	0.00	0.00	25.47	0.00	9.09	2.05	0.00	0.00	0.00	10.36
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	80.23	152.79	702.11	64.63	487.24	108.08	32.48	32.29	80.67	499.59	105.71	803.72	12.18	294.21	37.18	115.74	46.68
TGA	2792.00	3305.00	3018.00	1889.00	3369.00	2561.00	2474.00	1624.00	2279.00	4976.00	2033.00	3143.00	1569.00	3057.00	1482.00	1936.00	1882.00
% to TGA	2.87	4.62	23.26	3.42	14.46	4.22	1.31	1.99	3.54	10.04	5.20	25.57	0.78	9.62	2.51	5.98	2.48

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

## BIHAR Contd.....


Category	Madhepura	Madhubani	Munger	Muzaffarpur	Nalanda	Nawada	Paschim Champaran	Patna	Purba Champaran	Purnia	Rohilka	Saharsa	Samstipur	Saran	Sitamarhi	Siwan	Supaul	Vaishali	Total
1	0.00	0.00	0.40	0.00	0.00	6.93	0.00	0.00	0.00	11.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	71.83
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	52.10	6.39	25.62	18.53	0.00	4.55	148.96	1.59	47.01	73.60	12.25	28.78	1.22	49.36	0.57	22.10	93.17	0.60	954.39
4	16.62	21.18	49.37	45.23	0.57	51.44	85.47	39.26	49.38	84.60	64.84	15.89	23.71	46.54	25.96	25.68	82.02	39.61	2761.16
5	1.96	5.30	1.47	81.33	0.00	0.00	8.43	1.43	32.37	11.96	0.07	17.37	14.41	129.26	5.07	114.49	14.98	91.41	694.65
6	124.02	7.39	1.44	24.44	1.30	0.00	12.04	4.52	33.74	129.17	0.51	110.63	9.01	17.30	5.25	37.78	28.31	101.75	869.40
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.84	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	1.52	0.00	0.84	0.00	0.15	3.97
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	0.00	0.37	95.35	199.90	0.00	0.00	0.00	219.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1198.63
12	0.00	0.00	1.13	0.00	0.00	7.63	36.57	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	76.85
13	0.00	0.00	0.00	0.00	0.00	0.00	2.61	8.19	0.00	0.00	5.29	0.03	1.49	0.00	0.00	0.00	0.00	0.00	60.63
14	0.00	0.00	0.00	0.00	0.00	0.11	0.00	0.00	0.00	6.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11.54
15	0.00	2.56	0.00	0.00	0.00	0.00	0.00	0.00	0.63	0.00	0.00	0.00	0.00	0.00	1.82	0.00	0.03	0.00	6.82
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22
21	0.00	0.00	0.00	0.00	0.84	0.00	0.14	0.00	0.00	0.00	0.15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.66
22	0.00	0.00	4.01	0.00	0.49	21.65	0.00	0.00	0.00	12.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	124.35
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>194.70</b>	<b>42.82</b>	<b>83.44</b>	<b>170.37</b>	<b>3.57</b>	<b>187.66</b>	<b>494.34</b>	<b>54.99</b>	<b>163.13</b>	<b>299.33</b>	<b>333.13</b>	<b>172.70</b>	<b>49.84</b>	<b>243.98</b>	<b>38.66</b>	<b>200.89</b>	<b>218.51</b>	<b>233.52</b>	<b>6841.09</b>
TGA	1792.00	3501.00	1397.00	3172.00	2367.00	2494.00	5228.00	3202.00	3968.00	3200.00	3844.00	1194.00	2904.00	2641.00	2643.00	2219.00	2980.00	2036.00	94171.00
% to TGA	10.86	1.22	5.97	5.37	0.15	7.52	9.46	1.72	4.11	9.35	8.67	14.46	1.72	9.24	1.46	9.05	7.33	11.47	7.26

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 21



Total Geog. Area (TGA) : 94171.00 sq.km.  
 Total Wasteland Area : 6841.09 sq. km.  
 Wasteland Area : 7.26 %



## WASTELAND MAP


2005-06

BIHAR



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under - utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

#### Partner Institution:

Dept of Remote Sensing & GIS,  
 Birla Institute of Technology,  
 Mesra,  
 Ranchi- 835215

#### Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625

Table 15: Bihar - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	71.83	0.08	135.53	0.14	-63.70	-0.07
2	Land with Dense Scrub	954.39	1.01	458.75	0.49	495.64	0.53
3	Land with Open Scrub	2761.16	2.93	325.22	0.35	2435.94	2.59
4	Waterlogged and Marshy land-Permanent	694.65	0.74	647.33	0.69	47.32	0.05
5	Waterlogged and Marshy land-Seasonal	869.40	0.92	755.88	0.80	113.52	0.12
6	Land affected by salinity/alkalinity-Moderate	0.00	0.00	76.20	0.08	-76.20	-0.08
7	Land affected by salinity/alkalinity-Strong	3.97	0.00	0.00	0.00	3.97	0.00
8	Under utilised/degraded notified forest land-Scrub dominated	1198.63	1.27	2807.69	2.98	-1609.06	-1.71
9	Under utilised/degraded notified forest land-Agriculture	76.85	0.08	51.10	0.05	25.75	0.03
10	Degraded pastures/grazing land	60.63	0.06	2.62	0.00	58.01	0.06
11	Degraded land under plantation Crops	11.54	0.01	4.87	0.01	6.67	0.01
12	Sands-Riverine	6.82	0.01	15.53	0.02	-8.71	-0.01
13	Sands-Riverine	0.00	0.00	15.30	0.02	-15.30	-0.02
14	Mining wastelands	0.22	0.00	10.84	0.01	-10.62	-0.01
15	Industrial wastelands	6.66	0.01	0.18	0.00	6.48	0.01
16	Barren rocky area	124.35	0.13	136.64	0.15	-12.29	-0.01
	Total	6841.10	7.26	5443.68	5.78	1397.42	1.48
	TGA			94171.00			

**Table 16, 18, 20: District - wise distribution of Wastelands**

**CHATTISGARH**

Category	Bastar	Bilaspur	Dantewara	Dhamtari	Durg	Janjagir Chapa	Jaspur	Kankar	Kawardha	Korba	Koriyabai-kunthpur	Ma-hasamund	Raigarh	Raipur	Rajnanda-gaon	Surguja	Total
1	0.00	0.00	0.00	0.00	0.00	0.39	123.47	0.00	0.00	0.00	15.76	0.00	2.96	0.32	0.00	0.00	142.90
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	85.39	133.19	6.89	0.10	218.58	5.21	21.75	167.61	0.17	44.05	101.31	10.08	88.11	1.94	10.37	155.10	1049.85
4	32.31	183.54	0.88	24.76	118.02	351.41	21.38	3.86	3.16	254.51	207.45	30.07	439.75	264.46	240.31	876.70	3052.58
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.00	0.13	0.00	0.00	0.04	0.28
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	146.96	98.58	576.69	59.88	60.39	30.69	48.65	132.47	75.25	189.64	60.24	40.46	96.33	382.15	90.86	854.52	2943.76
12	249.29	100.21	995.27	63.76	38.54	3.19	44.99	150.07	89.24	181.42	190.97	77.73	68.66	331.91	157.01	874.17	3616.45
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.49	6.69	1.61	4.66	9.42	75.74	7.63	0.32	3.87	13.02	11.19	0.00	27.69	10.29	1.95	4.53	179.10
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	2.04	0.00	0.00	0.00	0.00	0.00	3.87	0.00	0.00	0.00	0.00	0.00	5.91
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	16.42	6.03	0.00	6.46	156.84	5.78	70.93	8.10	43.56	22.15	57.50	89.13	98.24	133.88	77.03	34.96	827.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	530.87	528.25	1581.33	159.63	603.82	472.41	338.81	462.43	215.26	704.91	648.29	247.47	821.88	1124.93	577.52	2800.01	11817.82
TGA	14974	7215	17634	4049	8537	3672	5838	6506	4223	9010	6604	4702	7086	12507	6904	15733	135194
% to TGA	3.55	7.32	8.97	3.94	7.07	12.87	5.80	7.11	5.10	7.82	9.82	5.26	11.60	8.99	8.37	17.80	8.74

**DELHI**

Category	Total
1	0.72
2	6.12
3	7.51
4	56.09
5	5.29
6	0.00
7	0.15
8	0.00
9	0.00
10	0.00
11	7.42
12	0.00
13	0.00
14	0.00
15	0.00
16	0.00
17	0.00
18	0.00
19	0.00
20	0.04
21	0.00
22	0.00
23	0.00
Total	83.34
TGA	1483
% to TGA	5.62

**GOA**


Category	North Goa	South Goa	Total
1	0.00	0.00	0.00
2	0.00	0.00	0.00
3	22.63	29.25	51.89
4	129.47	86.91	216.38
5	32.49	10.30	42.79
6	7.19	2.30	9.48
7	0.00	0.00	0.00
8	0.00	0.00	0.00
9	0.00	0.00	0.00
10	0.00	0.00	0.00
11	25.57	33.21	58.78
12	0.60	2.64	3.24
13	0.00	0.00	0.00
14	9.70	4.99	14.69
15	0.00	0.00	0.00
16	0.44	2.95	3.39
17	0.00	0.00	0.00
18	0.00	0.00	0.00
19	0.00	0.00	0.00
20	14.31	16.63	30.95
21	0.00	0.35	0.35
22	30.67	33.65	64.33
23	0.00	0.00	0.00
Total	273.08	223.18	496.27
TGA	1733.00	1969.00	3702.00
% to TGA	15.76	11.33	13.41

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Table 17: Chattisgarh - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	142.90	0.11	53.53	0.04	89.37	0.07
2	Gullied and/or ravinous land-Deep	0.00	0.00	0.00	0.00	0.00	0.00
3	Land with Dense Scrub	1049.85	0.78	2541.17	1.88	-1491.32	-1.10
4	Land with Open Scrub	3052.58	2.26	2503.81	1.85	548.77	0.41
5	Land affected by salinity/alkalinity-Moderate	0.28	0.00	0.00	0.00	0.28	0.00
6	Shifting cultivation area-Current Jhum	0.00	0.00	81.09	0.06	-81.09	-0.06
7	Shifting cultivation area-Abandoned Jhum	0.00	0.00	59.70	0.04	-59.70	-0.04
8	Under utilised/degraded notified forest land-Scrub dominated	2943.76	2.18	2780.58	2.06	163.18	0.12
9	Under utilised/degraded notified forest land-Agriculture	3616.45	2.68	2832.50	2.10	783.95	0.58
10	Degraded land under plantation Crops	0.00	0.00	8.36	0.01	-8.36	-0.01
11	Sands-Riverine	179.10	0.13	4.80	0.00	174.30	0.13
12	Mining wastelands	5.91	0.00	25.93	0.02	-20.02	-0.01
13	Industrial wastelands	0.00	0.00	4.28	0.00	-4.28	0.00
14	Barren rocky area	827.00	0.61	405.53	0.30	421.47	0.31
	Total	11817.83	8.74	11301.28	8.36	516.55	0.38
	TGA			135194.00			

Figure. 22




## WASTELAND MAP 2005-06 CHATTISGARH



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:

NATMO  
Dept of Science & Technology, Govt of India  
Bidhan Nagar  
Kolkata- 700064  
West Bengal


Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

Table 19: Delhi - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	0.72	0.05	5.51	0.37	-4.79	-0.32
2	Gullied and/or ravinous land-Deep	6.12	0.41	0.00	0.00	6.12	0.41
3	Land with Dense Scrub	7.51	0.51	3.79	0.26	3.72	0.25
4	Land with Open Scrub	56.09	3.78	1.97	0.13	54.12	3.65
5	Waterlogged and Marshy land-Permanent	5.29	0.36	0.00	0.00	5.29	0.36
6	Land affected by salinity/alkalinity-Moderate	0.15	0.01	0.00	0.00	0.15	0.01
7	Under utilised/degraded notified forest land-Scrub dominated	7.42	0.50	19.24	1.30	-11.82	-0.80
8	Mining wastelands	0.04	0.00	0.00	0.00	0.04	0.00
9	Barren rocky area	0.00	0.00	37.65	2.54	-37.65	-2.54
	Total	83.34	5.62	68.16	4.60	15.18	1.02
	TGA			1483.00			

Figure. 23


**WASTELAND MAP**

2005-06

DELHI

**LEGEND**

- 1 Gullied/ Ravine land-Medium ravine (1)
- 2 Gullied/Ravine land-Deep/ very deep ravine (2)
- 3 Scrubland - Land with dense scrub (3)
- 4 Scrubland - Land with open scrub (4)
- 5 Waterlogged and marshy land - Permanent (5)
- 6 Waterlogged and marshy land - Seasonal (6)
- 7 Land Affected by Salinity/ Alkalinity - Moderate (7)
- 8 Land Affected by Salinity/ Alkalinity - Strong (8)
- 9 Shifting cultivation - Current jhum (9)
- 10 Shifting cultivation - Abandoned jhum (10)
- 11 Under-utilised Deg Notif Forest - Scrub Dom (11)
- 12 Under- utilised Deg Notif Forest - Agriculture (12)
- 13 Degraded Pastures/ grazing land (13)
- 14 Degraded Land under Plantation Crop (14)
- 15 Sands - Desert sand (15)
- 16 Sands - Coastal sand (16)
- 17 Sands - Riverine (17)
- 18 Sands - Semi-stab to stab (>40m) dune (18)
- 19 Sands-Semi-stab to stab mod high(15-40m) dune (19)
- 20 Mining Wastelands (20)
- 21 Industrial Wastelands (21)
- 22 Barren rocky area (22)
- 23 Snow cover and/ or glacial area (23)
- Non Wasteland Area



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

Partner Institution:

Land Use Division  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India  
 Hyderabad - 500025


Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Hyderabad - 500025

Table 21: Goa - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	51.89	1.40	39.88	1.08	12.01	0.32
2	Land with Open Scrub	216.38	5.84	230.54	6.23	-14.16	-0.38
3	Waterlogged and Marshy land-Permanent	42.79	1.16	41.55	1.12	1.24	0.03
4	Waterlogged and Marshy land-Seasonal	9.48	0.26	10.83	0.29	-1.35	-0.04
5	Under utilised/degraded notified forest land-Scrub dominated	58.78	1.59	52.01	1.40	6.77	0.18
6	Under utilised/degraded notified forest land-Agriculture	3.24	0.09	1.01	0.03	2.23	0.06
7	Degraded pastures/grazing land	0.00	0.00	0.00	0.00	0.00	0.00
8	Degraded land under plantation Crops	14.69	0.40	33.42	0.90	-18.73	-0.51
9	Sands-Riverine	0.00	0.00	0.00	0.00	0.00	0.00
10	Sands-Coastal	3.39	0.09	8.21	0.22	-4.82	-0.13
11	Mining wastelands	30.95	0.84	50.49	1.36	-19.54	-0.53
12	Industrial wastelands	0.35	0.01	0.00	0.00	0.35	0.01
13	Barren rocky area	64.33	1.74	63.35	1.71	0.98	0.03
	Total	496.27	13.41	531.29	14.35	-35.02	-0.95
	TGA			3702.00			

Figure. 24



## WASTELAND MAP


2005-06

GOA



## LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

## Partner Institution:

EOS Office - ISRO Head Quarters  
Antariksh Bhawan  
New BEL Road  
Bangalore- 560094  
Karnataka

## Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625


**Table 22: District - wise distribution of Wastelands**

**GUJARAT**

Category	Ahmedabad	Amreli	Banas-Kantha	Bharuch	Bhavnagar	Gandhinagar	Jamnagar	Junagadh	Kachch	Kheda	Mahesana	Panch Mahal	Rajkot	Sabar Kantha	Surat	Surendranagar	The Dangs	Vadodara	Valsad	Total
1	3.49	0.00	0.00	21.14	0.00	13.67	0.00	0.00	54.51	36.25	43.50	0.00	0.00	73.59	2.68	0.00	0.00	143.18	0.00	392.02
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.00	0.00	1.73
3	204.76	291.42	467.18	649.25	839.82	24.91	436.91	316.00	4525.39	144.11	300.33	227.78	567.80	355.50	210.20	573.51	0.50	425.93	1053.55	11614.83
4	152.26	182.65	282.31	103.79	477.48	5.23	625.77	244.42	2831.38	45.32	68.36	96.42	710.30	184.35	43.76	531.53	0.20	42.12	30.38	6658.03
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	15.36	0.00	4.43	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.46	0.69	0.00	48.58	0.13	0.00	0.00	10.94	80.59
7	199.38	72.27	42.69	61.93	120.22	0.00	0.99	20.02	86.33	22.57	15.62	0.00	0.00	1.17	0.00	51.88	0.00	0.86	0.62	696.55
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	67.28	109.81	24.28	0.17	0.00	0.00	104.79	28.41	1.26	3.30	529.76	1.40	65.87	177.55	0.00	228.79	14.88	56.32	1413.86
12	0.00	0.00	0.00	124.52	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	30.80	0.00	155.35
13	6.84	0.00	2.63	3.24	4.06	0.00	0.80	0.00	0.00	0.00	0.03	0.00	9.39	0.00	2.79	8.49	0.00	0.37	5.54	44.19
14	0.82	0.00	0.07	17.56	0.00	0.00	11.59	0.00	0.59	1.78	4.27	0.00	0.00	0.00	1.75	0.00	0.00	14.09	0.54	53.06
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.49	0.00	0.61	1.54	0.00	16.88	5.93	49.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	75.38
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.26	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.73	0.00	0.00	0.00	5.02	15.29
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.04	1.99	0.00	0.09	0.00	74.55	0.00	0.00	66.73	0.00	0.00	4.60	0.00	0.00	1.03	0.45	149.49
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>582.90</b>	<b>614.12</b>	<b>909.12</b>	<b>1006.62</b>	<b>1445.28</b>	<b>43.81</b>	<b>1093.31</b>	<b>691.16</b>	<b>7651.10</b>	<b>252.00</b>	<b>435.40</b>	<b>921.15</b>	<b>1289.58</b>	<b>680.48</b>	<b>501.69</b>	<b>1165.53</b>	<b>229.49</b>	<b>674.27</b>	<b>1163.35</b>	<b>21350.38</b>
TGA	8707.00	6760.00	12703.00	6244.00	11155.00	649.00	14125.00	8306.00	45652.00	4150.00	3343.00	5257.00	11203.00	7390.00	7657.00	10489.00	1764.00	7794.00	3033.00	196024.00
% to TGA	6.69	9.08	7.16	16.12	12.96	6.75	7.74	8.32	16.76	6.07	13.02	17.52	11.51	9.21	6.55	11.11	13.01	8.65	38.36	10.89

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 25



## WASTELAND MAP

2005-06

GUJARAT



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

#### Partner Institution:

Bhaskaracharya Institute for Space  
 Applications and Geoinformatics  
 Indul Yagnik Marg  
 Gandhinagar-382007  
 Gujarat

#### Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Hyderabad - 500025

Table 23: Gujarat - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	392.02	0.20	391.24	0.20	0.78	0.00
2	Gullied and/or ravinous land-Deep	1.73	0.00	0.00	0.00	1.73	0.00
3	Land with Dense Scrub	11614.83	5.93	11507.23	5.87	107.60	0.05
4	Land with Open Scrub	6658.03	3.40	4967.40	2.53	1690.63	0.86
5	Waterlogged and Marshy land-Permanent	0.00	0.00	0.00	0.00	0.00	0.00
6	Waterlogged and Marshy land-Seasonal	80.59	0.04	99.99	0.05	-19.40	-0.01
7	Land affected by salinity/alkalinity-Moderate	696.55	0.36	1411.64	0.72	-715.09	-0.36
8	Under utilised/degraded notified forest land-Scrub dominated	1413.86	0.72	1365.19	0.70	48.67	0.02
9	Under utilised/degraded notified forest land-Agriculture	155.35	0.08	193.02	0.10	-37.67	-0.02
10	Degraded pastures/grazing land	44.19	0.02	71.84	0.04	-27.65	-0.01
11	Degraded land under plantation Crops	53.06	0.03	68.60	0.03	-15.54	-0.01
12	Sands-Coastal	75.38	0.04	78.10	0.04	-2.72	0.00
13	Mining wastelands	15.29	0.01	55.47	0.03	-40.18	-0.02
14	Barren rocky area	149.49	0.08	168.03	0.09	-18.54	-0.01
	Total	21350.38	10.89	20377.75	10.40	972.62	0.50
	TGA			196024.00			

**Table 24: District - wise distribution of Wastelands**

**HARYANA**

Category	Ambala	Panch-kula	Bhiwani	Faridaabad	Gurgaon	Hissar	Fatehabad	Jind	Karnal	Panipat	Kurukshetra	Kaithal	Mahendragarh	Rewari	Rothak	Jhajjar	Sirsa	Sonepat	Yamuna nagar	Mewat	Palwal	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.96	0.00	0.96
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.38	2.38	0.13	2.98
4	32.02	27.76	76.92	105.78	106.03	16.38	7.14	2.32	23.25	17.28	10.51	8.06	108.96	37.62	5.56	19.89	12.02	16.14	34.21	139.18	30.92	837.95
5	0.16	0.00	0.81	0.00	0.23	0.61	0.06	0.00	0.13	0.44	0.47	0.16	0.00	0.00	0.90	4.36	0.12	0.81	0.75	8.57	2.28	20.86
6	0.12	0.00	9.22	0.00	0.10	3.80	0.53	0.26	0.02	2.68	0.01	0.09	0.00	0.00	4.14	11.22	2.76	8.66	0.47	6.79	0.35	51.22
7	0.00	0.00	0.48	1.77	0.34	0.37	0.26	2.03	0.22	14.53	0.00	1.19	0.00	0.00	3.90	1.29	2.23	17.70	0.00	16.07	7.23	69.61
8	0.00	0.00	0.17	0.00	0.04	0.00	0.00	0.11	0.00	2.48	0.00	0.00	0.00	0.00	3.14	1.92	0.28	11.58	0.00	2.99	0.55	23.26
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.12	109.85	0.36	0.00	6.98	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.98	0.00	0.00	0.00	0.00	0.00	16.86	29.87	0.00	171.02
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	19.70	0.88	100.09	9.72	21.56	110.51	59.30	87.81	22.38	19.06	10.10	33.97	41.97	35.73	62.96	55.98	71.90	72.20	10.78	34.49	33.49	914.58
14	0.98	0.00	2.21	1.65	6.08	1.81	0.05	0.61	2.94	0.00	0.00	32.12	15.60	2.66	3.67	1.16	0.00	0.00	2.13	1.96	75.63	
15	0.00	0.00	0.00	0.34	0.00	0.00	0.00	0.42	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.26	0.10	0.00	0.42	1.79
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	5.78	0.00	0.00	4.89	0.34	3.30	0.00	0.00	0.00	7.39	0.40	11.04	6.53	1.52	0.00	0.00	0.00	0.00	0.00	41.19
20	1.21	1.66	0.56	8.37	0.43	0.54	1.96	0.29	2.61	1.48	0.54	0.36	0.09	0.40	0.62	4.52	0.69	6.88	0.47	0.76	0.92	35.36
21	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.46	0.00	0.89	0.00	0.00	0.00	1.12	0.00	0.00	0.00	0.00	0.03	0.00	0.00	2.51
22	0.00	0.00	16.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	52.15	16.40	0.00	0.00	0.00	0.00	0.00	13.20	0.00	98.13	
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>54.31</b>	<b>140.15</b>	<b>212.98</b>	<b>127.63</b>	<b>141.80</b>	<b>138.91</b>	<b>69.64</b>	<b>97.19</b>	<b>52.06</b>	<b>59.09</b>	<b>21.63</b>	<b>43.83</b>	<b>249.66</b>	<b>107.27</b>	<b>94.92</b>	<b>109.38</b>	<b>92.68</b>	<b>134.23</b>	<b>64.05</b>	<b>257.39</b>	<b>78.25</b>	<b>2347.05</b>
TGA	1574.00	898.00	4778.00	2151.00	2766.00	3983.00	2538.00	2702.00	2538.00	1268.00	1530.00	2317.00	1859.00	1582.00	1745.00	1834.00	4277.00	2122.00	1768.00	1628.00	1219.00	44212.00
% to TGA	3.45	15.61	4.46	5.93	5.13	3.49	2.74	3.60	2.05	4.66	1.41	1.89	13.43	6.78	5.44	5.96	2.17	6.33	3.62	15.81	6.42	5.31

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area


Figure. 26



## WASTELAND MAP 2005-06 HARYANA



LEGEND	
Gullied/ Ravine land-Medium ravine (1)	
Gullied/Ravine land-Deep/ very deep ravine (2)	
Scrubland - Land with dense scrub (3)	
Scrubland - Land with open scrub (4)	
Waterlogged and marshy land - Permanent (5)	
Waterlogged and marshy land - Seasonal (6)	
Land Affected by Salinity/ Alkalinity - Moderate (7)	
Land Affected by Salinity/ Alkalinity - Strong (8)	
Shifting cultivation - Current jhum (9)	
Shifting cultivation - Abandoned jhum (10)	
Under-utilised Deg Notif Forest - Scrub Dorn (11)	
Under- utilised Deg Notif Forest - Agriculture (12)	
Degraded Pastures/ grazing land (13)	
Degraded Land under Plantation Crop (14)	
Sands - Desert sand (15)	
Sands - Coastal sand (16)	
Sands - Riverine (17)	
Sands - Semi-stab to stab (>40m) dune (18)	
Sands-Semi-stab to stab mod high(15-40m) dune (19)	
Mining Wastelands (20)	
Industrial Wastelands (21)	
Barren rocky area (22)	
Snow cover and/ or glacial area (23)	
Non Wasteland Area	
Major Road	
Railway Line	



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:  
Haryana State Remote Sensing  
Application Centre  
CCS HAU Campus  
Hissar- 125004  
Haryana

Coordinated by:  
Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

Table 25: Haryana - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	0.00	0.00	25.14	0.06	-25.14	-0.06
2	Gullied and/or ravinous land-Deep	0.96	0.00	0.00	0.00	0.96	0.00
3	Land with Dense Scrub	2.98	0.01	1100.09	2.49	-1097.11	-2.48
4	Land with Open Scrub	837.95	1.90	61.94	0.14	776.01	1.76
5	Waterlogged and Marshy land-Permanent	20.86	0.05	19.64	0.04	1.22	0.00
6	Waterlogged and Marshy land-Seasonal	51.22	0.12	23.95	0.05	27.27	0.06
7	Land affected by salinity/alkalinity-Moderate	69.61	0.16	69.91	0.16	-0.30	0.00
8	Land affected by salinity/alkalinity-Strong	23.26	0.05	11.12	0.03	12.14	0.03
9	Under utilised/degraded notified forest land-Scrub dominated	171.02	0.39	500.78	1.13	-329.76	-0.75
10	Under utilised/degraded notified forest land-Agriculture	0.00	0.00	8.38	0.02	-8.38	-0.02
11	Degraded pastures/grazing land	914.58	2.07	899.39	2.03	15.19	0.03
12	Degraded land under plantation Crops	75.63	0.17	251.31	0.57	-175.68	-0.40
13	Sands-Riverine	1.79	0.00	4.16	0.01	-2.37	-0.01
14	Sands-Desertic	0.00	0.00	142.28	0.32	-142.28	-0.32
15	Sands-Semi stabilised- Stabilised Moderate High 15-40m	41.19	0.09	0.00	0.00	41.19	0.09
16	Mining wastelands	35.36	0.08	53.65	0.12	-18.29	-0.04
17	Industrial wastelands	2.51	0.01	3.23	0.01	-0.72	0.00
18	Barren rocky area	98.13	0.22	91.41	0.21	6.72	0.02
	Total	2347.05	5.31	3266.39	7.39	-919.33	-2.08
	TGA			44212.00			


Table 26: District - wise distribution of Wastelands

## HIMACHAL PRADESH

Category	Bilaspur	Chamba	Hamirpur	Kangra	Kinnaur	Kullu	Lahul & Spiti	Mandi	Shimla	Sirmour	Solan	Una	Total
1	64.80	0.00	17.14	2.61	0.00	0.00	0.00	13.47	0.00	5.01	19.65	47.55	170.23
2	0.00	0.00	3.08	1.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.52
3	11.98	212.21	64.27	315.24	89.45	72.33	33.97	26.55	157.76	33.35	36.18	50.36	1103.65
4	136.49	189.88	267.40	421.18	68.84	83.08	49.65	328.68	282.58	129.35	212.81	98.25	2268.19
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	7.99	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.46	10.45
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	34.96	301.28	19.07	138.48	18.98	58.34	37.50	202.87	134.62	173.35	115.02	55.97	1290.43
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	9.97	20.92	4.26	0.18	0.00	10.12	0.00	15.91	49.77	32.17	21.06	0.00	164.36
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	3.90	0.00	0.00	6.01	0.00	0.00	0.00	0.14	0.00	0.02	0.49	38.81	49.38
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	3.09	0.00	0.00	0.00	0.00	0.00	0.00	0.68	0.00	2.32	1.37	0.00	7.46
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	12.38	569.86	0.00	45.77	497.42	79.30	4002.36	23.84	27.47	20.83	16.09	18.84	5314.17
23	0.00	737.36	0.00	369.69	2598.31	1774.61	6403.47	0.00	201.46	2.30	0.00	0.00	12087.20
<b>Total</b>	<b>277.57</b>	<b>2031.51</b>	<b>375.23</b>	<b>1308.60</b>	<b>3273.01</b>	<b>2077.78</b>	<b>10526.95</b>	<b>612.14</b>	<b>853.66</b>	<b>398.70</b>	<b>422.66</b>	<b>312.24</b>	<b>22470.05</b>
TGA	1167.00	6528.00	1118.00	5739.00	6401.00	5503.00	13835.00	3950.00	5131.00	2825.00	1936.00	1540.00	55673.00
% to TGA	22.16	31.00	33.56	22.79	51.42	38.57	76.60	16.66	27.63	14.02	21.58	20.27	40.36

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 27



## WASTELAND MAP


2005-06

## HIMACHAL PRADESH



## LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

## Partner Institution:

Regional Remote Sensing Centre  
Dept of Space,  
IIRS Campus  
Kalidas Road  
Dehradun- 248001

## Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar, Hyderabad - 500625

Table 27: Himachal Pradesh - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	170.23	0.31	9.63	0.02	160.60	0.29
2	Gullied and/or ravinous land-Deep	4.52	0.01	45.50	0.08	-40.98	-0.07
3	Land with Dense Scrub	1103.65	1.98	2173.17	3.90	-1069.52	-1.92
4	Land with Open Scrub	2268.19	4.07	148.24	0.27	2119.95	3.81
5	Waterlogged and Marshy land-Permanent	0.00	0.00	16.16	0.03	-16.16	-0.03
6	Waterlogged and Marshy land-Seasonal	10.45	0.02	0.00	0.00	10.45	0.02
7	Under utilised/degraded notified forest land-Scrub dominated	1290.43	2.32	988.11	1.77	302.32	0.54
8	Under utilised/degraded notified forest land-Agriculture	0.00	0.00	155.36	0.28	-155.36	-0.28
9	Degraded pastures/grazing land	164.36	0.30	6330.07	11.37	-6165.71	-11.07
10	Degraded land under plantation Crops	0.00	0.00	46.11	0.08	-46.11	-0.08
11	Sands-Riverine	49.38	0.09	167.75	0.30	-118.37	-0.21
12	Mining wastelands	7.46	0.01	2.09	0.00	5.37	0.01
13	Industrial wastelands	0.00	0.00	0.45	0.00	-0.45	0.00
14	Barren rocky area	5314.17	9.55	6111.38	10.98	-797.21	-1.43
15	Snow covered and glacial area	12087.20	21.71	12142.78	21.81	-55.58	-0.10
	Total	22470.04	40.36	28336.80	50.90	-5866.76	-10.54
	TGA			55673.00			


Table 28: District - wise distribution of Wastelands

## JAMMU &amp; KASHMIR

Category	Anantnag	Badgam	Baramulla	Doda	Jammu	Kargil	Kathua	Kupwara	Leh	Pulwama	Poonch	Rajouri	Srinagar	Udhampur	Total
1	5.16	132.95	0.00	0.00	19.45	0.00	40.15	0.00	17.38	81.56	0.00	104.81	0.00	21.68	423.14
2	0.00	7.41	0.00	0.00	3.73	0.00	70.86	0.00	410.37	1.02	0.00	59.29	0.00	0.56	553.24
3	47.61	9.17	145.43	640.36	10.93	30.33	90.69	59.55	47.92	4.76	83.01	240.18	21.62	185.69	1617.25
4	82.19	14.91	86.27	704.91	53.39	175.41	107.84	36.98	518.38	7.40	115.29	175.60	27.02	175.11	2280.70
5	2.97	6.32	15.80	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.00	49.00	0.00	74.67
6	0.00	0.19	0.58	0.00	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.86
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	16.65	0.00	0.00	0.00	0.00	0.00	16.65
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	56.68	0.00	0.00	0.00	0.00	0.00	56.68
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	539.19	35.80	352.51	1552.46	180.47	0.00	191.46	151.61	0.00	135.51	56.40	295.60	395.97	132.28	4019.26
12	0.00	0.47	0.00	175.01	12.43	0.00	0.00	0.92	0.00	0.05	0.00	22.92	0.00	26.49	238.29
13	50.62	18.59	7.32	0.00	0.00	0.00	0.00	32.95	0.00	2.54	3.93	9.60	0.00	0.00	125.55
14	0.45	3.93	0.00	0.00	0.00	0.00	0.00	29.64	0.00	0.71	6.88	0.00	0.00	0.00	41.61
15	0.00	0.00	0.00	0.00	5.82	87.71	0.00	0.00	1568.54	0.00	0.00	0.00	4.05	4.90	1671.02
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	226.06	0.00	0.00	0.00	0.00	0.00	226.07
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.35	1.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.29	0.00	0.00	0.70	0.00	3.88
21	0.00	3.81	0.00	0.00	1.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.98
22	243.86	1.57	74.17	1692.54	49.20	11003.53	23.86	51.97	32929.02	60.06	59.75	25.54	116.18	48.20	46379.45
23	750.26	284.40	828.72	2029.54	0.00	2559.41	0.96	237.30	8360.87	59.49	114.63	43.06	607.94	144.51	16021.09
Total	1722.66	521.06	1510.80	6794.82	336.59	13856.40	525.82	601.01	44151.87	354.97	439.89	976.60	1222.48	739.42	73754.38
TGA	3984.00	1371.00	4588.00	11691.00	3097.00	14036.00	2651.00	2379.00	45110.00	1398.00	1674.00	2630.00	2228.00	4550.00	101387.00
% to TGA	43.24	38.01	32.93	58.12	10.87	98.72	19.83	25.26	97.88	25.39	26.28	37.13	54.87	16.25	72.75

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area


Figure. 28



## WASTELAND MAP 2005-06 JAMMU & KASHMIR



LEGEND	
Gullied/ Ravine land-Medium ravine (1)	
Gullied/Ravine land-Deep/ very deep ravine (2)	
Scrubland - Land with dense scrub (3)	
Scrubland - Land with open scrub (4)	
Waterlogged and marshy land - Permanent (5)	
Waterlogged and marshy land - Seasonal (6)	
Land Affected by Salinity/ Alkalinity - Moderate (7)	
Land Affected by Salinity/ Alkalinity - Strong (8)	
Shifting cultivation - Current jhum (9)	
Shifting cultivation - Abandoned jhum (10)	
Under-utilised Deg Notif Forest - Scrub Dom (11)	
Under- utilised Deg Notif Forest - Agriculture (12)	
Degraded Pastures/ grazing land (13)	
Degraded Land under Plantation Crop (14)	
Sands - Desert sand (15)	
Sands - Coastal sand (16)	
Sands - Riverine (17)	
Sands - Semi-stab to stab (>40m) dune (18)	
Sands-Semi-stab to stab mod high(15-40m) dune (19)	
Mining Wastelands (20)	
Industrial Wastelands (21)	
Barren rocky area (22)	
Snow cover and/ or glacial area (23)	
Non Wasteland Area	
Major Road	
Railway Line	



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

### Partner Institution:

Environment & Remote Sensing  
 Appn. Centre  
 5 D/C Gandhinagar  
 Jammu- 180 004  
 Jammu & Kashmir

### Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625

Table 29: Jammu &amp; Kashmir - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	423.14	0.42	269.63	0.27	153.51	0.15
2	Gullied and/or ravinous land-Deep	553.24	0.55	49.33	0.05	503.91	0.50
3	Land with Dense Scrub	1617.25	1.60	264.07	0.26	1353.18	1.33
4	Land with Open Scrub	2280.70	2.25	261.46	0.26	2019.24	1.99
5	Waterlogged and Marshy land-Permanent	74.67	0.07	181.28	0.18	-106.61	-0.11
6	Waterlogged and Marshy land-Seasonal	0.86	0.00	7.45	0.01	-6.59	-0.01
7	Shifting cultivation area-Current Jhum	16.65	0.02	0.00	0.00	16.65	0.02
8	Shifting cultivation area-Abandoned Jhum	56.68	0.06	0.00	0.00	56.68	0.06
9	Under utilised/degraded notified forest land-Scrub dominated	4019.26	3.96	6521.71	6.43	-2502.45	-2.47
10	Under utilised/degraded notified forest land-Agriculture	238.29	0.24	119.01	0.12	119.28	0.12
11	Degraded pastures/grazing land	125.55	0.12	751.69	0.74	-626.14	-0.62
12	Degraded land under plantation Crops	41.61	0.04	187.76	0.19	-146.15	-0.14
13	Sands-Riverine	1671.02	1.65	194.13	0.19	1476.89	1.46
14	Sands-Desertic	226.07	0.22	1584.20	1.56	-1358.13	-1.34
15	Mining wastelands	3.88	0.00	0.00	0.00	3.88	0.00
16	Industrial wastelands	4.98	0.00	3.03	0.00	1.95	0.00
17	Barren rocky area	46379.45	45.74	38886.79	38.35	7492.66	7.39
18	Snow covered and glacial area	16021.09	15.80	21074.98	20.79	-5053.89	-4.98
	Total	73754.38	72.75	70356.52	69.39	3397.86	3.35
	TGA			101387.00			

Table 30: District - wise distribution of Wastelands

## JHARKHAND

Category	Bokaro	Chatra	Deghar	Dhanbad	Dumka	Singhbhum (E)	Garhwa	Giridih	Godda	Gumla	Hazaribag	Jamtara	Khunti	Koderma	Latehar	Lo-hardaga	Pakur	Palamau	Ramgarh	Ranchi	Sahibganj	Sarai-kharsawan	Simdega	Singhbhum (W)	Total
1	0.00	2.12	2.40	0.00	7.37	0.00	6.43	0.14	0.00	17.53	38.01	0.75	9.57	2.45	6.59	4.94	0.68	3.55	2.17	0.82	0.00	0.00	0.63	0.00	106.14
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
3	19.95	16.42	48.93	6.76	16.12	81.85	76.74	12.93	9.90	165.97	52.19	13.17	164.04	16.21	252.86	3.03	12.82	19.62	96.75	193.97	31.88	91.13	292.72	378.08	2074.06
4	146.23	138.41	226.10	109.45	146.11	204.67	220.85	318.51	46.85	104.13	201.20	118.88	74.54	184.98	209.39	64.32	44.33	169.89	105.28	88.55	78.54	148.28	318.39	132.43	3600.33
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.30	0.00	0.00	0.00	
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11	115.44	388.97	67.67	68.18	97.20	198.89	385.90	398.72	32.94	136.38	440.97	48.46	98.14	67.91	398.55	25.27	11.35	399.62	88.97	227.49	36.88	74.96	384.67	207.05	4400.59
12	82.65	37.37	49.65	5.30	5.34	5.55	14.16	175.58	5.32	21.02	11.63	0.24	4.00	3.61	2.29	4.81	2.59	23.77	8.00	25.42	4.13	5.48	5.95	15.12	518.99
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	0.26	0.08	0.17	0.00	0.00	0.65	0.00	0.00	0.99	0.00	3.43	0.00	0.00	0.00	0.00	0.00	0.32	0.07	0.87	0.63	0.34	0.00	0.00	0.00	7.82
21	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	0.00	0.00	0.00	0.29	
22	16.91	119.37	48.63	20.81	35.64	32.88	38.52	199.51	6.05	149.46	29.26	18.61	9.32	1.31	3.21	8.98	30.33	47.72	11.18	33.91	3.61	20.25	49.38	26.70	961.56
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Total	381.50	702.75	443.53	210.50	307.78	524.50	742.60	1105.39	102.05	594.56	776.69	200.11	359.61	276.47	872.90	111.36	102.48	664.24	313.40	570.79	155.68	340.11	1051.75	759.38	11670.14
TGA	2861	3706	2476	2996	4412	3533	4044	4029	2108	5321	3513	1800	2630	2545	4250	1491	1805	4455	1400	5068	1600	2640	3756	7267	79706
% to TGA	13.33	18.96	17.91	7.03	6.98	14.85	18.36	27.44	4.84	11.17	22.11	11.12	13.67	10.86	20.54	7.47	5.68	14.91	22.39	11.26	9.73	12.88	28.00	10.45	14.64

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area




Table 31: Jharkhand - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	106.14	0.13	407.14	0.51	-301.00	-0.38
2	Gullied and/or ravinous land-Deep	0.00	0.00	3.95	0.00	-3.95	0.00
3	Land with Dense Scrub	2074.06	2.60	1846.32	2.32	227.74	0.29
4	Land with Open Scrub	3600.33	4.52	462.46	0.58	3137.87	3.94
5	Waterlogged and Marshy land-Permanent	0.36	0.00	35.88	0.05	-35.52	-0.04
6	Under utilised/degraded notified forest land-Scrub dominated	4400.59	5.52	7120.15	8.93	-2719.56	-3.41
7	Under utilised/degraded notified forest land-Agriculture	518.99	0.65	643.94	0.81	-124.95	-0.16
8	Degraded pastures/grazing land	0.00	0.00	39.91	0.05	-39.91	-0.05
9	Sands-Riverine	0.00	0.00	2.31	0.00	-2.31	0.00
10	Mining wastelands	7.82	0.01	88.03	0.11	-80.21	-0.10
11	Industrial wastelands	0.29	0.00	63.07	0.08	-62.78	-0.08
12	Barren rocky area	961.56	1.21	452.10	0.57	509.46	0.64
	Total	11670.14	14.64	11165.26	14.01	504.88	0.63
	TGA	79706.00					

**Table 32: District - wise distribution of Wastelands**  
**KARNATAKA**

Category	Bagalkote	Belgaum	Bellary	Bidar	Bijapur	Bangalore (R)	Bangalore (U)	Chikmaglur	Chamara-jnagar	Chitradurga	Coorg	Dakshin Kannada	Davangere	Dharwad
1	1.04	0.36	6.14	0.00	8.04	9.98	1.62	6.49	0.95	21.31	0.00	0.00	1.49	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	112.92	420.74	258.79	222.32	11.58	207.15	60.59	131.87	206.06	511.93	3.01	89.63	63.76	37.65
4	57.58	117.49	42.72	169.76	146.16	42.64	46.05	13.64	62.78	188.80	3.88	13.07	101.88	23.52
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.57	0.00	0.00
6	4.63	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	1.73	2.32	72.30	0.00	2.90	0.00	0.00	1.54	11.23	80.51	0.00	0.00	28.49	0.06
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.27	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	502.61	459.08	936.33	59.54	15.36	259.34	20.93	63.43	106.30	161.11	86.51	28.28	314.38	69.01
12	10.64	119.56	13.09	2.65	0.05	15.38	1.47	89.02	13.25	23.54	11.33	1.18	0.17	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.41	0.00	3.33	0.00	0.00	0.00	0.00
14	0.68	0.00	0.74	0.00	0.00	0.00	0.00	0.35	0.00	0.00	0.00	0.00	0.30	0.00
15	0.00	0.00	7.10	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.00	0.12	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.96	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.84	0.00	0.00	0.51	0.00	8.32	0.15	2.29	0.00	0.35	0.16	0.03
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	114.39	17.63	124.68	1.90	71.60	87.35	1.84	5.40	5.22	70.88	5.88	41.23	4.91	0.89
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>806.22</b>	<b>1137.18</b>	<b>1462.73</b>	<b>456.18</b>	<b>255.69</b>	<b>622.36</b>	<b>132.50</b>	<b>320.47</b>	<b>406.52</b>	<b>1063.97</b>	<b>110.61</b>	<b>180.39</b>	<b>515.54</b>	<b>131.16</b>
TGA	6575	13415	8419	5448	10494	5815	2190	7201	5685	8440	4102	8465	5966	4230
% to TGA	12.26	8.48	17.37	8.37	2.44	10.70	6.05	4.45	7.15	12.61	2.70	2.13	8.64	3.10

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area


### KARNATAKA Contd.....

Category	Gadag	Gulbarga	Hassan	Haveri	Karwar	Kolar	Koppal	Mandya	Mysore	Raichur	Tumkur	Udupi	Uttar Kan-nada	Total
1	1.12	2.50	15.26	3.78	0.00	25.97	0.00	12.13	1.51	0.00	7.22	0.00	0.23	127.11
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	39.73	332.99	220.64	75.96	127.13	488.48	204.80	125.65	75.37	227.50	422.89	30.31	36.01	4745.46
4	47.91	125.63	101.70	20.61	66.90	50.35	54.98	62.24	7.73	55.94	7.66	14.82	10.09	1656.52
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	1.37	7.25	13.23
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.63
7	6.70	124.14	0.00	0.00	0.00	0.14	84.76	0.09	3.61	72.75	19.69	0.00	0.02	512.97
8	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	196.06	332.29	67.73	43.80	301.40	171.30	85.02	159.77	27.70	228.49	145.27	50.83	353.44	5245.32
12	0.75	0.04	0.00	0.00	83.83	19.39	2.03	0.11	15.66	0.00	0.26	36.12	185.32	644.85
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.62	0.00	0.00	6.36
14	0.00	0.00	0.00	2.80	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.16	0.00	9.04
15	0.32	0.00	0.00	0.08	0.00	0.00	0.03	2.08	1.29	0.00	0.00	0.00	0.00	11.62
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.08	1.17	9.22
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	2.97	0.00	0.31	0.04	0.05	4.92	5.89	0.05	0.00	0.00	0.51	0.98	28.36
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	22.31	113.82	13.34	1.04	4.02	174.91	119.43	66.87	6.01	108.29	135.87	38.70	64.67	1423.09
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	314.89	1034.45	418.67	148.39	583.31	930.59	555.98	434.82	138.93	692.96	738.89	185.51	659.19	14438.12
TGA	4657	16224	6814	4851	4843	8223	7189	4961	6269	6828	10598	3598	10291	191791
% to TGA	6.76	6.38	6.14	3.06	12.04	11.32	7.73	8.76	2.22	10.15	6.97	5.16	6.41	7.53

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Total Geog. Area (TGA) : 191791.00 sq.km.  
 Total Wasteland Area : 14438.12 sq. km.  
 Wasteland Area : 7.53 %

Figure. 30




## WASTELAND MAP 2005-06 KARNATAKA



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

Partner Institution:

Karnataka State Remote Sen. Appln Centre  
 Stage 4, 6th Floor,  
 Multi Storied Building  
 Dr Ambedkar Veedhi  
 Bangalore- 560011

Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625

Table 33: Karnataka - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	127.11	0.07	46.42	0.02	80.69	0.04
2	Gullied and/or ravinous land-Deep	0.00	0.00	0.06	0.00	-0.06	0.00
3	Land with Dense Scrub	4745.46	2.47	4098.25	2.14	647.21	0.34
4	Land with Open Scrub	1656.52	0.86	730.31	0.38	926.21	0.48
5	Waterlogged and Marshy land-Permanent	13.23	0.01	21.70	0.01	-8.47	0.00
6	Waterlogged and Marshy land-Seasonal	4.63	0.00	4.49	0.00	0.14	0.00
7	Land affected by salinity/alkalinity-Moderate	512.97	0.27	167.13	0.09	345.84	0.18
8	Land affected by salinity/alkalinity-Strong	0.35	0.00	0.30	0.00	0.05	0.00
9	Under utilised/degraded notified forest land-Scrub dominated	5245.32	2.73	5240.10	2.73	5.22	0.00
10	Under utilised/degraded notified forest land-Agriculture	644.85	0.34	1225.86	0.64	-581.01	-0.30
11	Degraded pastures/grazing land	6.36	0.00	37.83	0.02	-31.47	-0.02
12	Degraded land under plantation Crops	9.04	0.00	290.54	0.15	-281.50	-0.15
13	Sands-Riverine	11.62	0.01	33.09	0.02	-21.47	-0.01
14	Sands-Coastal	9.22	0.00	4.62	0.00	4.60	0.00
15	Mining wastelands	28.36	0.01	199.10	0.10	-170.74	-0.09
16	Industrial wastelands	0.00	0.00	6.88	0.00	-6.88	0.00
17	Barren rocky area	1423.09	0.74	1429.90	0.75	-6.81	0.00
	Total	14438.12	7.53	13536.58	7.06	901.54	0.47
	TGA			191791.00			


Table 34: District - wise distribution of Wastelands

## KERALA

Category	Alappuzha	Cannanore	Ernakulam	Idukki	Kasaragod	Kollam	Kottayam	Kozhikode	Malappuram	Palghat	Pathanamthitta	Thiruvananthapuram	Thrissur	Waynad	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	8.91	21.15	259.60	10.14	23.46	63.08	1.20	116.65	33.64	101.06	14.30	29.83	42.61	725.62
4	0.02	157.25	10.81	48.11	290.88	8.37	47.55	38.97	1.85	131.79	7.44	4.96	14.35	25.44	787.78
5	0.00	0.00	0.00	0.00	0.00	0.00	3.58	1.48	0.00	0.00	0.00	0.00	0.00	0.00	5.06
6	0.00	0.00	3.42	0.00	0.00	0.00	1.16	0.16	0.00	2.64	0.00	0.00	7.29	0.24	14.91
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	17.07	52.03	29.33	0.42	13.36	4.46	33.21	56.92	190.69	0.45	145.43	14.69	14.19	572.25
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.52	9.47	0.00	0.00	4.49	0.00	16.48
16	1.30	2.31	1.42	0.00	5.25	0.10	0.00	3.23	3.56	0.00	0.00	8.65	2.88	0.00	28.70
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.06	0.02	0.00	0.20
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	15.70	15.13	112.53	15.85	0.47	0.68	14.38	21.66	89.64	2.40	9.59	7.16	2.49	307.68
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>1.32</b>	<b>201.24</b>	<b>103.95</b>	<b>449.57</b>	<b>322.54</b>	<b>45.77</b>	<b>120.50</b>	<b>92.76</b>	<b>203.16</b>	<b>457.86</b>	<b>111.36</b>	<b>182.99</b>	<b>80.72</b>	<b>84.96</b>	<b>2458.69</b>
TGA	1414.00	2997.00	2408.00	5019.00	1961.00	2583.00	2204.00	2345.00	3548.00	4392.00	2642.00	2186.00	3032.00	2132.00	38863.00
% to TGA	0.09	6.71	4.32	8.96	16.45	1.77	5.47	3.96	5.73	10.42	4.21	8.37	2.66	3.98	6.33

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 31



## WASTELAND MAP


2005-06

KERALA



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

#### Partner Institution:

Kerala State Remote Sensing  
 and Environment Centre  
 Vikas Bhawan  
 Thiruvananthapuram - 695033

#### Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625

Table 35: Kerala - Category-wise distribution and changes in wastelands

Area in sq.km.

SI	Wasteland Categories	2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	725.62	1.87	691.26	1.78	34.36	0.09
2	Land with Open Scrub	787.78	2.03	3.24	0.01	784.54	2.02
3	Waterlogged and Marshy land-Permanent	5.06	0.01	19.94	0.05	-14.88	-0.04
4	Waterlogged and Marshy land-Seasonal	14.91	0.04	248.49	0.64	-233.58	-0.60
5	Under utilised/degraded notified forest land-Scrub dominated	572.25	1.47	425.53	1.09	146.72	0.38
6	Degraded pastures/grazing land	0.00	0.00	124.00	0.32	-124.00	-0.32
7	Degraded land under plantation Crops	16.48	0.04	51.56	0.13	-35.08	-0.09
8	Sands-Riverine	28.70	0.07	0.00	0.00	28.70	0.07
9	Sands-Coastal	0.00	0.00	11.55	0.03	-11.55	-0.03
10	Mining wastelands	0.20	0.00	2.18	0.01	-1.98	-0.01
11	Barren rocky area	307.68	0.79	211.05	0.54	96.63	0.25
	Total	2458.68	6.33	1788.80	4.60	669.88	1.72
	TGA			38863.00			

**Table 36: District - wise distribution of Wastelands**

**MADHYA PRADESH**

Category	Balaghat	Barwani	Betul	Bhind	Bhopal	Chhatarpur	Chhindwara	Damoh	Datia	Dewas	Dhar	Dindori	East Nimar	Guna	Gwalior	Harda	Hoshangabad	Indore	Jabalpur	Jhabua	Katni	Mandla	Mandsaur
1	0.23	47.67	0.71	399.12	3.14	34.87	0.44	6.14	19.75	11.53	30.72	0.00	4.68	12.53	38.91	1.87	3.82	2.18	45.31	0.00	2.49	2.05	16.83
2	0.00	0.00	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	3.86	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.46	0.00	0.00	0.00	0.00
3	277.22	5.16	139.14	2.71	113.32	147.77	126.93	172.86	18.81	66.34	144.99	168.38	102.92	26.30	33.14	51.37	53.08	103.07	203.62	46.11	499.65	363.54	74.08
4	296.29	355.78	194.86	68.07	144.45	688.95	156.05	559.07	80.66	291.25	535.63	215.09	381.92	556.65	352.15	79.42	112.67	206.38	303.33	339.94	576.11	404.05	505.66
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	236.34	897.15	176.94	19.20	69.57	153.29	307.19	127.25	73.03	470.95	278.06	231.68	509.08	197.79	458.82	38.08	39.30	121.99	39.22	571.98	59.65	376.65	123.57
12	247.69	0.00	0.00	10.01	0.02	155.12	0.00	90.42	19.05	0.00	0.00	283.19	0.00	427.43	67.94	0.00	0.00	0.00	41.73	0.00	35.40	275.20	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.12	0.00	0.46	0.00	0.00	0.00	0.00	1.48	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	9.78	0.00	0.60	0.00	0.59	0.00	9.55	0.00	0.00	0.00	0.00	0.00	0.00	0.38	0.15	0.16	0.00	1.29	1.51	0.56	12.23	0.79	3.09
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.27	2.50	0.24	4.84	0.63	4.89	1.05	2.01	0.40	3.50	20.91	0.00	11.43	0.00	2.17	0.00	0.83	13.79	1.28	19.97	4.98	3.61	67.52
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	1067.82	1308.26	512.48	504.16	331.71	1184.89	601.21	957.75	211.70	843.57	1020.29	898.34	1010.50	1221.08	953.28	170.90	209.70	450.17	639.46	978.56	1190.51	1425.89	790.75
TGA	9229	5422	10043	4459	2772	8687	11815	7306	2038	7020	8153	4068	10779	11065	5214	3330	6707	3898	4026	6782	6134	9201	5535
% to TGA	11.57	24.13	5.10	11.31	11.97	13.64	5.09	13.11	10.39	12.02	12.51	22.08	9.37	11.04	18.28	5.13	3.13	11.55	15.88	14.43	19.41	15.50	14.29


1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

### MADHYA PRADESH Contd.....


Category	Morena	Nar-simhapur	Neemuch	Panna	Raisen	Rajgarh	Ratlam	Rewa	Sagar	Satna	Sehore	Seoni	Shahdol	Shajapur	Shivpuri	Shyopur & Kalan	Sidhi	Tikamgarh	Ujjain	Umaria	Vidisha	West Nimar	Total
1	495.82	11.12	4.34	4.31	0.00	9.88	65.85	9.36	7.73	5.51	2.82	0.26	2.06	3.02	9.46	99.74	17.13	2.72	17.89	9.08	4.06	26.55	1493.69
2	0.35	0.49	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.37
3	28.28	56.36	65.64	296.25	175.54	98.68	183.12	38.74	322.68	108.51	68.22	62.28	248.86	314.04	62.53	83.54	446.91	18.28	372.98	180.46	157.02	31.65	6361.08
4	305.88	86.87	375.75	466.51	135.86	451.77	281.31	286.23	977.98	405.50	159.75	99.57	533.45	477.27	955.23	461.04	746.03	338.26	188.21	288.14	108.22	698.21	16231.47
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	549.46	63.00	662.20	335.42	143.79	77.80	154.24	129.26	204.07	219.39	188.18	162.91	229.13	38.37	887.50	1155.69	437.25	155.27	4.50	86.43	126.91	668.68	12256.23
12	22.53	0.14	0.00	215.51	0.02	0.00	0.00	48.80	41.87	178.13	0.00	0.00	257.12	0.00	185.90	78.06	227.77	126.94	0.00	94.52	6.04	0.00	3136.55
13	0.00	0.00	0.00	0.00	0.00	0.00	1.88	0.00	0.00	0.00	0.00	0.00	0.00	1.33	0.00	0.00	0.00	8.91	0.00	0.00	0.00	0.00	20.19
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.28	0.00	5.42	0.31	1.67	0.29	0.26	3.44	0.00	10.38	0.17	0.18	0.00	0.09	0.02	0.02	11.27	0.12	0.35	0.47	0.32	0.00	75.72
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.48
22	2.78	1.36	11.06	0.39	11.00	18.10	10.51	96.81	5.01	16.43	0.43	0.99	33.66	9.96	8.86	0.37	9.91	1.03	1.38	0.00	3.88	47.44	458.19
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	1405.38	219.34	1124.41	1318.70	467.88	656.52	697.17	612.64	1559.34	945.33	419.57	326.19	1304.28	842.74	2110.84	1878.46	1896.27	642.62	594.22	659.10	406.45	1472.53	40042.98
TGA	4988	5133	4256	7135	8466	6154	4861	6314	10252	7502	6578	8758	10349	6196	10278	6606	10526	5048	6091	3679	7371	8028	308252
% to TGA	28.18	4.27	26.42	18.48	5.53	10.67	14.34	9.70	15.21	12.60	6.38	3.72	12.60	13.60	20.54	28.44	18.02	12.73	9.76	17.92	5.51	18.34	12.99

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 32



Total Geog. Area (TGA) : 308252.00 sq.km.  
 Total Wasteland Area : 40042.98 sq. km.  
 Wasteland Area : 12.99 %




## WASTELAND MAP 2005-06 MADHYA PRADESH



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

Partner Institution:

Remote Sensing Application Centre,  
 M.P Council of Science & Technology  
 Vignan Bhavan, Science Hill  
 Nehru Nagar, Bhopal-462003  
 Madhya Pradesh

Coordinated by:

Land Use Division, LPC RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625

Table 37: Madhya Pradesh - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	1493.69	0.48	3159.66	1.03	-1665.97	-0.54
2	Gullied and/or ravinous land-Deep	8.37	0.00	2114.66	0.69	-2106.29	-0.68
3	Land with Dense Scrub	6361.08	2.06	27079.57	8.78	-20718.49	-6.72
4	Land with Open Scrub	16231.47	5.27	1974.31	0.64	14257.16	4.63
5	Waterlogged and Marshy land-Seasonal	0.00	0.00	50.55	0.02	-50.55	-0.02
6	Under utilised/degraded notified forest land-Scrub dominated	12256.23	3.98	17549.17	5.69	-5292.94	-1.72
7	Under utilised/degraded notified forest land-Agriculture	3136.55	1.02	4188.35	1.36	-1051.80	-0.34
8	Degraded pastures/grazing land	20.19	0.01	29.64	0.01	-9.45	0.00
9	Degraded land under plantation Crops	0.00	0.00	6.94	0.00	-6.94	0.00
10	Mining wastelands	75.72	0.02	121.48	0.04	-45.76	-0.01
11	Industrial wastelands	1.48	0.00	0.00	0.00	1.48	0.00
12	Barren rocky area	458.19	0.15	859.70	0.28	-401.51	-0.13
	Total	40042.97	12.99	57134.03	18.53	-17091.06	-5.54
	TGA			308252.00			

Table 38: District - wise distribution of Wastelands

## MAHARASHTRA

Category	Ahmednagar	Akola	Amravati	Aurangabad	Bhandara	Beed	Bombay	Bombay Suburb	Buldana	Chandrapur	Dhule	Garhchiroli	Gondia	Jalgaon	Jalna	Kolhapur	Latur
1	7.98	132.00	53.56	0.00	0.57	0.13	0.00	2.86	36.60	0.00	73.95	0.00	0.15	155.34	0.02	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	157.37	50.01	133.04	274.04	142.26	321.87	0.00	39.24	136.90	419.17	31.59	97.81	94.88	51.46	33.00	520.27	143.98
4	1194.65	156.02	97.90	176.99	89.59	1045.62	0.00	9.28	279.24	390.89	706.85	67.05	108.35	349.92	240.12	708.59	224.31
5	0.00	0.00	0.00	0.00	0.59	0.00	0.01	12.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	584.69	73.97	823.08	327.43	66.84	152.43	0.00	3.02	396.23	474.16	1602.57	497.96	55.17	514.27	104.05	145.98	0.00
12	5.06	1.04	105.21	3.76	1.24	1.82	0.00	0.00	0.61	246.12	181.11	305.07	17.04	24.21	23.11	41.24	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	10.57	0.00	0.00	0.00	0.00	1.41	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.17	0.00	2.70	0.00
15	0.00	0.00	2.97	0.00	0.04	0.00	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.66	2.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.18	0.00	0.00	1.09	1.18	0.00	0.00	0.13	0.00	12.70	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	281.53	0.00	0.38	19.10	3.58	50.79	0.43	0.76	1.03	14.74	74.59	2.43	2.46	27.73	63.79	17.00	14.45
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	2242.03	413.04	1216.13	802.41	305.89	1574.07	1.10	69.75	850.62	1558.07	2670.67	970.32	277.90	1123.10	464.09	1435.78	382.74
TGA	17048	5456	12212	10213	3951	10760	157	446	9661	10490	13150	15433	5262	11765	6417	8047	6725
% to TGA	13.15	7.57	9.96	7.86	7.74	14.63	0.70	15.64	8.80	14.85	20.31	6.29	5.28	9.55	7.23	17.84	5.69

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

## MAHARASHTRA Contd...

Category	Nagpur	Nanded	Nashik	Osmana-bad	Parbhani	Pune	Ratnagiri	Raygad	Sangli	Satara	Sindhudurg	Solapur	Thane	Wardha	Washim	Yavatmal	Total
1	8.15	2.62	25.25	0.75	12.33	0.00	0.00	0.00	12.56	0.00	0.00	1.44	0.03	11.45	0.02	9.28	547.03
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	304.26	246.00	323.68	294.39	319.99	1886.79	813.76	1256.95	267.87	195.88	495.57	518.16	1121.15	159.31	59.08	341.71	11251.44
4	194.92	413.06	619.50	116.27	343.26	1011.01	642.33	469.82	519.94	1285.47	337.41	591.31	46.47	142.86	369.22	293.92	13242.14
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	46.22	0.00	0.00	0.00	59.03
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.74	0.00	0.00	0.00	0.00	0.00	1.76
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.78	0.00	0.00	0.00	37.22	0.00	0.00	0.00	41.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.84	0.00	0.00	0.00	15.52	0.00	0.00	0.00	26.36
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	91.76	260.71	1201.71	3.49	200.98	383.32	30.02	396.07	153.27	256.20	2.60	90.10	444.62	78.39	54.86	557.01	10026.96
12	17.67	1.33	46.46	0.00	10.47	6.41	0.00	0.00	65.20	0.50	1.76	0.14	55.71	0.11	1.66	25.13	1189.18
13	0.00	0.00	0.00	0.00	0.00	149.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	149.72
14	0.00	0.00	0.00	0.00	0.00	3.16	0.00	0.00	0.00	3.24	0.00	0.00	0.00	0.00	0.00	0.00	21.25
15	0.00	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.65
16	0.00	0.00	0.00	0.00	0.00	0.00	4.91	2.89	0.00	0.00	8.87	0.00	9.91	0.00	0.00	0.00	29.48
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	6.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.21	0.00	0.00	0.00	0.00	0.00	0.00	6.62	30.45
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	9.69	84.76	145.98	72.97	34.43	82.58	62.28	11.01	210.59	40.71	139.59	121.77	0.45	0.00	3.29	48.49	1643.37
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	632.77	1008.83	2362.58	487.87	921.45	3522.99	1553.30	2138.95	1244.05	1782.00	987.54	1322.92	1777.30	392.12	488.13	1282.16	38262.81
TGA	9931	10502	15530	7485	12561	15642	8391	7148	8572	10484	4663	15017	9558	6310	5119	13584	307690
% to TGA	6.37	9.61	15.21	6.52	7.34	22.52	18.51	29.92	14.51	17.00	21.18	8.81	18.59	6.21	9.54	9.44	12.44

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 33




Table 39: Maharashtra - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	547.03	0.18	1188.72	0.39	-641.69	-0.21
2	Land with Dense Scrub	11251.44	3.66	19249.73	6.26	-7998.29	-2.60
3	Land with Open Scrub	13242.14	4.30	10086.88	3.28	3155.26	1.03
4	Waterlogged and Marshy land-Permanent	59.03	0.02	395.61	0.13	-336.58	-0.11
5	Waterlogged and Marshy land-Seasonal	1.76	0.00	4.22	0.00	-2.46	0.00
6	Land affected by salinity/alkalinity-Moderate	41.00	0.01	248.11	0.08	-207.11	-0.07
7	Land affected by salinity/alkalinity-Strong	26.36	0.01	38.02	0.01	-11.66	0.00
8	Under utilised/degraded notified forest land-Scrub dominated	10026.96	3.26	12334.27	4.01	-2307.31	-0.75
9	Under utilised/degraded notified forest land-Agriculture	1189.18	0.39	1735.63	0.56	-546.45	-0.18
10	Degraded pastures/grazing land	149.72	0.05	308.63	0.10	-158.91	-0.05
11	Degraded land under plantation Crops	21.25	0.01	317.70	0.10	-296.45	-0.10
12	Sands-Riverine	3.65	0.00	0.00	0.00	3.65	0.00
13	Sands-Coastal	29.48	0.01	48.11	0.02	-18.63	-0.01
14	Mining wastelands	30.45	0.01	112.54	0.04	-82.09	-0.03
15	Industrial wastelands	0.00	0.00	0.67	0.00	-0.67	0.00
16	Barren rocky area	1643.37	0.53	3206.56	1.04	-1563.19	-0.51
	Total	38262.82	12.44	49275.40	16.01	-11012.58	-3.58
	TGA			307690.00			

**Table 40: District - wise distribution of Wastelands**

**MANIPUR**

Category	Bishnupur	Chandel	Churchandpur	East Imphal	Senapati	Tamang-long	Thoubal	Ukhrul	West Imphal	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.41	289.78	1556.29	3.55	249.33	935.07	8.88	667.57	7.99	3718.87
4	1.43	108.69	279.58	3.28	266.38	9.35	14.02	214.59	3.22	900.54
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	456.34	159.32	0.11	11.19	23.89	1.49	99.06	0.70	752.10
10	0.00	5.04	0.00	0.00	18.62	75.51	0.00	0.00	0.93	100.10
11	11.57	157.26	322.74	69.93	602.44	316.73	27.27	26.99	20.93	1555.86
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>13.41</b>	<b>1017.11</b>	<b>2317.93</b>	<b>76.87</b>	<b>1147.96</b>	<b>1360.55</b>	<b>51.66</b>	<b>1008.21</b>	<b>33.77</b>	<b>7027.47</b>
TGA	496	3313	4570	709	3271	4391	514	4544	519	22327
% to TGA	2.70	30.70	50.72	10.84	35.10	30.98	10.05	22.19	6.51	31.48

**Table 42: District - wise distribution of Wastelands**



**MEGHALAYA**

Category	East Garo Hills	East Khasi	Jaintia Hills	Ribhoi	South Garo Hills	West Garo Hills	West Khasi Hills	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9.56	6.58	0.00	139.68	36.06	11.66	250.89	454.43
4	223.81	199.61	898.37	273.99	8.46	372.22	663.64	2640.10
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	39.90	0.00	10.52	9.67	76.35	123.38	32.05	291.87
10	77.23	0.00	0.09	0.00	52.06	13.52	14.22	157.12
11	13.90	2.69	27.86	6.27	14.09	2.30	0.00	67.11
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.02	179.23	31.48	0.00	0.08	0.00	44.32	255.13
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>364.42</b>	<b>388.11</b>	<b>968.32</b>	<b>429.61</b>	<b>187.10</b>	<b>523.08</b>	<b>1005.12</b>	<b>3865.76</b>
TGA	2603	2748	3819	2448	1850	3714	5247	22429
% to TGA	14.00	14.12	25.36	17.55	10.11	14.08	19.16	17.24

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Total Geog. Area (TGA) : 22327.00 sq.km.  
 Total Wasteland Area : 7027.47 sq. km.  
 Wasteland Area : 31.48%

Figure. 34




## WASTELAND MAP 2005-06 MANIPUR



### LEGEND

- [Color Box] Gullied/ Ravine land-Medium ravine (1)
- [Color Box] Gullied/Ravine land-Deep/ very deep ravine (2)
- [Color Box] Scrubland - Land with dense scrub (3)
- [Color Box] Scrubland - Land with open scrub (4)
- [Color Box] Waterlogged and marshy land - Permanent (5)
- [Color Box] Waterlogged and marshy land - Seasonal (6)
- [Color Box] Land Affected by Salinity/ Alkalinity - Moderate (7)
- [Color Box] Land Affected by Salinity/ Alkalinity - Strong (8)
- [Color Box] Shifting cultivation - Current jhum (9)
- [Color Box] Shifting cultivation - Abandoned jhum (10)
- [Color Box] Under-utilised Deg Notif Forest - Scrub Dom (11)
- [Color Box] Under- utilised Deg Notif Forest - Agriculture (12)
- [Color Box] Degraded Pastures/ grazing land (13)
- [Color Box] Degraded Land under Plantation Crop (14)
- [Color Box] Sands - Desert sand (15)
- [Color Box] Sands - Coastal sand (16)
- [Color Box] Sands - Riverine (17)
- [Color Box] Sands - Semi-stab to stab (>40m) dune (18)
- [Color Box] Sands-Semi-stab to stab mod high(15-40m) dune (19)
- [Color Box] Mining Wastelands (20)
- [Color Box] Industrial Wastelands (21)
- [Color Box] Barren rocky area (22)
- [Color Box] Snow cover and/ or glacial area (23)
- [Color Box] Non Wasteland Area
- [Color Box] Major Road
- [Color Box] Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

Partner Institution:  
 Manipur Remote Sensing Application Centre  
 Dept. of Science & Technology  
 Imphal- 795001  
 Manipur

Coordinated by:  
 Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625

Table 41: Manipur - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	3718.87	16.66	8072.81	36.16	-4353.94	-19.50
2	Land with Open Scrub	900.54	4.03	0.00	0.00	900.54	4.03
3	Waterlogged and Marshy land-Permanent	0.00	0.00	194.76	0.87	-194.76	-0.87
4	Waterlogged and Marshy land-Seasonal	0.00	0.00	90.49	0.41	-90.49	-0.41
5	Shifting cultivation area-Current Jhum	752.10	3.37	1119.54	5.01	-367.44	-1.65
6	Shifting cultivation area-Abandoned Jhum	100.10	0.45	3697.14	16.56	-3597.04	-16.11
7	Under utilised/degraded notified forest land-Scrub dominated	1555.86	6.97	0.00	0.00	1555.86	6.97
	Total	7027.47	31.48	13174.74	59.01	-6147.27	-27.53
	TGA			22327.00			

Table 43: Meghalaya - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	454.43	2.03	1010.35	4.50	-555.92	-2.48
2	Land with Open Scrub	2640.10	11.77	1584.11	7.06	1055.99	4.71
3	Waterlogged and Marshy land-Permanent	0.00	0.00	11.52	0.05	-11.52	-0.05
4	Waterlogged and Marshy land-Seasonal	0.00	0.00	4.18	0.02	-4.18	-0.02
5	Shifting cultivation area-Current Jhum	291.87	1.30	627.21	2.80	-335.34	-1.50
6	Shifting cultivation area-Abandoned Jhum	157.12	0.70	116.62	0.52	40.50	0.18
7	Under utilised/degraded notified forest land-Scrub dominated	67.11	0.30	0.00	0.00	67.11	0.30
8	Sands-Riverine	0.00	0.00	0.04	0.00	-0.04	0.00
9	Mining wastelands	0.00	0.00	2.15	0.01	-2.15	-0.01
10	Barren rocky area	255.13	1.14	55.23	0.25	199.90	0.89
	Total	3865.76	17.24	3411.41	15.21	454.35	2.03
	TGA			22429.00			



Figure. 35

# WASTELAND MAP


2005-06  
MEGHALAYA

**LEGEND**

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Total Geog. Area (TGA) : 22429.00 sq.km.  
Total Wasteland Area : 3865.76 sq. km.  
Wasteland Area : 17.24 %



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:  
North Eastern Space Application Centre  
Dept of Space  
Umair  
Shillong- 793103  
Meghalaya

Coordinated by:  
Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Hyderabad - 500625

**Table 44: District - wise distribution of Wastelands**


Category	Aizawl	Champhal	Kolasib	Lawngtlai	Lunglei	Mamit	Saiha	Serchip	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
4	6.88	1.94	0.61	7.24	16.99	0.00	2.66	0.00	36.32
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	198.35	196.21	13.62	116.98	195.07	125.04	98.25	85.01	1028.53
10	311.57	448.83	59.85	96.56	239.75	165.21	128.05	139.21	1589.03
11	488.09	729.36	365.06	259.43	597.88	389.44	329.57	208.43	3367.26
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>1004.89</b>	<b>1376.34</b>	<b>439.14</b>	<b>480.21</b>	<b>1049.69</b>	<b>679.69</b>	<b>558.53</b>	<b>432.65</b>	<b>6021.14</b>
TGA	3576.00	3185.00	1382.00	1991.00	4536.00	3025.00	1965.00	1421.00	21081.00
% to TGA	28.10	43.21	31.78	24.12	23.14	22.47	28.42	30.45	28.56

**Table 46: District - wise distribution of Wastelands**

Category	Kohima	Mokokchung	Mon	Phek	Tuensang	Wokha	Zunheboto	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	268.04	126.52	189.44	138.18	126.89	73.72	49.76	972.55
4	234.69	178.26	228.67	148.34	139.86	21.92	59.28	1011.02
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	169.25	92.12	253.65	121.33	384.46	94.83	123.44	1239.09
10	151.34	215.91	375.92	146.95	415.43	107.24	175.86	1588.65
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	3.38	0.00	0.00	0.01	0.48	0.00	0.00	3.87
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>826.70</b>	<b>612.81</b>	<b>1047.68</b>	<b>554.82</b>	<b>1067.12</b>	<b>297.71</b>	<b>408.34</b>	<b>4815.18</b>
TGA	4041	1615	1786	2026	4228	1628	1255	16579
% to TGA	20.46	37.94	58.66	27.39	25.24	18.29	32.54	29.04

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 36




## WASTELAND MAP 2005-06 MIZORAM



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:  
Science, Technology & Environment Cell  
Planning Dept  
Govt of Mizoram  
Aizawl- 796012  
Mizoram

Coordinated by:  
Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

**Table 45: Mizoram - Category-wise distribution and changes in wastelands**

Sl	Wasteland Categories	2005-06		2003		Change	% diff
		2005-06	%	2003	%		
1	Land with Open Scrub	36.32	0.17	0.00	0.00	36.32	0.17
2	Shifting cultivation area-Current Jhum	1028.53	4.88	1146.95	5.44	-118.42	-0.56
3	Shifting cultivation area-Abandoned Jhum	1589.03	7.54	2870.46	13.62	-1281.43	-6.08
4	Under utilised/degraded notified forest land-Scrub dominated	3367.26	15.97	452.47	2.15	2914.79	13.83
	Total	6021.14	28.56	4469.88	21.20	1551.26	7.36
	TGA			21081.00			

**Table 47: Nagaland - Category-wise distribution and changes in wastelands**

Sl	Wasteland Categories	2005-06		2003		Change	% diff
		2005-06	%	2003	%		
1	Land with Dense Scrub	972.55	5.87	1713.17	10.33	-740.62	-4.47
2	Land with Open Scrub	1011.02	6.10	59.18	0.36	951.84	5.74
3	Waterlogged and Marshy land-Permanent	0.00	0.00	0.60	0.00	-0.60	0.00
4	Waterlogged and Marshy land-Seasonal	0.00	0.00	1.03	0.01	-1.03	-0.01
5	Shifting cultivation area-Current Jhum	1239.09	7.47	1116.60	6.74	122.49	0.74
6	Shifting cultivation area-Abandoned Jhum	1588.65	9.58	801.30	4.83	787.35	4.75
7	Under utilised/degraded notified forest land-Scrub dominated	0.00	0.00	8.19	0.05	-8.19	-0.05
8	Degraded pastures/grazing land	0.00	0.00	0.34	0.00	-0.34	0.00
9	Sands-Riverine	0.00	0.00	0.55	0.00	-0.55	0.00
10	Barren rocky area	3.87	0.02	8.44	0.05	-4.57	-0.03
	Total	4815.18	29.04	3709.40	22.37	1105.78	6.67
	TGA			16579.00			

Figure. 37




Table 48: District - wise distribution of Wastelands

## ORISSA

Category	Angul	Baleswar	Baragarh	Bhadrak	Bolangir	Boudh	Cuttack	Deogarh	Dhenkanal	Gajapati	Ganjam	Jagatsinghpur	Jajpur	Jharsuguda	Kalahandi	Kandhamal
1	123.68	2.04	8.18	0.00	9.79	0.00	3.31	30.57	34.58	21.83	75.67	0.00	0.15	1.05	20.87	2.73
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	98.77	41.94	87.70	0.06	190.12	135.01	117.57	68.72	138.56	159.07	342.59	0.82	49.51	90.52	198.42	525.35
4	84.85	3.31	22.48	6.44	45.59	61.46	36.46	19.88	1.52	334.60	76.28	0.07	52.19	89.44	84.61	9.48
5	2.24	9.26	0.60	27.31	1.32	0.00	41.99	0.22	0.43	0.30	27.16	14.23	39.25	0.28	0.44	0.00
6	0.00	5.78	0.00	0.00	0.00	0.00	2.71	0.00	0.07	1.71	0.00	0.00	14.10	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.47	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.99	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	1.31	0.05	0.00	0.00	318.77	88.05	0.00	0.00	0.00	92.70	167.09
10	0.00	0.00	0.00	0.00	0.00	1.60	0.00	0.00	0.00	130.07	33.77	0.00	0.00	0.00	55.63	48.78
11	326.00	37.67	317.20	0.00	161.00	147.50	121.49	89.41	46.25	62.92	298.27	0.74	65.98	38.41	261.50	199.98
12	26.28	5.75	10.02	0.00	89.85	6.28	12.13	80.21	126.80	26.87	152.89	0.10	20.70	2.70	97.35	118.73
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.84	0.00	0.03	0.00	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.01	0.01	0.00	0.00	0.00
15	0.00	0.32	0.00	0.50	0.00	0.00	0.16	0.00	0.00	0.00	0.00	0.08	0.05	0.00	0.00	0.00
16	0.00	2.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	14.15	1.66	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.66	1.53	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.85	0.19	0.00	0.00
22	0.82	1.79	8.04	0.00	42.61	6.35	2.11	9.77	8.41	25.94	37.54	0.00	1.87	0.47	76.91	13.22
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	663.48	110.78	454.25	34.31	540.28	359.51	337.98	298.84	356.62	1082.08	1146.37	41.16	250.32	224.60	888.43	1085.36
TGA	6375	3806	5837	2505	6575	3098	3932	2940	4452	4325	8206	1668	2899	2081	7920	8021
% to TGA	10.41	2.91	7.78	1.37	8.22	11.60	8.60	10.16	8.01	25.02	13.97	2.47	8.63	10.79	11.22	13.53


1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

## ORISSA Contd.....

Category	Kendrapara	Keonjhar	Khordha	Koraput	Malkangiri	Mayurbhanj	Nawaran-gapur	Nayagarh	Nuapada	Puri	Rayagada	Sambalpur	Sonepur	Sundargarh	Total
1	0.00	66.46	0.02	63.12	1.36	0.42	7.28	40.79	0.34	0.00	102.58	32.95	13.83	7.59	671.19
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	7.25	251.06	167.43	810.69	399.95	117.22	197.92	313.27	203.76	15.67	314.24	143.46	72.68	185.75	5445.08
4	0.00	48.48	114.92	15.46	24.33	5.58	39.68	67.16	19.91	1.81	8.22	88.95	15.90	4.23	1383.29
5	21.67	11.53	37.03	2.70	0.00	0.44	1.09	1.13	0.04	181.86	0.00	1.34	0.00	0.20	424.04
6	1.70	0.00	1.22	0.00	0.00	0.00	0.00	0.00	0.00	8.21	0.00	0.07	0.00	0.00	35.56
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	8.47
8	8.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	23.09
9	0.00	6.43	0.11	117.97	179.03	0.00	12.90	0.00	0.00	0.00	39.42	0.00	0.00	0.00	1023.83
10	0.00	3.75	0.00	30.88	107.79	0.00	0.36	0.00	0.00	0.00	8.98	0.00	0.00	0.00	421.61
11	5.52	141.62	144.14	107.70	337.85	102.90	309.65	455.90	217.40	10.49	114.95	289.31	148.35	221.25	4781.34
12	15.62	101.04	2.73	36.50	190.55	145.56	281.26	28.16	61.03	1.27	80.00	19.69	5.11	97.11	1842.28
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.02	0.00	0.30	0.00	0.00	0.00	0.00	0.60	0.00	0.00	0.00	0.00	0.00	0.00	1.88
15	1.56	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.00	0.00	0.00	0.00	2.79
16	3.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.30	0.00	0.00	0.00	0.00	34.15
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.43	7.90
21	0.00	7.81	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.82	10.67
22	0.00	23.17	4.00	27.83	39.93	91.66	6.23	48.77	15.00	0.00	10.81	1.91	18.07	7.87	531.11
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	64.55	661.62	471.90	1212.85	1280.79	463.78	856.37	955.78	517.48	231.73	679.20	577.67	273.95	526.24	16648.27
TGA	2644	8303	2813	8807	5791	10418	5291	3890	3852	3479	7073	6657	2337	9712	155707
% to TGA	2.44	7.97	16.78	13.77	22.12	4.45	16.19	24.57	13.43	6.66	9.60	8.68	11.72	5.42	10.69

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area


Figure. 38



## WASTELAND MAP 2005-06 ORISSA

**LEGEND**

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

**Partner Institution:**  
 Orissa State Remote Sensing Appn. Centre  
 (Dept. of Science & Technology)  
 Jayadev Vihar, Mythri Vihar PO  
 Bhubaneswar – 751023  
 Orissa

**Coordinated by:**  
 Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625

Table 49: Orissa - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	671.19	0.43	601.54	0.39	69.65	0.04
2	Gullied and/or ravinous land-Deep	0.00	0.00	8.01	0.01	-8.01	-0.01
3	Land with Dense Scrub	5445.08	3.50	7537.96	4.84	-2092.88	-1.34
4	Land with Open Scrub	1383.29	0.89	618.05	0.40	765.24	0.49
5	Waterlogged and Marshy land-Permanent	424.04	0.27	218.23	0.14	205.81	0.13
6	Waterlogged and Marshy land-Seasonal	35.56	0.02	171.45	0.11	-135.89	-0.09
7	Land affected by salinity/alkalinity-Moderate	8.47	0.01	32.65	0.02	-24.18	-0.02
8	Land affected by salinity/alkalinity-Strong	23.09	0.01	0.00	0.00	23.09	0.01
9	Shifting cultivation area-Current Jhum	1023.83	0.66	636.26	0.41	387.57	0.25
10	Shifting cultivation area-Abandoned Jhum	421.61	0.27	541.03	0.35	-119.42	-0.08
11	Under utilised/degraded notified forest land-Scrub dominated	4781.34	3.07	5217.25	3.35	-435.91	-0.28
12	Under utilised/degraded notified forest land-Agriculture	1842.28	1.18	2307.29	1.48	-465.01	-0.30
13	Degraded land under plantation Crops	1.88	0.00	135.68	0.09	-133.80	-0.09
14	Sands-Riverine	2.79	0.00	3.10	0.00	-0.31	0.00
15	Sands-Coastal	34.15	0.02	73.90	0.05	-39.75	-0.03
16	Mining wastelands	7.90	0.01	29.23	0.02	-21.33	-0.01
17	Industrial wastelands	10.67	0.01	1.83	0.00	8.84	0.01
18	Barren rocky area	531.11	0.34	819.29	0.53	-288.18	-0.19
	Total	16648.27	10.69	18952.75	12.17	-2304.47	-1.48
	TGA			155707.00			



Table 50: District - wise distribution of Wastelands

## PUNJAB

Category	Amritsar	Barnala	Bathinda	Faridkot	Fatehgarh Sahib	Firozpur	Gurdaspur	Hoshiarpur	Jalandhar	Kapurthala	Ludhiana	Mansa	Moga	Muktsar	Nawan shahr	Patiala	Rupnagar	Sangrur	SAS Nagar	Tarn taran	Total
1	1.27	0.00	0.00	0.00	0.00	0.00	18.72	4.44	0.00	0.00	0.00	0.00	0.00	0.00	22.49	0.00	12.99	0.00	11.17	11.04	82.12
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	9.76	0.00	0.00	0.00	0.00	7.09	6.19	34.80	0.46	5.87	0.35	0.00	0.00	0.00	2.16	2.62	24.16	0.00	9.90	6.58	109.94
4	0.53	0.00	0.17	1.52	0.43	5.38	0.37	9.59	1.04	1.63	0.91	0.00	0.92	4.68	4.66	4.50	33.77	0.00	24.28	0.91	95.29
5	0.84	0.00	0.04	3.22	0.00	1.28	31.86	4.30	0.08	5.26	0.77	0.00	0.00	27.98	0.02	0.00	2.02	0.00	0.00	0.34	78.01
6	2.02	0.00	0.00	0.00	0.00	0.59	13.74	6.58	0.00	0.81	0.49	1.14	0.00	8.83	0.00	0.08	0.00	0.11	0.00	0.00	34.39
7	0.97	0.00	1.85	0.82	0.00	5.41	0.11	0.00	0.01	0.30	0.00	0.00	0.14	7.34	0.00	3.83	0.00	0.00	9.07	0.29	30.14
8	0.24	0.00	0.21	0.19	0.00	17.17	0.00	0.00	0.11	1.02	0.00	0.00	0.00	8.44	0.00	0.01	0.00	0.00	0.01	0.47	27.87
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	0.00	0.00	7.47	0.00	0.00	8.93	28.98	0.00	0.00	0.00	0.00	0.00	0.00	3.97	1.05	14.47	0.00	4.41	0.19	69.47
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	6.25	0.00	0.00	0.00	0.00	15.31	12.22	25.77	2.78	0.99	8.88	0.39	0.25	0.00	3.87	0.05	10.06	0.00	0.25	10.85	97.92
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.01	16.81	133.50	7.16	0.00	73.02	0.00	0.00	1.11	0.58	3.91	71.15	2.25	52.50	0.00	6.34	0.00	25.88	0.00	0.13	394.35
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	21.89	16.81	135.77	20.38	0.43	125.25	92.14	114.46	5.59	16.46	15.31	72.68	3.56	109.77	37.17	18.48	97.47	25.99	59.09	30.80	1019.50
TGA	2671	1410	3375	1472	1142	5853	3566	3310	2643	1633	3762	2150	1672	2635	1260	3318	1376	3603	1093	2418	50362
% to TGA	0.82	1.19	4.02	1.38	0.04	2.14	2.58	3.46	0.21	1.01	0.41	3.38	0.21	4.17	2.95	0.56	7.08	0.72	5.41	1.27	2.02

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 39




## WASTELAND MAP 2005-06 PUNJAB



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:

Punjab Remote Sensing Center  
PAU Campus  
Ludhiana-141004  
Punjab

Coordinated by:

National Remote Sensing Centre  
ISRO, Dept. of Space, Govt. of India,  
Balanagar,  
Hyderabad - 500625

Table 51: Punjab - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	82.12	0.16	33.41	0.07	48.71	0.10
2	Gullied and/or ravinous land-Deep	0.00	0.00	0.00	0.00	0.00	0.00
3	Land with Dense Scrub	109.94	0.22	165.71	0.33	-55.77	-0.11
4	Land with Open Scrub	95.29	0.19	72.21	0.14	23.08	0.05
5	Waterlogged and Marshy land-Permanent	78.01	0.15	371.30	0.74	-293.29	-0.58
6	Waterlogged and Marshy land-Seasonal	34.39	0.07	28.53	0.06	5.86	0.01
7	Land affected by salinity/alkalinity-Moderate	30.14	0.06	17.23	0.03	12.91	0.03
8	Land affected by salinity/alkalinity-Strong	27.87	0.06	0.00	0.00	27.87	0.06
9	Under utilised/degraded notified forest land-Scrub dominated	69.47	0.14	4.62	0.01	64.85	0.13
10	Degraded land under plantation Crops	0.00	0.00	338.58	0.67	-338.58	-0.67
11	Sands-Riverine	97.92	0.19	118.57	0.24	-20.65	-0.04
12	Sands-Desertic	394.35	0.78	8.12	0.02	386.23	0.77
13	Mining wastelands	0.00	0.00	14.48	0.03	-14.48	-0.03
14	Industrial wastelands	0.00	0.00	0.08	0.00	-0.08	0.00
	Total	1019.50	2.02	1172.84	2.33	-153.34	-0.30
	TGA			50362.00			

Table 52: District - wise distribution of Wastelands

## RAJASTHAN

Category	Ajmer	Alwar	Barmer	Banswara	Baran	Bharatpur	Bhilwara	Bikaner	Bundi	Chittaurgarh	Churu	Dausa	Dholpur	Dungarpur	Ganganagar	Hanuman-garh	Jaipur
1	0.09	56.69	0.00	0.00	78.30	59.41	12.32	59.16	99.29	0.00	0.00	73.49	68.06	0.00	0.00	0.00	3.31
2	0.00	67.94	20.22	0.00	100.47	0.00	0.00	37.25	210.29	0.00	0.00	33.23	120.08	0.00	0.00	0.00	17.89
3	654.08	449.93	1032.84	169.50	191.44	193.16	1618.22	1430.39	247.19	866.63	52.82	129.78	315.96	371.09	21.95	13.66	181.24
4	910.43	83.24	384.68	164.26	131.87	58.70	768.28	265.73	37.20	442.76	343.38	93.33	83.08	552.60	89.39	33.61	874.92
5	8.31	0.00	0.00	0.00	0.00	0.00	0.00	0.37	0.00	0.00	1.32	0.00	0.00	0.00	0.00	5.00	10.10
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.97	1.40	0.00
7	11.98	0.20	123.12	0.00	0.00	0.25	0.00	0.00	0.00	2.54	14.71	0.17	0.00	0.00	0.00	0.00	19.12
8	19.90	0.00	9.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.39	0.15	0.00	0.00	0.00	0.00	39.87
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	210.79	111.10	124.69	629.12	1197.68	57.07	363.48	70.87	770.48	892.10	0.00	75.97	297.98	324.88	0.00	23.12	385.51
12	0.00	40.59	0.75	25.97	130.61	0.19	9.11	0.00	0.00	183.16	0.00	1.24	56.96	18.22	0.00	0.00	0.00
13	128.01	0.00	279.09	23.57	106.82	0.00	324.26	485.71	27.20	50.57	128.12	15.10	0.00	27.97	0.00	21.46	55.98
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.08	0.35	0.00	0.00	46.52	6.94	0.00	0.00	0.00	0.00	0.00	0.90	0.15	0.00	0.00	0.00	23.23
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	19.14	0.08	402.27	0.00	0.00	6.04	0.08	1111.56	0.35	0.00	58.42	0.48	0.00	0.00	154.59	330.54	97.69
18	0.00	0.00	1728.70	0.00	0.00	0.00	0.00	1278.94	0.00	0.00	0.00	0.00	0.00	0.00	1088.21	20.44	0.00
19	0.00	0.00	2598.27	0.00	0.00	0.00	0.00	5907.50	0.00	0.00	109.99	0.00	0.00	0.00	171.83	0.00	0.00
20	3.37	0.75	1.95	3.71	0.00	1.41	2.65	0.00	0.41	4.99	0.04	0.72	0.22	2.23	0.00	0.00	3.20
21	0.00	0.00	0.00	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.14	2.57	0.00	0.00	0.00
22	182.53	273.70	299.06	102.90	35.27	196.08	206.16	19.63	88.81	98.87	4.94	26.70	20.50	52.80	0.00	0.00	80.79
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	2148.69	1084.56	7005.56	1119.37	2018.97	579.25	3304.55	10667.12	1481.21	2541.62	714.14	451.25	963.00	1349.93	1531.49	449.23	1792.85
TGA	8481	8380	28387	5037	6955	5092	10455	27244	5550	10856	16830	3432	3008	3770	10978	9656	10636
% to TGA	25.34	12.94	24.68	22.22	29.03	11.38	31.61	39.15	26.69	23.41	4.24	13.15	32.01	35.81	13.95	4.65	16.86


1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

**RAJASTHAN Contd....**

Category	Jaisalmer	Jalore	Jhalawar	Jhunjhunu	Jodhpur	Karauli	Kota	Nagaur	Pali	Rajsamand	Sikar	Sirohi	Sawai madhopur	Tonk	Udaipur	Total
1	0.00	51.89	19.71	1.42	11.72	134.53	96.61	0.00	14.35	0.00	21.43	42.62	114.95	0.83	0.00	1020.17
2	0.00	20.42	0.26	27.46	0.00	26.95	156.24	0.00	0.00	0.00	2.64	10.74	9.36	3.32	0.00	864.75
3	8352.40	233.51	731.81	30.23	439.60	310.24	238.47	291.82	1188.03	1478.24	50.38	526.85	163.49	324.15	1362.60	23661.70
4	3870.31	80.84	374.63	324.37	945.42	60.69	19.84	289.53	361.50	328.08	392.10	400.07	156.77	269.22	1428.55	14619.38
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	38.05	0.00	0.00	0.09	1.62	0.00	0.00	0.00	64.88
6	15.33	0.00	0.00	0.00	27.57	0.00	0.00	0.00	7.01	0.00	0.67	0.00	0.00	0.00	0.00	54.94
7	11.36	11.91	0.00	0.00	48.97	0.00	0.00	18.09	77.78	0.00	6.93	0.00	0.00	0.00	0.00	347.12
8	40.67	36.66	0.00	0.00	6.18	0.00	0.00	102.56	7.72	0.00	4.48	0.00	0.62	0.00	0.00	269.12
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	145.87	161.06	604.36	169.99	57.53	1121.07	521.43	127.64	197.16	41.21	309.74	504.43	388.69	102.92	1377.87	11365.78
12	0.04	0.00	12.83	0.00	0.00	243.21	0.00	0.00	4.16	10.66	0.00	14.84	15.14	0.00	86.67	854.34
13	85.98	286.88	16.15	56.71	661.95	1.38	6.08	528.26	395.64	30.73	68.08	50.28	11.68	4.18	40.60	3918.42
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.03	0.00	15.48	4.10	0.00	0.34	0.00	69.59	0.09	19.85	4.51	2.59	1.94	0.00	196.69
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	528.99	285.73	0.00	19.21	1084.12	0.05	0.00	327.84	8.87	0.00	178.00	33.16	8.54	0.16	0.00	4655.88
18	6905.69	20.57	0.00	0.00	145.66	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	11188.21
19	5058.99	132.30	0.00	0.00	1349.97	0.00	0.00	248.36	0.00	0.00	0.00	9.24	0.00	0.00	0.00	15586.44
20	0.84	0.91	3.30	0.00	20.59	0.56	0.53	4.27	5.85	12.52	0.12	4.97	0.36	0.17	26.21	106.86
21	0.00	0.61	0.00	0.00	0.99	0.00	0.00	0.00	1.37	0.00	0.00	2.08	0.00	0.00	0.97	9.06
22	1228.13	173.30	13.90	32.69	500.21	55.44	11.32	92.67	289.24	392.05	28.33	117.27	12.33	22.49	247.63	4905.72
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>26244.58</b>	<b>1496.61</b>	<b>1776.94</b>	<b>677.56</b>	<b>5304.56</b>	<b>1954.13</b>	<b>1050.85</b>	<b>2069.09</b>	<b>2628.27</b>	<b>2293.56</b>	<b>1082.84</b>	<b>1722.69</b>	<b>884.51</b>	<b>729.38</b>	<b>4571.11</b>	<b>93689.47</b>
TGA	38401	10640	6219	5928	22850	5524	5481	17718	12387	4689	7732	5136	5003	7194	12590	342239
% to TGA	68.34	14.07	28.57	11.43	23.21	35.38	19.17	11.68	21.22	48.91	14.00	33.54	17.68	10.14	36.31	27.38

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 40




## WASTELAND MAP 2005-06 RAJASTHAN



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:

Regional Remote Sensing Service Centre  
Dept. of Space, Govt. of India,  
CAZRI Campus,  
JODHPUR - 342003  
Rajasthan

Coordinated by:

National Remote Sensing Centre  
ISRO, Dept. of Space, Govt. of India,  
Balanagar,  
Hyderabad - 500625

Table 53: Rajasthan - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	1020.17	0.30	5062.08	1.48	-4041.91	-1.18
2	Gullied and/or ravinous land-Deep	864.75	0.25	1538.81	0.45	-674.06	-0.20
3	Land with Dense Scrub	23661.70	6.91	30010.58	8.77	-6348.88	-1.86
4	Land with Open Scrub	14619.38	4.27	6846.24	2.00	7773.14	2.27
5	Waterlogged and Marshy land-Permanent	64.88	0.02	115.92	0.03	-51.04	-0.01
6	Waterlogged and Marshy land-Seasonal	54.94	0.02	144.06	0.04	-89.12	-0.03
7	Land affected by salinity/alkalinity-Moderate	347.12	0.10	3132.12	0.92	-2785.00	-0.81
8	Land affected by salinity/alkalinity-Strong	269.12	0.08	633.60	0.19	-364.48	-0.11
9	Under utilised/degraded notified forest land-Scrub dominated	11365.78	3.32	8909.91	2.60	2455.87	0.72
10	Under utilised/degraded notified forest land-Agriculture	854.34	0.25	710.30	0.21	144.04	0.04
11	Degraded pastures/grazing land	3918.42	1.14	8766.47	2.56	-4848.05	-1.42
12	Degraded land under plantation Crops	0.00	0.00	181.28	0.05	-181.28	-0.05
13	Sands-Riverine	196.69	0.06	189.56	0.06	7.13	0.00
14	Sands-Desertic	4655.88	1.36	10275.09	3.00	-5619.20	-1.64
15	Sands-Semi stabilised-Stabilised >40m	11188.21	3.27	2672.88	0.78	8515.33	2.49
16	Sands-Semi stabilised- Stabilised Moderate High 15-40m	15586.44	4.55	16380.70	4.79	-794.27	-0.23
17	Mining wastelands	106.86	0.03	233.77	0.07	-126.91	-0.04
18	Industrial wastelands	9.06	0.00	398.68	0.12	-389.61	-0.11
19	Barren rocky area	4905.72	1.43	5251.80	1.53	-346.07	-0.10
	Total	93689.47	27.38	101453.85	29.64	-7764.38	-2.27
	TGA			342239.00			

**Table 54: District - wise distribution of Wastelands**

**SIKKIM**

Category	East Sikkim	North Sikkim	South Sikkim	West Sikkim	Total
1	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00
3	0.00	0.00	0.00	0.00	0.00
4	1.03	2.54	2.26	0.53	6.37
5	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00
11	4.51	24.45	15.05	16.94	60.96
12	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00
22	111.67	351.15	5.09	111.99	579.90
23	5.12	2474.07	29.19	125.28	2633.66
Total	122.34	2852.21	51.58	254.75	3280.88
TGA	954.00	4226.00	750.00	1166.00	7096.00
% to TGA	12.82	67.49	6.88	21.85	46.24

**Table 56: District - wise distribution of Wastelands**


**TRIPURA**

Category	North Tripura	South Tripura	West Tripura	Dhalai	Total
1	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00
3	26.77	44.56	122.59	35.52	229.44
4	40.77	59.51	178.56	19.57	298.41
5	0.12	0.00	0.56	0.00	0.68
6	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00
9	4.13	23.13	12.64	49.38	89.28
10	99.13	7.86	19.81	38.03	164.83
11	120.26	127.14	138.65	136.47	522.52
12	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00
15	3.98	0.66	1.89	3.48	10.01
16	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00
Total	295.16	262.86	474.70	282.45	1315.17
TGA	2113	3013	3050	2310	10486
% to TGA	13.97	8.72	15.56	12.23	12.54

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Total Geog. Area (TGA) : 7096.00 sq.km.  
 Total Wasteland Area : 3280.88 sq. km.  
 Wasteland Area : 46.24%

Figure. 41



## WASTELAND MAP


2005-06

SIKKIM



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area




Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

Partner Institution:  
 Regional Remote Sensing Service Centre  
 Dept of Space  
 IIT Campus  
 Kharagpur-721302  
 West Bengal

Coordinated by:  
 Land Use Division, LRG, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625


Figure. 42



## WASTELAND MAP 2005-06 TRIPURA

**LEGEND**

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

**Partner Institution:**  
Tripura State Council for Science & Tech  
Vigyan Bhawan  
Gurkha Basti  
Agartala- 799006  
Tripura

**Coordinated by:**  
Land Use Division, LRC, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

Table 55: Sikkim - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Open Scrub	6.37	0.09	0.00	0.00	6.37	0.09
2	Under utilised/degraded notified forest land-Scrub dominated	60.96	0.86	746.14	10.51	-685.18	-9.66
3	Sands-Riverine	0.00	0.00	5.73	0.08	-5.73	-0.08
4	Barren rocky area	579.90	8.17	1244.18	17.53	-664.28	-9.36
5	Snow covered and glacial area	2633.66	37.11	1812.16	25.54	821.50	11.58
	Total	3280.88	46.24	3808.21	53.67	-527.33	-7.43
	TGA			7096.00			

Table 57: Tripura - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	229.44	2.19	275.22	2.62	-45.78	-0.44
2	Land with Open Scrub	298.41	2.85	0.00	0.00	298.41	2.85
3	Waterlogged and Marshy land-Permanent	0.68	0.01	0.00	0.00	0.68	0.01
4	Waterlogged and Marshy land-Seasonal	0.00	0.00	12.44	0.12	-12.44	-0.12
5	Shifting cultivation area-Current Jhum	89.28	0.85	284.89	2.72	-195.61	-1.87
6	Shifting cultivation area-Abandoned Jhum	164.83	1.57	110.37	1.05	54.46	0.52
7	Under utilised/degraded notified forest land-Scrub dominated	522.52	4.98	640.05	6.10	-117.53	-1.12
8	Under utilised/degraded notified forest land-Agriculture	0.00	0.00	0.00	0.00	0.00	0.00
9	Sands-Riverine	10.01	0.10	0.00	0.00	10.01	0.10
	Total	1315.17	12.54	1322.97	12.62	-7.80	-0.07
	TGA			10486.00			

Table 58: District - wise distribution of Wastelands

## TAMIL NADU

Category	Chennai	Coimbatore	Cuddalore	Dharma-puri	Dindigul	Erode	Kancheepuram	Kanniyakumari	Karur	Krishnagiri	Madurai	Nagapattinam	Namakkal	Perambalur	Pudukkotai	Ramanathapuram
1	0.00	0.00	0.00	0.00	0.00	0.00	1.26	0.00	0.91	0.00	0.00	0.00	0.00	74.47	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.91	0.00	0.00
3	0.20	22.97	3.23	134.43	290.31	34.19	20.38	45.79	85.22	198.20	150.61	0.00	48.09	7.70	26.72	5.38
4	0.00	165.53	20.84	145.67	113.30	116.25	93.54	1.40	59.74	183.56	89.22	0.53	52.65	35.63	18.02	3.58
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	28.14	0.00	0.00	0.00	0.00
6	0.00	0.00	3.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	17.65	0.00	0.00	0.24	0.78
7	0.00	3.13	19.56	8.41	0.28	1.21	29.35	0.00	0.31	1.07	6.96	0.00	0.46	13.42	32.41	12.13
8	0.00	1.06	1.09	0.70	0.00	0.00	0.29	0.00	0.22	1.75	0.74	0.00	0.77	0.06	2.06	1.08
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.69	184.84	19.68	86.28	94.61	400.28	67.96	75.56	2.78	47.51	30.21	0.00	33.82	67.25	38.31	0.00
12	0.00	2.21	0.14	0.00	1.03	1.22	3.01	0.00	0.00	0.00	6.32	0.00	0.00	6.42	4.79	0.00
13	0.00	1.84	0.00	0.00	66.11	910.60	0.00	0.00	58.87	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	4.18	6.11	0.00	0.00	0.00	4.55	0.00	0.00	0.50	0.00	0.00	0.00	1.98	1.65	8.53
15	0.00	0.00	0.58	0.00	0.00	0.15	0.58	0.00	0.42	0.00	3.42	0.00	0.27	0.79	14.90	0.58
16	0.57	0.00	8.43	0.00	0.00	0.00	30.27	10.03	0.00	0.00	0.00	9.52	0.00	0.00	1.89	83.65
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	4.00	34.62	0.00	5.66	2.56	0.90	0.00	2.73	0.00	4.93	0.00	1.11	2.10	0.93	0.00
21	0.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	19.27	0.00	11.12	11.28	8.03	2.95	1.93	8.93	12.49	22.93	0.00	23.72	4.57	2.46	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	2.15	409.04	117.36	386.60	582.58	1474.48	255.05	134.71	220.13	445.09	315.33	55.84	160.90	215.31	144.38	115.70
TGA	171.00	7468.00	3645.00	5177.00	6058.00	8165.00	4433.00	1674.00	3004.00	4465.00	3774.00	2718.00	3430.00	1751.00	4664.00	4061.00
% to TGA	1.26	5.48	3.22	7.47	9.62	18.06	5.75	8.05	7.33	9.97	8.36	2.05	4.69	12.30	3.10	2.85

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area



## TAMIL NADU Contd....

Category	Salem	Sivaganga	Thanjavur	Nilgiris	Theni	Thiruvallur	Thiruvarur	Thoothukudi	Tiruchirapalli	Tirunelveli	Tiruvannamalai	Vellore	Viluppuram	Virudhunagar	Total
1	0.00	7.33	0.00	0.00	0.00	0.00	0.00	0.00	22.03	0.63	0.00	0.00	1.33	0.00	107.97
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.91
3	111.04	28.65	4.25	56.24	387.03	71.10	0.00	40.83	40.16	179.72	0.00	96.86	13.10	25.73	2128.14
4	142.88	37.59	5.94	37.18	64.94	104.81	0.25	33.16	51.89	87.92	74.50	171.37	82.88	32.65	2027.41
5	0.00	0.00	0.00	0.00	0.00	0.00	27.17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	55.31
6	0.00	0.00	0.00	0.00	0.00	0.00	46.51	0.00	0.00	0.00	0.00	0.00	0.00	0.00	68.25
7	3.24	22.40	3.81	0.00	0.00	12.05	0.00	7.72	11.61	23.47	4.08	6.24	34.61	38.07	296.00
8	0.00	7.57	0.00	0.00	0.00	0.62	0.00	0.10	0.39	11.66	46.53	0.23	1.74	5.17	83.82
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	53.83	13.28	0.00	201.04	50.96	14.49	0.00	40.39	59.63	110.68	366.38	303.89	187.50	48.67	2600.55
12	0.32	10.30	0.00	1.66	0.31	1.34	0.00	2.17	3.05	1.35	3.01	7.33	2.81	2.35	61.13
13	4.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1041.74
14	0.00	1.90	1.19	1.36	0.00	6.77	0.00	0.00	0.00	0.00	0.59	0.00	2.57	0.00	41.88
15	0.00	1.13	4.48	0.00	0.00	0.28	0.11	0.04	2.43	0.71	1.75	1.15	0.25	0.13	34.15
16	0.00	0.00	1.01	0.00	0.00	5.30	0.03	28.45	0.00	8.34	0.00	0.00	13.13	0.00	200.63
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	15.31	0.00	0.00	0.04	0.00	0.55	0.00	1.11	2.09	5.83	0.00	0.60	0.00	5.12	90.18
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.25	0.00	0.00	0.00	0.00	0.00	0.00	3.94
22	14.10	2.39	0.00	1.42	20.48	0.00	0.00	3.18	17.71	31.44	39.39	11.17	7.75	4.83	283.56
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>345.04</b>	<b>132.53</b>	<b>20.67</b>	<b>298.94</b>	<b>523.71</b>	<b>217.32</b>	<b>74.07</b>	<b>160.41</b>	<b>211.01</b>	<b>461.75</b>	<b>536.24</b>	<b>598.83</b>	<b>347.67</b>	<b>162.71</b>	<b>9125.56</b>
TGA	5220.00	4189.00	3397.00	2549.00	3067.00	3423.00	2098.00	4591.00	6236.00	6824.00	6191.00	6077.00	7255.00	4283.00	130058.00
% to TGA	6.61	3.16	0.61	11.73	17.08	6.35	3.53	3.49	3.38	6.77	8.66	9.85	4.79	3.80	7.02

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Total Geog. Area (TGA) : 130058.00 sq.km.  
 Total Wasteland Area : 9125.56 sq. km.  
 Wasteland Area : 7.02%

Figure. 43




## WASTELAND MAP 2005-06 TAMIL NADU



### LEGEND

- [Color Box] Gullied/ Ravine land-Medium ravine (1)
- [Color Box] Gullied/Ravine land-Deep/ very deep ravine (2)
- [Color Box] Scrubland - Land with dense scrub (3)
- [Color Box] Scrubland - Land with open scrub (4)
- [Color Box] Waterlogged and marshy land - Permanent (5)
- [Color Box] Waterlogged and marshy land - Seasonal (6)
- [Color Box] Land Affected by Salinity/Alkalinity - Moderate (7)
- [Color Box] Land Affected by Salinity/Alkalinity - Strong (8)
- [Color Box] Shifting cultivation - Current jhum (9)
- [Color Box] Shifting cultivation - Abandoned jhum (10)
- [Color Box] Under-utilised Deg Notif Forest - Scrub Dom (11)
- [Color Box] Under-utilised Deg Notif Forest - Agriculture (12)
- [Color Box] Degraded Pastures/ grazing land (13)
- [Color Box] Degraded Land under Plantation Crop (14)
- [Color Box] Sands - Desert sand (15)
- [Color Box] Sands - Coastal sand (16)
- [Color Box] Sands - Riverine (17)
- [Color Box] Sands - Semi-stab to stab (>40m) dune (18)
- [Color Box] Sands-Semi-stab to stab mod high(15-40m) dune (19)
- [Color Box] Mining Wastelands (20)
- [Color Box] Industrial Wastelands (21)
- [Color Box] Barren rocky area (22)
- [Color Box] Snow cover and/ or glacial area (23)
- [Color Box] Non Wasteland Area
- [Red Line] Major Road
- [Black Line] Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

Partner Institution:

Institute of Remote Sensing  
 Anna University  
 Guindy  
 Chennai - 600025  
 Tamil Nadu

Coordinated by:

National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Hyderabad - 500025

Table 59: Tamilnadu - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	2005-06	%	2003	%	Change	Area in sq.km.	% diff
1	Gullied and/or ravinous land-Medium	107.97	0.08	169.73	0.13	-61.76	-61.76	-0.05
2	Gullied and/or ravinous land-Deep	0.91	0.00	0.04	0.00	0.87	0.87	0.00
3	Land with Dense Scrub	2128.14	1.64	4539.72	3.49	-2411.58	-2411.58	-1.85
4	Land with Open Scrub	2027.41	1.56	1055.68	0.81	971.73	971.73	0.75
5	Waterlogged and Marshy land-Permanent	55.31	0.04	286.77	0.22	-231.46	-231.46	-0.18
6	Waterlogged and Marshy land-Seasonal	68.25	0.05	101.54	0.08	-33.29	-33.29	-0.03
7	Land affected by salinity/alkalinity-Moderate	296.00	0.23	728.39	0.56	-432.39	-432.39	-0.33
8	Land affected by salinity/alkalinity-Strong	83.82	0.06	162.15	0.12	-78.33	-78.33	-0.06
9	Under utilised/degraded notified forest land-Scrub dominated	2600.55	2.00	8060.01	6.20	-5459.46	-5459.46	-4.20
10	Under utilised/degraded notified forest land-Agriculture	61.13	0.05	71.37	0.05	-10.24	-10.24	-0.01
11	Degraded pastures/grazing land	1041.74	0.80	115.28	0.09	926.46	926.46	0.71
12	Degraded land under plantation Crops	41.88	0.03	78.58	0.06	-36.70	-36.70	-0.03
13	Sands-Riverine	34.15	0.03	45.79	0.04	-11.64	-11.64	-0.01
14	Sands-Coastal	200.63	0.15	339.81	0.26	-139.18	-139.18	-0.11
15	Mining wastelands	90.18	0.07	164.35	0.13	-74.17	-74.17	-0.06
16	Industrial wastelands	3.94	0.00	21.53	0.02	-17.59	-17.59	-0.01
17	Barren rocky area	283.56	0.22	1362.55	1.05	-1078.99	-1078.99	-0.83
	Total	9125.57	7.02	17303.29	13.30	-8177.72	-8177.72	-6.29
	TGA			130058.00				

Table 60: District - wise distribution of Wastelands


## UTTARAKHAND

Category	Almora	Bageshwar	Chamoli	Champawat	Dehradun	Garhwal	Haridwar	Nainital	Pithoragarh	Rudraprayag	Tehri Garhwal	Udham Singh Nagar	Uttarkashi	Total
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	30.47	0.00	5.62	12.78	39.26	89.65	0.00	11.78	7.85	0.00	9.93	0.00	3.94	211.28
4	64.04	46.02	19.46	37.72	195.82	98.25	64.75	40.95	150.38	12.70	68.52	7.99	266.52	1073.12
5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
6	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	36.95	61.32	73.54	65.94	15.81	127.68	7.43	63.45	48.89	56.58	92.80	6.32	57.83	714.54
12	1.64	7.77	2.43	0.00	0.00	0.00	0.00	0.96	2.01	0.00	0.00	0.00	1.14	15.95
13	0.00	69.59	95.66	5.59	0.00	0.86	0.00	0.00	23.27	0.01	0.00	0.00	215.78	410.76
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.98	0.00	1.98
15	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.31
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.54	0.08	0.11	0.00	0.00	0.03	0.00	0.22	0.63	0.00	0.00	0.00	0.00	1.61
21	0.00	1.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.00	1.48
22	2.66	28.45	367.70	1.67	1.46	1.21	0.00	2.04	576.62	0.00	0.77	0.00	159.58	1142.16
23	0.00	213.26	2672.30	0.00	0.00	0.00	0.00	0.00	2656.55	335.11	275.30	0.00	3064.35	9216.87
<b>Total</b>	<b>136.30</b>	<b>427.87</b>	<b>3236.82</b>	<b>123.7</b>	<b>252.35</b>	<b>317.75</b>	<b>72.18</b>	<b>119.4</b>	<b>3466.20</b>	<b>404.4</b>	<b>447.32</b>	<b>16.63</b>	<b>3769.14</b>	<b>12790.06</b>
TGA	3134	2250	8030	1766.00	3088	5327	2360	4216	7091	1984	3642	2579	8016	53483
% to TGA	4.35	19.02	40.31	7.00	8.17	5.96	3.06	2.83	48.88	20.38	12.28	0.64	47.02	23.91

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 44

Total Geog. Area (TGA) : 53483.00 sq.km.  
 Total Wasteland Area : 12790.06 sq. km.  
 Wasteland Area : 23.91%




## WASTELAND MAP 2005-06 UTTARAKHAND



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dorn (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

Partner Institution:  
 Uttarakhand Space Application Centre  
 Vasant Vihar  
 Dehradun  
 Uttarakhand

Coordinated by:  
 Land Use Division, LRC, RS & GIS - AA  
 National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Balanagar,  
 Hyderabad - 500625

Table 61: Uttarakhand - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	0.00	0.00	52.21	0.10	-52.21	-0.10
2	Gullied and/or ravinous land-Deep	0.00	0.00	7.97	0.01	-7.97	-0.01
3	Land with Dense Scrub	211.28	0.40	2363.25	4.42	-2151.97	-4.02
4	Land with Open Scrub	1073.12	2.01	169.66	0.32	903.46	1.69
5	Waterlogged and Marshy land-Permanent	0.00	0.00	123.96	0.23	-123.96	-0.23
6	Waterlogged and Marshy land-Seasonal	0.00	0.00	64.66	0.12	-64.66	-0.12
7	Land affected by salinity/alkalinity-Moderate	0.00	0.00	2.29	0.00	-2.29	0.00
8	Land affected by salinity/alkalinity-Strong	0.00	0.00	4.57	0.01	-4.57	-0.01
9	Under utilised/degraded notified forest land-Scrub dominated	714.54	1.34	1069.48	2.00	-354.94	-0.66
10	Under utilised/degraded notified forest land-Agriculture	15.95	0.03	131.91	0.25	-115.96	-0.22
11	Degraded pastures/grazing land	410.76	0.77	1404.17	2.63	-993.41	-1.86
12	Degraded land under plantation Crops	1.98	0.00	43.06	0.08	-41.08	-0.08
13	Sands-Riverine	0.31	0.00	40.27	0.08	-39.96	-0.07
14	Mining wastelands	1.61	0.00	5.10	0.01	-3.49	-0.01
15	Industrial wastelands	1.48	0.00	0.06	0.00	1.42	0.00
16	Barren rocky area	1142.16	2.14	1495.31	2.80	-353.15	-0.66
17	Snow covered and glacial area	9216.87	17.23	9119.54	17.05	97.33	0.18
	Total	12790.06	23.91	16097.47	30.10	-3307.41	-6.18
	TGA			53483.00			

**Table 62: District - wise distribution of Wastelands**

**UTTAR PRADESH**

Category	Agra	Aligarh	Allaha-bad	Ambed-karnagar	Auraiya	Azam-garh	Badaun	Bagpat	Ballia	Balram-pur	Banda	Bara-banki	Barely	Basti	Bhairch	Bijnor	Buland-shair	Chandauli	Chitrakoot	Deoria	Etah	Etawah	Faiza-bad	Farrukha-bad	Fatehpur
1	102.91	0.00	33.25	4.10	13.44	33.76	0.71	0.00	0.00	0.00	102.86	18.60	0.00	3.02	0.00	0.00	7.59	0.00	8.63	0.00	0.00	15.40	7.05	0.00	80.99
2	56.08	0.00	0.00	0.00	42.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	20.63	0.00	0.00	0.00
3	12.85	3.81	51.03	1.81	0.00	7.96	96.75	1.23	78.32	15.84	2.91	49.85	4.16	8.50	57.46	1.26	10.15	27.15	40.50	15.54	0.73	0.00	18.42	1.28	4.19
4	37.33	0.67	69.11	9.97	0.00	41.83	40.61	0.00	0.00	64.24	5.65	48.86	26.30	12.02	72.03	1.45	2.23	18.48	112.27	3.72	3.80	0.21	16.75	19.57	1.90
5	0.00	17.77	23.07	1.99	0.00	47.80	6.03	0.00	4.95	11.28	0.00	11.28	1.18	6.25	3.36	0.00	5.38	5.55	0.00	3.40	2.13	0.00	0.51	0.66	4.39
6	0.03	5.91	19.76	13.36	7.26	17.23	3.87	0.00	1.98	20.37	0.00	13.84	0.66	36.09	2.27	0.78	3.93	1.74	0.00	2.12	9.71	1.38	9.47	32.44	11.11
7	6.53	45.64	17.49	11.56	82.52	70.96	8.36	0.00	3.80	0.00	0.00	27.99	2.99	0.64	0.00	0.00	15.19	0.95	0.00	0.00	108.35	49.44	12.97	51.58	112.76
8	2.04	7.21	15.68	5.17	14.17	35.66	14.94	0.00	3.76	0.00	0.00	14.85	2.13	0.44	0.00	0.00	7.65	2.43	0.00	0.00	17.01	4.23	7.04	0.20	14.33
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
11	191.69	0.03	21.24	0.00	66.43	0.00	24.11	0.57	0.00	46.63	1.65	3.28	0.00	0.00	82.34	0.75	6.45	14.59	34.37	0.00	0.00	196.83	0.00	0.00	0.00
12	0.00	0.00	0.00	0.00	0.18	0.00	0.27	0.03	0.00	1.04	0.00	0.00	0.00	0.00	14.51	0.00	0.46	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
13	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.59	0.00	0.00	0.00	13.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.48	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
15	0.00	0.00	1.56	0.22	0.00	3.61	0.00	0.00	19.29	0.00	0.00	0.36	13.08	1.55	0.00	0.00	0.00	0.12	0.00	0.07	0.00	0.65	0.06	0.82	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
21	0.00	0.00	3.78	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
22	13.46	0.00	146.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.42	0.00	0.00	0.00	0.00	0.00	0.00	3.98	17.94	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
<b>Total</b>	<b>423.32</b>	<b>81.04</b>	<b>402.30</b>	<b>48.18</b>	<b>226.93</b>	<b>258.81</b>	<b>195.65</b>	<b>1.83</b>	<b>112.10</b>	<b>162.88</b>	<b>117.08</b>	<b>188.91</b>	<b>50.50</b>	<b>68.51</b>	<b>245.76</b>	<b>4.24</b>	<b>59.03</b>	<b>74.99</b>	<b>213.71</b>	<b>24.85</b>	<b>141.73</b>	<b>288.77</b>	<b>72.27</b>	<b>106.55</b>	<b>229.67</b>
TGA	4027	2881	5482	2350	2015	4054	5168	1321	2981	3349	4460	4402	4120	2688	4420	4561	4352	2541	3164	2538	4446	2311	2341	2181	4152
% to TGA	10.51	2.81	7.34	2.05	11.26	6.38	3.79	0.14	3.76	4.86	2.63	4.29	1.23	2.55	5.56	0.09	1.36	2.95	6.75	0.98	3.19	12.50	3.09	4.89	5.53

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

### UTTAR PRADESH Contd....

Category	Firozabad	Ghazia-bad	Ghazipur	Gonda	Gorak-pur	Gutam-bud-danagar	Hamirpur	Hardoi	Jalaun	Jaunpur	Jhansi	Jyotiba-raophu-lenagar	Kannauj	Kanpur R	Kanpur U	Kanshi-ramna-gar	Kosambi	Kushna-gar	Lakh-impur Kheri	Lalitpur	Luckh-now	Maha-mayana-gar	Maharaj-ganj	Mahoba
1	31.47	2.14	3.28	0.00	0.00	0.54	90.30	3.12	166.78	33.04	112.96	0.00	0.00	82.13	23.92	0.00	2.57	0.36	0.00	0.00	0.07	2.08	0.00	5.81
2	68.34	0.00	0.00	0.00	0.00	0.00	14.44	0.00	34.10	0.00	8.08	0.00	0.00	20.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
3	0.10	8.47	0.65	30.89	13.68	5.75	2.82	1.73	1.90	1.65	50.60	9.04	0.45	0.00	4.69	25.58	0.00	8.57	86.54	116.21	1.38	0.32	0.00	2.47
4	0.00	0.23	11.66	91.07	0.01	4.48	2.75	43.67	1.79	17.06	235.18	6.20	15.12	5.63	26.63	9.60	2.40	0.64	31.73	152.99	8.05	0.13	1.60	36.11
5	0.00	12.61	8.35	4.47	9.33	1.67	0.00	4.53	0.00	10.98	0.00	0.00	0.49	0.66	0.27	28.34	1.34	2.32	32.77	0.00	0.60	9.57	0.71	0.00
6	0.83	3.51	4.23	9.82	30.56	0.47	0.00	27.44	0.00	44.52	0.00	11.17	5.17	9.94	10.64	4.14	3.76	16.83	14.08	0.00	15.54	9.09	5.23	0.00
7	67.83	0.50	40.85	0.00	2.01	2.78	1.25	131.33	0.00	76.42	0.00	6.15	123.45	133.39	91.12	19.56	8.08	0.31	10.97	0.00	89.20	41.82	0.14	0.00
8	12.18	0.00	2.52	0.00	0.98	1.75	0.00	27.99	0.00	48.31	0.00	0.00	10.84	11.47	6.23	0.32	32.75	0.00	1.73	0.00	35.48	25.21	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	50.93	1.76	0.00	21.96	0.00	0.86	97.04	0.12	141.17	0.00	63.04	18.61	0.00	41.68	9.81	0.00	0.00	0.00	136.30	76.90	0.00	0.82	26.06	10.23
12	0.00	0.00	0.00	2.68	0.00	0.00	0.15	0.00	1.81	0.00	1.81	0.00	0.00	0.00	0.00	0.00	0.00	0.49	12.63	0.00	0.00	0.00	12.41	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	5.17	1.33	26.24	3.27	0.00	0.34	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.99	0.00	0.00	0.00	0.00	0.00
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.04	0.00	0.00	0.00	2.20
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.24	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	61.53	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	62.33	0.00	0.00	0.00	16.79
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	231.68	29.22	76.71	162.22	82.81	21.57	208.75	240.27	347.55	231.98	539.21	51.17	155.52	304.93	173.31	87.54	50.90	29.52	333.74	410.71	150.32	89.04	46.15	73.61
TGA	2361	1148	3377	4003	3321	1442	4282	5986	4565	4038	5024	2249	2093	3021	3155	1958	1780	2906	7680	5039	2528	1840	2948	2884
% to TGA	9.81	2.55	2.27	4.05	2.49	1.50	4.88	4.01	7.61	5.74	10.73	2.28	7.43	10.09	5.49	4.47	2.86	1.02	4.35	8.15	5.95	4.84	1.57	2.55



1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

### UTTAR PRADESH Contd....

Category	Mainpuri	Mathura	Mau Nath Bhanjan	Meerut	Mirzapur	Moradabad	Muzaffarnagar	Pilibhit	Pratapgarh	Rae Bareli	Rampur	Saharanpur	St. Kabirnagar	Santravidasnagar	Shahjahanpur	Shravasti	Siddharthnagar	Sitapur	Sonbadra	Sultanpur	Unno	Varanasi	Total
1	0.00	20.88	2.03	0.00	5.96	0.00	0.00	0.00	60.12	22.92	0.00	0.00	0.50	10.88	0.00	0.00	0.00	1.61	0.00	88.98	0.00	9.72	1216.48
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	264.63
3	0.94	27.20	9.04	4.47	26.48	1.91	16.98	76.89	0.00	9.97	2.99	1.42	0.00	0.00	19.53	16.64	0.06	12.16	29.43	0.58	17.87	0.44	1160.19
4	2.47	12.52	2.51	0.00	157.36	1.71	0.78	30.70	0.00	18.65	4.32	0.52	3.90	0.00	35.00	26.40	7.74	42.85	155.26	6.37	10.80	1.53	1835.12
5	0.00	15.95	10.89	0.00	0.00	0.00	0.00	2.25	7.72	8.08	0.00	0.00	0.00	4.14	9.23	1.45	0.84	18.24	0.00	7.58	0.00	4.18	376.54
6	12.08	2.29	4.02	29.44	0.00	0.00	0.00	3.19	33.06	33.05	1.84	0.00	7.62	2.30	4.44	1.72	29.34	13.27	0.00	81.20	17.17	2.81	721.12
7	140.50	4.64	12.95	0.00	1.12	0.00	0.00	0.02	94.07	115.23	0.38	0.00	0.00	13.95	19.24	0.00	0.00	35.34	0.00	107.06	162.48	9.42	2193.28
8	12.01	0.31	15.47	0.00	0.00	0.00	0.00	0.00	65.89	103.75	0.00	0.00	0.00	12.53	1.46	0.00	0.00	4.35	0.00	49.65	59.20	7.14	718.46
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	0.00	1.54	0.00	1.09	117.02	0.00	11.75	57.29	0.00	0.00	5.74	1.13	0.00	0.00	4.97	7.88	0.29	23.07	236.40	0.89	0.00	0.00	1857.31
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	10.36	0.00	0.00	0.00	0.00	0.00	0.00	0.54	0.00	0.00	3.12	2.12	0.00	0.00	0.00	64.61
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	21.47
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.48
15	0.00	0.00	0.00	0.00	0.00	0.28	0.00	8.69	0.00	0.00	8.15	0.00	0.00	0.00	6.00	0.00	0.43	0.00	0.00	0.09	0.00	1.55	109.92
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.36	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.29	0.00	0.00	0.00	0.00	6.26	0.00	0.00	16.16
21	0.00	0.00	0.00	0.00	0.04	2.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	1.02	0.00	0.00	0.00	0.00	9.98	0.00	0.00	0.00	18.07
22	0.00	0.23	0.00	0.00	85.74	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	411.75
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	168.00	85.56	56.91	35.00	394.08	5.91	29.51	189.39	260.86	311.65	23.42	3.07	12.02	45.11	100.41	60.78	38.70	154.01	439.45	342.40	267.52	36.79	10988.59
TGA	2760	3340	1713	2590	4521	3718	4008	3499	3717	4609	2367	3689	1646	1015	4575	2458	2895	5743	6788	4436	4558	1535	240928
% to TGA	6.09	2.56	3.32	1.35	8.72	0.16	0.74	5.41	7.02	6.76	0.99	0.08	0.73	4.44	2.19	2.47	1.34	2.68	6.47	7.72	5.87	2.40	4.56

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Figure. 45




## WASTELAND MAP 2005-06 UTTAR PRADESH



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dorn (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:  
Remote Sensing Application Centre  
Uttar Pradesh  
Jankipuram  
Kursi Road  
Lucknow - 226021

Coordinated by:  
Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

Table 63: Uttar Pradesh - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	1216.48	0.50	3014.18	1.25	-1797.70	-0.75
2	Gullied and/or ravinous land-Deep	264.63	0.11	238.60	0.10	26.03	0.01
3	Land with Dense Scrub	1160.19	0.48	3001.78	1.25	-1841.59	-0.76
4	Land with Open Scrub	1835.12	0.76	617.16	0.26	1217.96	0.51
5	Waterlogged and Marshy land-Permanent	376.54	0.16	884.28	0.37	-507.74	-0.21
6	Waterlogged and Marshy land-Seasonal	721.12	0.30	964.29	0.40	-243.17	-0.10
7	Land affected by salinity/alkalinity-Moderate	2193.28	0.91	3284.48	1.36	-1091.20	-0.45
8	Land affected by salinity/alkalinity-Strong	718.46	0.30	1558.01	0.65	-839.55	-0.35
9	Shifting cultivation area-Abandoned Jhum	0.00	0.00	20.35	0.01	-20.35	-0.01
10	Under utilised/degraded notified forest land-Scrub dominated	1857.31	0.77	1807.61	0.75	49.70	0.02
11	Under utilised/degraded notified forest land-Agriculture	64.61	0.03	358.76	0.15	-294.15	-0.12
12	Degraded pastures/grazing land	21.47	0.01	79.84	0.03	-58.37	-0.02
13	Degraded land under plantation Crops	3.48	0.00	13.31	0.01	-9.83	0.00
14	Sands-Riverine	109.92	0.05	630.82	0.26	-520.90	-0.22
15	Sands-Coastal	0.00	0.00	78.52	0.03	-78.52	-0.03
16	Mining wastelands	16.16	0.01	9.12	0.00	7.04	0.00
17	Industrial wastelands	18.07	0.01	31.94	0.01	-13.87	-0.01
18	Barren rocky area	411.75	0.17	391.11	0.16	20.64	0.01
	Total	10988.59	4.56	16984.16	7.05	-5995.57	-2.49
	TGA			240928.00			

Table 64: District - wise distribution of Wastelands


## WEST BENGAL

Category	Bankura	Barddhaman	Birbhum	Darjiling	Howrah	Hugli	Jalpaiguri	Kolkata	Kochbihar	Maldah	Medinipur	Murshidabad	Nadia	North 24 Parganas	Puruliya	South 24 Parganas	West Dinajpur	Total
1	4.07	0.26	0.61	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.78	0.00	0.00	0.00	7.84	0.00	0.00	20.56
2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.58	0.00	0.00	0.00	0.00	0.00	0.00	0.58
3	91.07	87.43	25.66	2.45	0.00	0.00	2.93	0.00	0.00	0.00	9.75	0.00	0.00	0.00	278.39	0.00	0.00	497.68
4	212.75	75.25	76.81	5.77	0.00	0.00	12.98	0.00	0.10	0.00	253.66	0.00	0.00	0.00	165.14	0.00	0.00	802.46
5	0.00	0.00	0.17	0.66	0.47	10.22	1.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	12.55
6	0.00	0.00	0.00	0.00	0.00	7.05	0.32	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.37
7	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	203.64	20.34	39.99	19.42	0.00	0.00	23.32	0.00	0.15	0.00	110.70	1.57	0.25	0.21	114.29	0.98	0.00	534.85
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	2.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.40
15	3.03	0.43	2.41	0.00	0.00	0.00	1.35	0.00	0.12	2.55	2.26	3.88	0.00	0.00	0.00	0.00	0.06	16.10
16	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	3.45	0.00	0.00	0.77	0.00	3.73	0.00	7.94
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.59	22.01	0.70	0.00	0.00	1.38	0.00	0.00	0.00	0.00	0.39	0.00	0.00	0.00	0.02	0.00	0.00	25.09
21	2.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	2.72
22	15.67	0.25	1.12	4.27	0.00	0.00	0.00	0.00	0.00	0.00	3.92	0.00	0.00	0.00	38.88	0.00	0.00	64.12
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>533.55</b>	<b>205.98</b>	<b>147.47</b>	<b>34.97</b>	<b>0.47</b>	<b>18.64</b>	<b>41.93</b>	<b>0.00</b>	<b>0.37</b>	<b>2.55</b>	<b>392.48</b>	<b>5.45</b>	<b>0.25</b>	<b>0.98</b>	<b>604.55</b>	<b>4.71</b>	<b>0.06</b>	<b>1994.41</b>
TGA	6882.00	7024.00	4545.00	3149.00	1467.00	3149.00	6227.00	104.00	3387.00	3733.00	14081.00	5324.00	3927.00	3978.00	6259.00	10158.00	5358.00	88752.00
% to TGA	7.75	2.93	3.24	1.11	0.03	0.59	0.67	0.00	0.01	0.07	2.79	0.10	0.01	0.02	9.66	0.05	0.00	2.25

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area

Total Geog. Area (TGA) : 88752.00 sq.km.  
 Total Wasteland Area : 1994.41 sq. km.  
 Wasteland Area : 2.25 %

Figure. 46




## WASTELAND MAP 2005-06 WEST BENGAL



### LEGEND

- Gullied/ Ravine land-Medium ravine (1)
- Gullied/Ravine land-Deep/ very deep ravine (2)
- Scrubland - Land with dense scrub (3)
- Scrubland - Land with open scrub (4)
- Waterlogged and marshy land - Permanent (5)
- Waterlogged and marshy land - Seasonal (6)
- Land Affected by Salinity/ Alkalinity - Moderate (7)
- Land Affected by Salinity/ Alkalinity - Strong (8)
- Shifting cultivation - Current jhum (9)
- Shifting cultivation - Abandoned jhum (10)
- Under-utilised Deg Notif Forest - Scrub Dom (11)
- Under- utilised Deg Notif Forest - Agriculture (12)
- Degraded Pastures/ grazing land (13)
- Degraded Land under Plantation Crop (14)
- Sands - Desert sand (15)
- Sands - Coastal sand (16)
- Sands - Riverine (17)
- Sands - Semi-stab to stab (>40m) dune (18)
- Sands-Semi-stab to stab mod high(15-40m) dune (19)
- Mining Wastelands (20)
- Industrial Wastelands (21)
- Barren rocky area (22)
- Snow cover and/ or glacial area (23)
- Non Wasteland Area
- Major Road
- Railway Line



Based on 3 season data of IRS P6  
 LISS III (2005-06) & Limited ground checks

#### Partner Institution:

State Remote Sensing Cell,  
 S&T and NES Department, Govt. of W.B  
 Bikas Bhavan, 4th Floor  
 Eastern Block, Bidhan Nagar  
 KOLKATA - 700 091

#### Coordinated by:

National Remote Sensing Centre  
 ISRO, Dept. of Space, Govt of India,  
 Hyderabad - 500625


Table 65: West Bengal - Category-wise distribution and changes in wastelands


Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	20.56	0.02	123.13	0.14	-102.57	-0.12
2	Gullied and/or ravinous land-Deep	0.58	0.00	0.00	0.00	0.58	0.00
3	Land with Dense Scrub	497.68	0.56	482.00	0.54	15.68	0.02
4	Land with Open Scrub	802.46	0.90	747.50	0.84	54.96	0.06
5	Waterlogged and Marshy land-Permanent	12.55	0.01	227.53	0.26	-214.98	-0.24
6	Waterlogged and Marshy land-Seasonal	7.37	0.01	1183.22	1.33	-1175.85	-1.32
7	Under utilised/degraded notified forest land-Scrub dominated	534.85	0.60	996.95	1.12	-462.10	-0.52
8	Under utilised/degraded notified forest land-Agriculture	0.00	0.00	35.58	0.04	-35.58	-0.04
9	Degraded pastures/grazing land	0.00	0.00	71.72	0.08	-71.72	-0.08
10	Degraded land under plantation Crops	2.40	0.00	33.28	0.04	-30.88	-0.03
11	Sands-Riverine	16.10	0.02	262.00	0.30	-245.90	-0.28
12	Sands-Coastal	7.94	0.01	12.39	0.01	-4.45	-0.01
13	Mining wastelands	25.09	0.03	26.51	0.03	-1.42	0.00
14	Industrial wastelands	2.72	0.00	15.83	0.02	-13.11	-0.01
15	Barren rocky area	64.12	0.07	179.92	0.20	-115.80	-0.13
	Total	1994.41	2.25	4397.56	4.95	-2403.15	-2.71
	TGA			88752.00			

**Table 66: Distribution of Wastelands**  
**UNION TERRITORIES**

Category	Andaman & Nicobar	Chandigarh	Dadra & Nagar Haveli	Daman	Diu	Lakshadweep	Karaikal	Mahe	Pondicherry	Yanam	Total
1	0.00	0.08	0.01	0.16	0.00	0.00	0.00	0.00	0.00	0.00	0.26
2	0.00	6.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.12
3	0.00	0.21	1.01	0.05	0.04	0.00	0.57	0.00	0.83	0.00	2.72
4	0.00	0.30	36.13	6.04	0.00	0.00	3.16	0.04	3.24	1.05	49.97
5	0.00	0.37	0.37	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.77
6	0.00	0.00	0.44	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.44
7	0.00	0.00	0.00	0.00	2.50	0.00	0.00	0.00	0.00	0.00	2.50
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
9	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
11	247.83	0.01	15.31	0.00	0.00	0.00	0.00	0.00	0.00	0.00	263.14
12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
15	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
16	7.54	0.00	0.00	0.00	0.00	0.60	0.00	0.00	3.25	0.00	11.39
17	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
18	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
20	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
23	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
<b>Total</b>	<b>255.37</b>	<b>7.08</b>	<b>53.27</b>	<b>6.28</b>	<b>2.54</b>	<b>0.60</b>	<b>3.73</b>	<b>0.04</b>	<b>7.32</b>	<b>1.05</b>	<b>337.30</b>
TGA	8249	114	491	72	40	32	160	9	293	30	9490
% to TGA	3.10	6.21	10.85	8.72	6.36	1.87	2.33	0.48	2.50	3.51	3.55

1. Gullied and/ or ravinous land (Medium)	6. Waterlogged and Marshy land (Seasonal)	11. Under-utilised/degraded forest (Scrub domin)	16. Sands-Coastal	21. Industrial wastelands
2. Gullied and/ or ravinous land (Deep)	7. Land affected by salinity/alkalinity (Medium)	12. Under-utilised/degraded forest (Agriculture)	17. Sands-Desertic	22. Barren Rocky/Stony waste
3. Land with Dense Scrub	8. Land affected by salinity/alkalinity (Strong)	13. Degraded pastures/ grazing land	18. Sands-Semi Stab.-Stab>40m	23. Snow covered /Glacial area
4. Land with Open Scrub	9. Shifting Cultivation - Current Jhum	14. Degraded land under plantation crop	19. Sands-Semi Stab.-Stab 15-40m	Total - Total Wasteland Area
5. Waterlogged and Marshy land (Permanent)	10. Shifting Cultivation - Abandoned Jhum	15. Sands-Riverine	20. Mining Wastelands	TGA - Total Geographical Area





## WASTELAND MAP 2005-06 UNION TERRITORIES



### LEGEND

- Gullied/ Ravine land-Medium ravine
- Gullied/Ravine land-Deep/ very deep ravine
- Scrubland - Land with dense scrub
- Scrubland - Land with open scrub
- Waterlogged and marshy land - Permanent
- Waterlogged and marshy land - Seasonal
- Land Affected by Salinity/ Alkalinity - Moderate
- Land Affected by Salinity/ Alkalinity - Strong
- Shifting cultivation - Current jhum
- Shifting cultivation - Abandoned jhum
- Under-utilised Deg Notif Forest - Scrub Dom
- Under - utilised Deg Notif Forest - Agriculture
- Degraded Pastures/ grazing land
- Degraded Land under Plantation Crop
- Sands - Desert sand
- Sands - Coastal sand
- Sands - Riverine
- Sands - Semi-stabi to stab (>40m) dune
- Sands-Semi-stab to stab mod high(15-40m) dune
- Mining Wastelands
- Industrial Wastelands
- Barren rocky area
- Snow cover and/ or glacial area
- Non Wasteland Area



Based on 3 season data of IRS P6  
LISS III (2005-06) & Limited ground checks

Partner Institution:

Land Use Division  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India  
Balanagar  
Hyderabad-500625

Coordinated by:

Land Use Division, LRG, RS & GIS - AA  
National Remote Sensing Centre  
ISRO, Dept. of Space, Govt of India,  
Balanagar,  
Hyderabad - 500625

Table 67: Union Territories - Category-wise distribution and changes in wastelands

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	0.26	0.00	5.96	0.05	-5.70	-0.05
2	Gullied and/or ravinous land-Deep	6.12	0.06	0.00	0.00	6.12	0.06
3	Land with Dense Scrub	2.72	0.02	20.01	0.18	-17.29	-0.16
4	Land with Open Scrub	49.97	0.46	4.28	0.04	45.69	0.42
5	Waterlogged and Marshy land-Permanent	0.77	0.01	7.86	0.07	-7.09	-0.06
6	Waterlogged and Marshy land-Seasonal	0.44	0.00	0.05	0.00	0.39	0.00
7	Land affected by salinity/alkalinity-Moderate	2.50	0.02	11.54	0.11	-9.04	-0.08
8	Land affected by salinity/alkalinity-Strong	0.00	0.00	0.47	0.00	-0.47	0.00
9	Under utilised/degraded notified forest land-Scrub dominated	263.14	2.40	192.68	1.76	70.46	0.64
10	Degraded land under plantation Crops	0.00	0.00	1.97	0.02	-1.97	-0.02
11	Sands-Riverine	0.00	0.00	2.95	0.03	-2.95	-0.03
12	Sands-Coastal	11.39	0.10	20.30	0.18	-8.91	-0.08
13	Mining wastelands	0.00	0.00	0.35	0.00	-0.35	0.00
14	Barren rocky area	0.00	0.00	45.96	0.42	-45.96	-0.42
	Total	337.30	3.07	314.38	2.87	22.92	0.21
	TGA	9490.00					

**Table 68: Andaman & Nicobar - Category-wise distribution and changes in wastelands**

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	0.00	0.00	1.38	0.02	-1.38	-0.02
2	Land affected by salinity/alkalinity-Slight	0.00	0.00	0.47	0.01	-0.47	-0.01
3	Under utilised/degraded notified forest land-Scrub dominated	247.83	3.00	119.04	1.44	128.79	1.56
4	Degraded land under plantation Crops	0.00	0.00	1.97	0.02	-1.97	-0.02
5	Sands-Riverine	0.00	0.00	2.74	0.03	-2.74	-0.03
6	Sands-Coastal	7.54	0.09	0.00	0.00	7.54	0.09
7	Mining wastelands	0.00	0.00	0.35	0.00	-0.35	0.00
8	Barren rocky area	0.00	0.00	5.41	0.07	-5.41	-0.07
	Total	255.37	3.10	131.36	1.59	124.01	1.50
	TGA	8249.00					

**Table 69: Chandigarh - Category-wise distribution and changes in wastelands**

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	0.08	0.07	0.00	0.00	0.08	0.07
2	Gullied and/or ravinous land-Deep	6.12	5.37	0.00	0.00	6.12	5.37
3	Land with Dense Scrub	0.21	0.19	0.00	0.00	0.21	0.19
4	Land with Open Scrub	0.30	0.26	0.00	0.00	0.30	0.26
5	Waterlogged and Marshy land-Permanent	0.37	0.33	0.00	0.00	0.37	0.33
6	Under utilised/degraded notified forest land-Scrub dominated	0.01	0.00	0.00	0.00	0.01	0.00
	Total	7.08	6.21	0.00	0.00	7.08	6.21
	TGA	114.00					

**Table 70: Dadra & Nagar Haveli - Category-wise distribution and changes in wastelands**

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	0.01	0.00	0.00	0.00	0.01	0.00
2	Land with Dense Scrub	1.01	0.20	12.90	2.63	-11.89	-2.42
3	Land with Open Scrub	36.13	7.36	0.00	0.00	36.13	7.36
4	Waterlogged and Marshy land-Permanent	0.37	0.08	0.00	0.00	0.37	0.08
5	Waterlogged and Marshy land-Seasonal	0.44	0.09	0.00	0.00	0.44	0.09
6	Under utilised/degraded notified forest land-Scrub dominated	15.31	3.12	54.40	11.08	-39.09	-7.96
	Total	53.27	10.85	67.30	13.71	-14.03	-2.86
	TGA	491.00					

**Table 71: Daman - Category-wise distribution and changes in wastelands**

SI	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	0.16	0.23	0.00	0.00	0.16	0.23
2	Land with Dense Scrub	0.05	0.08	0.96	1.33	-0.91	-1.26
3	Land with Open Scrub	6.04	8.39	1.35	1.88	4.69	6.52
4	Waterlogged and Marshy land-Permanent	0.02	0.03	3.61	5.01	-3.59	-4.98
5	Sands-Coastal	0.00	0.00	10.83	15.04	-10.83	-15.04
6	Barren rocky area	0.00	0.00	2.74	3.81	-2.74	-3.81
	Total	6.28	8.72	19.49	27.07	-13.21	-18.34
	TGA	72.00					

Table 72: Diu - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	0.04	0.10	0.00	0.00	0.04	0.10
2	Land affected by salinity/alkalinity-Moderate	2.50	6.26	0.00	0.00	2.50	6.26
	Total	2.54	6.36	0.00	0.00	2.54	6.36
	TGA	40.00					

Table 73: Karaikal - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Land with Dense Scrub	0.57	0.36	0.07	0.04	0.50	0.31
2	Land with Open Scrub	3.16	1.97	0.00	0.00	3.16	1.97
3	Waterlogged and Marshy land-Permanent	0.00	0.00	3.48	2.18	-3.48	-2.18
4	Waterlogged and Marshy land-Seasonal	0.00	0.00	0.05	0.03	-0.05	-0.03
	Total	3.73	2.33	3.60	2.25	0.13	0.08
	TGA	160.00					

Table 74: Pondicherry - Category-wise distribution and changes in wastelands

Sl	Wasteland Categories	Area in sq.km.					
		2005-06	%	2003	%	Change	% diff
1	Gullied and/or ravinous land-Medium	0.00	0.00	0.45	0.15	-0.45	-0.15
2	Land with Dense Scrub	0.83	0.28	0.91	0.31	-0.08	-0.03
3	Land with Open Scrub	3.24	1.11	0.96	0.33	2.28	0.78
4	Waterlogged and Marshy land-Permanent	0.00	0.00	0.77	0.26	-0.77	-0.26
5	Land affected by salinity/alkalinity-Moderate	0.00	0.00	7.36	2.51	-7.36	-2.51
6	Sands-Riverine	0.00	0.00	0.21	0.07	-0.21	-0.07
7	Sands-Coastal	3.25	1.11	4.07	1.39	-0.82	-0.28
8	Barren rocky area	0.06	0.02	0.00	0.00	0.06	0.02
	Total	7.39	2.52	14.73	5.03	-7.34	-2.51
	TGA	293.00					

Figure. 49






**Wasteland change - Land with Open Scrub to Plantation****Ojili Mandal, Nellore District, Andhra Pradesh****Chillakur Mandal, Nellore District, Andhra Pradesh**


Figure. 50      **Wastelands - Interpretation Variation using single season and multi-season satellite**  
Tangan and Purbhava N, Maldah District, West Bengal




IRS LISS III 108 54 Date 14-02-2002

February 02 image shown as Waterlogged and Marshy Land


March 06 image depicting cultivation of Boro paddy



IRS LISS III 107 52 Date 15-11-2006



IRS LISS III 107 52 Date 31-01-2006



IRS LISS III 107 52 Date 20-03-2006

Figure. 51



OPEN SCRUB AS SEEN  
NEAR KHANDI  
MEDAK DISTRICT, A. P.

LON: 78.1180 E LAT: 17.5528 N




Figure. 52



SALT AFFECTED LAND AS SEEN  
NEAR NELLULENI HANUMAPURAM  
ANANTHAPUR DISTRICT, A. P.

LON: 77 09.101 E LAT: 14 50.489 N





Figure. 53




**MINE DUMPS  
AS SEEN NEAR SIVANDAPALEM  
CHITTOOR DISTRICT, A. P.**

LON: 79 44 11.29 E LAT: 13 43 27.62 N





India as seen from Resourcesat - 1 Satellite



Wastelands map of India - 2010